

# Roberts

## PRICE PILOT



139

**ROBERTS SASH AND DOOR CO.**

908 • 934 • • • WEST CULLERTON ST.  
CHICAGO, ILL. • • • TEL. CANAL 3300

# INDEX

|                                   |    |
|-----------------------------------|----|
| <b>A</b> ir Slab Flush Doors..... | 40 |
| Astragals.....                    | 95 |

|                          |         |
|--------------------------|---------|
| <b>B</b> ase Blocks..... | 89      |
| Blinds.....              | 78-79   |
| Breakfast Nooks.....     | 130-131 |
| Built-in Cabinets.....   | 108-127 |

|                                 |         |
|---------------------------------|---------|
| <b>C</b> abinets, Medicine..... | 132-133 |
| Caps and Bases.....             | 96      |
| Casement Sash.....              | 10-11   |
| Cedar Closet Lining.....        | 16      |
| China Cases.....                | 139-140 |
| Closet Pole Stock.....          | 85      |
| Columns.....                    | 96      |
| Combination Doors.....          | 14-15   |
| Corner Beads.....               | 89      |
| Corner Cupboards.....           | 134-135 |
| Counter Tops.....               | 125     |
| Cupboard Doors.....             | 27      |

|                             |       |
|-----------------------------|-------|
| <b>D</b> oors               |       |
| Colonial Exterior.....      | 28-29 |
| Colonial Interior.....      | 22    |
| Combination.....            | 14-15 |
| Cupboard.....               | 27    |
| DeLuxe.....                 | 25    |
| Exterior W. P. Pine.....    | 34-39 |
| Extras.....                 | 143   |
| Five Cross Panel            |       |
| W. P. Pine and Fir.....     | 23    |
| Flush.....                  | 40-41 |
| Four and Five Reg. Pan..... | 22    |
| French.....                 | 44-45 |
| Garage.....                 | 20-21 |
| Interior Hardwood.....      | 26    |
| Mirror.....                 | 42    |
| One and Two Panel           |       |
| W. P. Pine and Fir.....     | 24    |
| Overfold.....               | 21    |
| Screen.....                 | 17    |
| Store.....                  | 43    |
| Storm.....                  | 15    |
| Dowels.....                 | 141   |

|                   |       |
|-------------------|-------|
| <b>E</b> ntrances |       |
| Colonial.....     | 30-33 |

|                                |         |
|--------------------------------|---------|
| <b>F</b> ireplace Mantels..... | 136-138 |
| Frames                         |         |
| Andersen Casement.....         | 66-71   |
| Andersen Narroline.....        | 60-65   |
| Barn and Garage.....           | 57      |
| Box Frame.....                 | 53      |
| Brick Veneer.....              | 52      |
| Cellar.....                    | 57      |
| Drip Cap.....                  | 50-51   |
| Entrance.....                  | 30-33   |
| Exterior Door Frames.....      | 55      |
| Farlo Frame.....               | 48-49   |
| Interior Jambs.....            | 89      |
| Quality-Bilt Frame.....        | 50      |
| Unipak-Casement.....           | 72-75   |
| Unipak-Double Hung.....        | 76-77   |
| Unique-Balance.....            | 47-48   |

|                        |         |
|------------------------|---------|
| <b>H</b> and Rail..... | 101-105 |
| Hotbed Sash.....       | 11      |

|                                 |         |
|---------------------------------|---------|
| <b>I</b> nside Door Frames..... | 89      |
| Interior Trim.....              | 90-94   |
| Ironing Boards.....             | 128-129 |

|                         |    |
|-------------------------|----|
| <b>J</b> amb Stock..... | 89 |
| Jambs (Inside).....     | 89 |

|                          |         |
|--------------------------|---------|
| <b>K</b> itchen Cabinets |         |
| "DeLuxe".....            | 108-124 |
| "Metropolitan".....      | 126-127 |

|                        |    |
|------------------------|----|
| <b>L</b> attice.....   | 83 |
| Lineal Sash Stock..... | 13 |
| Louvres.....           | 58 |

|                        |         |
|------------------------|---------|
| <b>M</b> antels.....   | 136-138 |
| Medicine Cabinets..... | 132-133 |
| Micklin Corners.....   | 16      |
| Mirror Doors.....      | 42      |
| Mirrors.....           | 42      |
| Moulding.....          | 80-94   |

|                                |     |
|--------------------------------|-----|
| <b>N</b> iches, Telephone..... | 138 |
|--------------------------------|-----|

|                         |       |
|-------------------------|-------|
| <b>P</b> orch Sash..... | 11    |
| Porch Work.....         | 96-97 |

|                           |        |
|---------------------------|--------|
| <b>S</b> ash              |        |
| Barn.....                 | 9      |
| Casement.....             | 10-11  |
| Cellar.....               | 7-8    |
| Extras.....               | 143    |
| Gable.....                | 58     |
| Hotbed.....               | 11     |
| K D Sash.....             | 12     |
| Storm.....                | 2-3    |
| Transom.....              | 7      |
| Sash Cord.....            | 12     |
| Sash Frames.....          | 56     |
| Sash Weights.....         | 12     |
| Screen Stock.....         | 84     |
| Screens, Door.....        | 17     |
| Screens, Window.....      | 18-19  |
| Shutters.....             | 78-79  |
| Side Lights.....          | 59     |
| Stair Material.....       | 98-106 |
| Stairs, Disappearing..... | 107    |
| Storm Doors.....          | 15     |

|                                 |       |
|---------------------------------|-------|
| <b>T</b> elephone Cabinets..... | 138   |
| Thresholds.....                 | 89    |
| Trim.....                       | 90-94 |

|                           |     |
|---------------------------|-----|
| <b>V</b> enetian Medicine |     |
| Cabinet.....              | 133 |

|                               |       |
|-------------------------------|-------|
| <b>W</b> eatherstripping..... | 46    |
| Window Frames.....            | 48-58 |
| Window Screens.....           | 18-19 |
| Window Trim.....              | 90-94 |
| Windows-Prefitted.....        | 2-6   |

## Qualitybilt Pre-Fit and Toxic Treated Windows

No Fitting Required

Treated with an approved Chemical Solution to resist deterioration and rot


Qualitybilt Pre-Fit Windows are made  $\frac{1}{8}$ " narrower in width than standard openings and exact size in height. The ends of the check rails are cut back to fit over the parting stops.

No further trimming necessary to install in our Standard Frame when properly assembled.

Qualitybilt Pre-Fit and Toxic Treated Windows are made of soft textured W. P. Pine, accurately machined and correctly manufactured. Here are 10 Reasons why Qualitybilt Pre-Fit Windows Excel:

1. Top Rail thru mortised and tenoned.
2. Plowed and DOUBLE bored for Cord.
3. Ends of Check Rail cut back to fit over Parting Stop.
4. Rabbetted Check Rails.
5. Bottom Rail thru mortised and tenoned.
6. Bottom of Sash beveled for Sill.
7. Beveled Edges on Stiles and top Rails.
8. Putty-Lock on Stiles, Rails and Bars.
9. Save expense of fitting at Job.
10. Toxic Treated to insure long and satisfactory service.

Increase your sales by letting your trade know the advantages of selling Qualitybilt Millwork.



**ROBERTS SASH & DOOR COMPANY**  
908-934 WEST CULLERTON STREET  
CHICAGO

Copyrighted 1938, Roberts Sash & Door Co.




# Windows



R-1002

## NOTE

For prices on Glazed Storm Sash use Two Light Window List.



R-1013

## NOTE

Windows are toxic treated, pre-fitted and back puttied.



R-1016

### 1 3/8 Inches Thick—Divided Light Windows 3/8 Inch Bars

| Size of Glass | 2 Light Glazed S. S. B. R-1002 | 2 Light Glazed D. S. B. R-1002 | 2 Light Open R-1002 | Top 3 Light Glazed S. S. B. R-1013 | Top 3 Light Open R-1013 | Top 6 Light Glazed S. S. B. R-1016 | Top 6 Light Open R-1016 | Wts. SS | Size of Opening |
|---------------|--------------------------------|--------------------------------|---------------------|------------------------------------|-------------------------|------------------------------------|-------------------------|---------|-----------------|
| 12x16         | \$1.56                         | .....                          | \$0.96              | \$2.01                             | \$1.32                  | \$2.37                             | \$1.65                  | 9       | 1- 4x3- 2       |
| 18            | 1.65                           | .....                          | 1.02                | 2.07                               | 1.32                    | 2.46                               | 1.68                    | 10      | 3- 6            |
| 20            | 1.56                           | .....                          | .99                 | 1.92                               | 1.29                    | 2.31                               | 1.59                    | 11      | 3-10            |
| 22            | 1.80                           | .....                          | 1.08                | 2.22                               | 1.38                    | 2.61                               | 1.71                    | 12      | 4- 2            |
| 24            | 1.74                           | .....                          | 1.08                | 2.13                               | 1.35                    | 2.52                               | 1.68                    | 13      | 4- 6            |
| 26            | 2.01                           | .....                          | 1.17                | 2.43                               | 1.47                    | 2.85                               | 1.80                    | 13      | 4-10            |
| 28            | 2.10                           | .....                          | 1.17                | 2.52                               | 1.53                    | 2.94                               | 1.86                    | 13      | 5- 2            |
| 14x16         | 1.65                           | .....                          | 1.02                | 2.07                               | 1.32                    | 2.46                               | 1.68                    | 10      | 1- 6x3- 2       |
| 18            | 1.71                           | .....                          | 1.05                | 2.13                               | 1.35                    | 2.52                               | 1.68                    | 11      | 3- 6            |
| 20            | 1.62                           | .....                          | 1.02                | 2.01                               | 1.32                    | 2.40                               | 1.65                    | 12      | 3-10            |
| 22            | 1.98                           | .....                          | 1.14                | 2.40                               | 1.44                    | 2.82                               | 1.77                    | 12      | 4- 2            |
| 24            | 1.89                           | .....                          | 1.11                | 2.25                               | 1.41                    | 2.67                               | 1.71                    | 13      | 4- 6            |
| 26            | 2.13                           | .....                          | 1.17                | 2.55                               | 1.53                    | 2.97                               | 1.86                    | 14      | 4-10            |
| 28            | 2.13                           | .....                          | 1.14                | 2.52                               | 1.44                    | 2.91                               | 1.80                    | 16      | 5- 2            |
| 16x16         | 1.59                           | \$1.77                         | .99                 | 1.95                               | 1.29                    | 2.34                               | 1.59                    | 10      | 1- 8x3- 2       |
| 18            | 1.83                           | 2.07                           | 1.08                | 2.25                               | 1.38                    | 2.64                               | 1.71                    | 12      | 3- 6            |
| 20            | 1.80                           | 2.07                           | 1.08                | 2.16                               | 1.35                    | 2.58                               | 1.68                    | 12      | 3-10            |
| 22            | 2.10                           | 2.46                           | 1.17                | 2.52                               | 1.47                    | 2.94                               | 1.80                    | 13      | 4- 2            |
| 24            | 1.98                           | 2.31                           | 1.11                | 2.34                               | 1.44                    | 2.76                               | 1.74                    | 14      | 4- 6            |
| 26            | 2.40                           | 2.91                           | 1.23                | 2.85                               | 1.53                    | 3.26                               | 1.89                    | 15      | 4-10            |
| 28            | 2.25                           | 2.76                           | 1.20                | 2.64                               | 1.47                    | 3.03                               | 1.80                    | 16      | 5- 2            |
| 30            | 2.61                           | 3.15                           | 1.29                | 3.03                               | 1.59                    | 3.42                               | 1.92                    | 17      | 5- 6            |
| 18x16         | 1.83                           | 2.07                           | 1.08                | 2.25                               | 1.44                    | 2.70                               | 1.77                    | 12      | 1-10x3- 2       |
| 18            | 2.01                           | 2.31                           | 1.14                | 2.46                               | 1.47                    | 2.88                               | 1.77                    | 13      | 3- 6            |
| 20            | 1.92                           | 2.22                           | 1.11                | 2.31                               | 1.38                    | 2.70                               | 1.71                    | 13      | 3-10            |
| 22            | 2.31                           | 2.79                           | 1.17                | 2.76                               | 1.50                    | 3.18                               | 1.86                    | 14      | 4- 2            |
| 24            | 2.19                           | 2.64                           | 1.14                | 2.58                               | 1.47                    | 2.97                               | 1.77                    | 16      | 4- 6            |
| 26            | 2.58                           | 3.12                           | 1.26                | 3.00                               | 1.59                    | 3.45                               | 1.92                    | 17      | 4-10            |
| 28            | 2.67                           | 3.27                           | 1.29                | 3.09                               | 1.65                    | 3.54                               | 1.98                    | 18      | 5- 2            |
| 30            | 2.79                           | 3.45                           | 1.35                | 3.21                               | 1.68                    | 3.66                               | 1.98                    | 19      | 5- 6            |
| 20x14         | 1.62                           | 1.86                           | 1.02                | 2.04                               | 1.35                    | 2.43                               | 1.65                    | 11      | 2- 0x2-10       |
| 16            | 1.74                           | 2.07                           | 1.08                | 2.19                               | 1.38                    | 2.58                               | 1.65                    | 12      | 3- 2            |
| 18            | 2.10                           | 2.46                           | 1.17                | 2.55                               | 1.47                    | 2.97                               | 1.80                    | 13      | 3- 6            |
| 20            | 2.04                           | 2.52                           | 1.11                | 2.52                               | 1.44                    | 2.91                               | 1.74                    | 15      | 3-10            |
| 22            | 2.22                           | 2.73                           | 1.14                | 2.61                               | 1.47                    | 3.00                               | 1.77                    | 16      | 4- 2            |
| 24            | 2.25                           | 2.85                           | 1.20                | 2.73                               | 1.50                    | 3.12                               | 1.83                    | 17      | 4- 6            |
| 26            | 2.43                           | 2.97                           | 1.23                | 2.82                               | 1.53                    | 3.21                               | 1.86                    | 19      | 4-10            |
| 28            | 2.79                           | 3.45                           | 1.35                | 3.21                               | 1.68                    | 3.66                               | 1.98                    | 21      | 5- 2            |
| 30            | 2.91                           | 3.63                           | 1.38                | 3.33                               | 1.68                    | 3.78                               | 2.01                    | 22      | 5- 6            |
| 32            | 3.18                           | 3.96                           | 1.47                | 3.78                               | 1.92                    | 4.05                               | 2.13                    | 23      | 5-10            |
| 22x14         | 1.98                           | 2.28                           | 1.14                | 2.40                               | 1.47                    | 2.85                               | 1.77                    | 12      | 2- 2x2-10       |
| 16            | 2.10                           | 2.46                           | 1.17                | 2.55                               | 1.47                    | 2.97                               | 1.80                    | 13      | 3- 2            |
| 18            | 2.25                           | 2.73                           | 1.17                | 2.70                               | 1.50                    | 3.12                               | 1.86                    | 14      | 3- 6            |
| 20            | 2.46                           | 3.00                           | 1.23                | 2.88                               | 1.56                    | 3.30                               | 1.89                    | 16      | 3-10            |
| 22            | 2.58                           | 3.12                           | 1.26                | 3.00                               | 1.59                    | 3.45                               | 1.92                    | 18      | 4- 2            |
| 24            | 2.43                           | 2.97                           | 1.23                | 2.82                               | 1.53                    | 3.21                               | 1.86                    | 19      | 4- 6            |
| 26            | 2.52                           | 3.12                           | 1.26                | 2.94                               | 1.59                    | 3.33                               | 1.86                    | 20      | 4-10            |
| 28            | 2.64                           | 3.30                           | 1.32                | 3.03                               | 1.59                    | 3.42                               | 1.89                    | 21      | 5- 2            |
| 30            | 3.12                           | 3.90                           | 1.38                | 3.57                               | 1.71                    | 3.99                               | 2.07                    | 22      | 5- 6            |
| 32            | 3.33                           | 4.20                           | 1.50                | 3.93                               | 1.98                    | 4.20                               | 2.19                    | 24      | 5-10            |
| 24x14         | 1.89                           | 2.16                           | 1.11                | 2.28                               | 1.38                    | 2.67                               | 1.71                    | 13      | 2- 4x2-10       |
| 16            | 1.92                           | 2.43                           | 1.11                | 2.40                               | 1.44                    | 2.79                               | 1.74                    | 14      | 3- 2            |
| 18            | 2.19                           | 2.64                           | 1.14                | 2.58                               | 1.47                    | 2.97                               | 1.77                    | 16      | 3- 6            |
| 20            | 2.25                           | 2.85                           | 1.20                | 2.73                               | 1.50                    | 3.12                               | 1.83                    | 17      | 3-10            |
| 22            | 2.43                           | 2.97                           | 1.23                | 2.82                               | 1.53                    | 3.21                               | 1.86                    | 19      | 4- 2            |
| 24            | 2.52                           | 3.27                           | 1.26                | 3.00                               | 1.59                    | 3.42                               | 1.86                    | 20      | 4- 6            |
| 26            | 2.55                           | 3.30                           | 1.32                | 3.03                               | 1.59                    | 3.42                               | 1.89                    | 21      | 4-10            |
| 28            | 2.85                           | 3.54                           | 1.32                | 3.24                               | 1.62                    | 3.63                               | 1.95                    | 23      | 5- 2            |
| 30            | 2.97                           | 3.78                           | 1.35                | 3.39                               | 1.65                    | 3.78                               | 1.98                    | 25      | 5- 6            |
| 32            | 3.33                           | 4.17                           | 1.47                | 3.87                               | 1.89                    | 4.11                               | 2.07                    | 26      | 5-10            |

Toxic treated, pre-fitted and back puttied.

See Page 143 for extras.



## Windows



R-1002

### NOTE

For prices on Glazed Storm Sash use Two Light Window List.



R-1013

### NOTE

Windows are toxic treated, pre-fitted and back puttied.



R-1016

1 3/8 Inches Thick—Divided Light Windows 3/8 Inch Bars

| Size of Glass | 2 Light Glazed S. S. B. R-1002 | 2 Light Glazed D. S. B. R-1002 | 2 Light Open R-1002 | Top 3 Light Glazed S. S. B. R-1013 | Top 3 Light Open R-1013 | Top 6 Light Glazed S. S. B. R-1016 | Top 6 Light Open R-1016 | Wts. SS | Size of Opening |
|---------------|--------------------------------|--------------------------------|---------------------|------------------------------------|-------------------------|------------------------------------|-------------------------|---------|-----------------|
| 24x34         | \$3.72                         | \$4.62                         | \$1.59              | \$4.29                             | \$2.07                  | \$4.59                             | \$2.22                  | 27      | 2- 4x6- 2       |
| 36            | 3.96                           | 4.98                           | 1.65                | 4.56                               | 2.10                    | 4.83                               | 2.28                    | 28      | 6- 6            |
| 26x16         | 2.19                           | 2.64                           | 1.14                | 2.58                               | 1.47                    | 2.97                               | 1.77                    | 15      | 2- 6x3- 2       |
| 18            | 2.34                           | 2.85                           | 1.20                | 2.73                               | 1.50                    | 3.12                               | 1.83                    | 17      | 3- 6            |
| 20            | 2.43                           | 2.97                           | 1.23                | 2.82                               | 1.53                    | 3.21                               | 1.86                    | 19      | 3- 10           |
| 22            | 2.79                           | 3.45                           | 1.35                | 3.21                               | 1.68                    | 3.66                               | 1.98                    | 20      | 4- 2            |
| 24            | 2.55                           | 3.30                           | 1.32                | 3.03                               | 1.59                    | 3.42                               | 1.89                    | 21      | 4- 6            |
| 26            | 2.85                           | 3.54                           | 1.32                | 3.24                               | 1.62                    | 3.63                               | 1.95                    | 23      | 4- 10           |
| 28            | 3.06                           | 3.84                           | 1.35                | 3.45                               | 1.65                    | 3.87                               | 1.98                    | 24      | 5- 2            |
| 30            | 3.60                           | 4.53                           | 1.47                | 4.02                               | 1.80                    | 4.47                               | 2.13                    | 26      | 5- 6            |
| 32            | 3.72                           | 4.62                           | 1.59                | 4.29                               | 2.07                    | 4.59                               | 2.22                    | 27      | 5- 10           |
| 34            | 4.20                           | 5.28                           | 1.65                | 4.80                               | 2.10                    | 5.07                               | 2.28                    | 29      | 6- 2            |
| 27 1/2 x 24   | 3.12                           | 3.90                           | 1.38                | 3.57                               | 1.71                    | 3.99                               | 2.07                    | 23      | 2- 7 1/2 x 4- 6 |
| 26            | 3.27                           | 4.14                           | 1.44                | 3.72                               | 1.77                    | 4.14                               | 2.10                    | 24      | 4- 10           |
| 28            | 3.39                           | 4.23                           | 1.47                | 3.84                               | 1.80                    | 4.26                               | 2.13                    | 25      | 5- 2            |
| 30            | 3.63                           | 4.56                           | 1.50                | 4.05                               | 1.86                    | 4.50                               | 2.19                    | 27      | 5- 6            |
| 32            | 4.11                           | 5.19                           | 1.65                | 4.71                               | 2.10                    | 4.98                               | 2.28                    | 29      | 5- 10           |
| 28x16         | 2.49                           | 3.03                           | 1.26                | 2.91                               | 1.59                    | 3.33                               | 1.92                    | 16      | 2- 8x3- 2       |
| 18            | 2.67                           | 3.27                           | 1.29                | 3.09                               | 1.65                    | 3.54                               | 1.98                    | 18      | 3- 6            |
| 20            | 2.79                           | 3.45                           | 1.35                | 3.21                               | 1.68                    | 3.66                               | 1.98                    | 21      | 3- 10           |
| 24            | 2.76                           | 3.54                           | 1.32                | 3.24                               | 1.62                    | 3.63                               | 1.95                    | 23      | 4- 6            |
| 26            | 3.06                           | 3.84                           | 1.35                | 3.45                               | 1.65                    | 3.87                               | 1.98                    | 24      | 4- 10           |
| 28            | 3.27                           | 4.11                           | 1.38                | 3.66                               | 1.71                    | 4.05                               | 2.01                    | 25      | 5- 2            |
| 30            | 3.63                           | 4.56                           | 1.50                | 4.05                               | 1.86                    | 4.50                               | 2.19                    | 27      | 5- 6            |
| 32            | 4.20                           | 5.28                           | 1.65                | 4.80                               | 2.10                    | 5.07                               | 2.28                    | 29      | 5- 10           |
| 34            | 4.23                           | 5.31                           | 1.65                | 4.83                               | 2.13                    | 5.10                               | 2.31                    | 31      | 6- 2            |
| 36            | 4.59                           | 5.82                           | 1.68                | 5.16                               | 2.19                    | 5.46                               | 2.34                    | 32      | 6- 6            |
| 30x16         | 2.61                           | 3.15                           | 1.29                | 3.00                               | 1.62                    | 3.48                               | 1.98                    | 17      | 2- 10x3- 2      |
| 18            | 2.79                           | 3.45                           | 1.35                | 3.18                               | 1.68                    | 3.66                               | 2.01                    | 19      | 3- 6            |
| 20            | 2.91                           | 3.63                           | 1.38                | 3.33                               | 1.71                    | 3.78                               | 2.01                    | 22      | 3- 10           |
| 24            | 2.97                           | 3.78                           | 1.35                | 3.36                               | 1.68                    | 3.75                               | 1.98                    | 25      | 4- 6            |
| 26            | 3.27                           | 4.11                           | 1.38                | 3.66                               | 1.68                    | 4.05                               | 2.01                    | 26      | 4- 10           |
| 28            | 3.30                           | 4.14                           | 1.44                | 3.69                               | 1.74                    | 4.08                               | 2.04                    | 27      | 5- 2            |
| 30            | 4.14                           | 5.22                           | 1.56                | 4.56                               | 1.89                    | 5.01                               | 2.22                    | 29      | 5- 6            |
| 32            | 4.23                           | 5.31                           | 1.65                | 4.83                               | 2.16                    | 5.13                               | 2.31                    | 31      | 5- 10           |
| 34            | 4.59                           | 5.82                           | 1.68                | 5.19                               | 2.19                    | 5.46                               | 2.34                    | 33      | 6- 2            |
| 36            | 4.62                           | 5.85                           | 1.71                | 5.22                               | 2.19                    | 5.49                               | 2.40                    | 35      | 6- 6            |
| 32x18         | 2.88                           | 3.54                           | 1.44                | 3.30                               | 1.80                    | 3.75                               | 2.10                    | 24      | 3- 0x3- 6       |
| 20            | 3.18                           | 3.96                           | 1.47                | 3.60                               | 1.80                    | 4.05                               | 2.13                    | 25      | 3- 10           |
| 24            | 3.66                           | 4.59                           | 1.56                | 4.05                               | 1.89                    | 4.53                               | 2.22                    | 26      | 4- 6            |
| 26            | 3.69                           | 4.62                           | 1.59                | 4.08                               | 1.92                    | 4.56                               | 2.28                    | 27      | 4- 10           |
| 28            | 4.20                           | 5.28                           | 1.65                | 4.62                               | 1.98                    | 5.07                               | 2.28                    | 29      | 5- 2            |
| 30            | 4.23                           | 5.31                           | 1.65                | 4.65                               | 2.01                    | 5.13                               | 2.31                    | 31      | 5- 6            |
| 32            | .....                          | 5.82                           | 1.68                | *5.79                              | 2.19                    | *6.06                              | 2.34                    | 35      | 5- 10           |
| 34            | .....                          | 5.85                           | 1.71                | *5.82                              | 2.19                    | *6.12                              | 2.40                    | 37      | 6- 2            |
| 36            | .....                          | 6.51                           | 1.77                | *6.39                              | 2.25                    | *6.66                              | 2.43                    | 39      | 6- 6            |
| 36x24         | 3.96                           | 4.98                           | 1.65                | 4.38                               | 1.98                    | 4.83                               | 2.28                    | 28      | 3- 4x4- 6       |
| 26            | 4.23                           | 5.31                           | 1.65                | 4.65                               | 2.01                    | 5.13                               | 2.31                    | 31      | 4- 10           |
| 28            | 4.59                           | 5.82                           | 1.68                | 4.98                               | 2.04                    | 5.46                               | 2.34                    | 32      | 5- 2            |
| 30            | 4.62                           | 5.85                           | 1.71                | 5.01                               | 2.10                    | 5.49                               | 2.40                    | 35      | 5- 6            |
| 32            | .....                          | 6.51                           | 1.77                | *6.39                              | 2.25                    | *6.66                              | 2.43                    | 39      | 5- 10           |
| 36            | .....                          | 7.05                           | 1.86                | *6.96                              | 2.34                    | *7.20                              | 2.52                    | 41      | 6- 6            |
| 40x24         | 4.32                           | 5.43                           | 1.77                | *5.34                              | 2.10                    | *5.73                              | 2.40                    | 34      | 3- 8x4- 6       |
| 26            | 4.71                           | 5.94                           | 1.80                | *5.76                              | 2.13                    | *6.18                              | 2.46                    | 36      | 4- 10           |
| 28            | 5.13                           | 6.57                           | 1.86                | *6.30                              | 2.19                    | *6.69                              | 2.49                    | 37      | 5- 2            |
| 30            | 5.19                           | 6.63                           | 1.89                | *6.36                              | 2.22                    | *6.78                              | 2.52                    | 40      | 5- 6            |
| 32            | .....                          | 7.14                           | 1.92                | *7.05                              | 2.40                    | *7.29                              | 2.58                    | 42      | 5- 10           |

\*Items Glazed Tops S.S.B. Bottoms D.S.B.

Toxic treated, pre-fitted and back puttied.

See Page 143 for extras.



## Four-Light Check Rail Windows

1 3/8 Inches Thick

NOTE

Windows are  
toxic treated,  
pre-fitted and  
back puttied.

| Size of Glass | Glazed S. S. B. | Open   | Size of Opening | Approximate Weights Glazed S. S. B. |
|---------------|-----------------|--------|-----------------|-------------------------------------|
| 12x20         | \$2.40          | \$1.38 | 2- 5x3-10       | 18                                  |
| 22            | 2.88            | 1.56   | 4- 2            | 19                                  |
| 24            | 2.76            | 1.50   | 4- 6            | 20                                  |
| 26            | 2.97            | 1.53   | 4-10            | 21                                  |
| 28            | 3.12            | 1.59   | 5- 2            | 22                                  |
| 30            | 3.69            | 1.71   | 5- 6            | 23                                  |
| 32            | 3.87            | 1.86   | 5-10            | 25                                  |
| 34            | 3.99            | 1.89   | 6- 2            | 26                                  |
| 13 1/4 x 24   | 3.27            | 1.65   | 2-7 1/2 x 4- 6  | 21                                  |
| 28            | 3.69            | 1.77   | 5- 2            | 24                                  |
| 30            | 3.90            | 1.80   | 5- 6            | 25                                  |
| 32            | 4.20            | 1.85   | 5-10            | 29                                  |
| 14x20         | 2.91            | 1.56   | 2- 9x3-10       | 20                                  |
| 24            | 3.39            | 1.65   | 4- 6            | 23                                  |
| 26            | 3.51            | 1.68   | 4-10            | 24                                  |
| 28            | 3.87            | 1.77   | 5- 2            | 25                                  |
| 30            | 3.99            | 1.80   | 5- 6            | 27                                  |
| 32            | 4.23            | 1.92   | 5-10            | 29                                  |
| 34            | 4.38            | 1.98   | 6- 2            | 31                                  |
| 36            | 4.62            | 2.01   | 6- 6            | 32                                  |

## Twelve-Light Windows

(For Two Light Opening)

Top and Bottom Each Divided Six Lights.

1 3/8 Inches Thick— 3/8-Inch Bars.

R-1012A

Windows are  
toxic treated,  
pre-fitted and  
back puttied.



R-1012A

| Size of Glass | Glazed S. S. B. | Open   | Size of Opening |
|---------------|-----------------|--------|-----------------|
| 20x16         | \$3.36          | \$2.31 | 2- 0x3- 2       |
| 18            | 3.81            | 2.49   | 3- 6            |
| 20            | 3.66            | 2.37   | 3-10            |
| 24            | 3.87            | 2.43   | 4- 6            |
| 26            | 3.96            | 2.46   | 4-10            |
| 24x16         | 3.54            | 2.37   | 2- 4x3- 2       |
| 18            | 3.75            | 2.37   | 3- 6            |
| 20            | 3.87            | 2.43   | 3-10            |
| 22            | 3.96            | 2.46   | 4- 2            |
| 24            | 4.17            | 2.49   | 4- 6            |
| 26            | 4.20            | 2.52   | 4-10            |
| 28            | 4.38            | 2.58   | 5- 2            |
| 26x16         | 3.75            | 2.37   | 2- 6x3- 2       |
| 18            | 3.87            | 2.43   | 3- 6            |
| 20            | 3.96            | 2.46   | 3-10            |
| 22            | 4.50            | 2.64   | 4- 2            |
| 24            | 4.20            | 2.52   | 4- 6            |
| 26            | 4.38            | 2.58   | 4-10            |
| 28            | 4.62            | 2.58   | 5- 2            |
| 28x16         | 4.17            | 2.55   | 2- 8x3- 2       |
| 18            | 4.35            | 2.61   | 3- 6            |
| 20            | 4.50            | 2.64   | 3-10            |
| 24            | 4.38            | 2.58   | 4- 6            |
| 26            | 4.62            | 2.58   | 4-10            |
| 28            | 4.80            | 2.61   | 5- 2            |
| 30x20         | 4.62            | 2.67   | 2-10x3-10       |
| 24            | 4.56            | 2.58   | 4- 6            |
| 26            | 4.83            | 2.64   | 4-10            |
| 28            | 4.86            | 2.67   | 5- 2            |

*Toxic treated, pre-fitted and back puttied.*

See Page 143 for extras.

## Eight-Light Plain Rail Windows

**1 $\frac{1}{8}$  Inches Thick  
Toxic Treated**



| Size of Glass | Glazed S. S. B. | Open   | Size of Opening          | Approximate Weights Glazed S. S. B. |
|---------------|-----------------|--------|--------------------------|-------------------------------------|
| 8x10          | \$2.01          | \$1.26 | 1- 8 $\frac{1}{2}$ x3-10 | 10                                  |
| 9x12          | 2.37            | 1.38   | 1-10 $\frac{1}{2}$ x4- 6 | 14                                  |
| 10x12         | 2.49            | 1.44   | 2- 0 $\frac{1}{2}$ x4- 6 | 15                                  |


## Eight-Light Check Rail Windows

**1 $\frac{3}{8}$  Inches Thick  
Toxic Treated, Pre-Fitted**

| Size of Glass | Glazed S. S. B. | Open   | Size of Opening | Approximate Weights Glazed S. S. B. |
|---------------|-----------------|--------|-----------------|-------------------------------------|
| 8x10          | \$2.55          | \$1.56 | 1- 9x3-10       | 13                                  |
| 10x12         | 2.70            | 1.59   | 2- 1x4- 6       | 18                                  |
| 14            | 2.94            | 1.71   | 5- 2            | 19                                  |
| 12x14         | 3.39            | 1.77   | 2- 5x5- 2       | 23                                  |
| 16            | 4.02            | 2.07   | 5-10            | 24                                  |
| 14x16         | 4.38            | 2.13   | 2- 9x5-10       | 28                                  |
| 18            | 4.65            | 2.22   | 6- 6            | 31                                  |

## Twelve-Light Plain Rail Windows

**1 $\frac{1}{8}$  Inches Thick  
Toxic Treated**



| Size of Glass | Glazed S. S. B. | Open   | Size of Opening | Approximate Weights Glazed S. S. B. |
|---------------|-----------------|--------|-----------------|-------------------------------------|
| 8x10          | \$2.58          | \$1.50 | 2- 4x3-10       | 17                                  |
| 12            | 3.18            | 1.68   | 4- 6            | 18                                  |
| 9x12          | 3.03            | 1.62   | 2- 7x4- 6       | 20                                  |
| 10x12         | 3.21            | 1.65   | 2-10x4- 6       | 21                                  |

## Twelve-Light Check Rail Windows

**1 $\frac{3}{8}$  Inches Thick  
Toxic Treated, Pre-Fitted**

| Size of Glass | Glazed S. S. B. | Open   | Size of Opening          | Approximate Weights Glazed S. S. B. |
|---------------|-----------------|--------|--------------------------|-------------------------------------|
| 8x10          | \$3.00          | \$1.71 | 2- 4 $\frac{1}{2}$ x3-10 | 19                                  |
| 12            | 3.57            | 1.89   | 4- 6                     | 20                                  |
| 9x12          | 3.30            | 1.83   | 2- 7 $\frac{1}{2}$ x4- 6 | 22                                  |
| 14            | 3.57            | 1.92   | 5- 2                     | 24                                  |
| 10x12         | 3.60            | 1.89   | 2-10 $\frac{1}{2}$ x4- 6 | 23                                  |
| 14            | 4.05            | 2.16   | 5- 2                     | 26                                  |

**FREIGHT ALLOWED 150 pounds or more—No crating charges**

Comb. Dr  
Screens  
Garage  
Cedar Lin

Interior  
Doors

Entrance  
Door Fram

Exterior  
Doors  
Flush  
Mirror  
French

Unique  
Balance  
Fallo  
Frames

Frames  
R-411-R6  
R-651-R6

Frames  
Door-Mis  
Louvre

Anders  
Narroll  
Caseme

Blind  
Mouldin  
Jambs-T

Colum  
Perch  
Stair Pa

Kitch  
Cabine  
De Lu

Iconi  
Bar  
Break  
Noel

Med.-C

Corr

Cas

M

Down





# One-Light Sash

# Three-Light Sash



1 $\frac{3}{8}$  Inches Thick

| Size of Glass | 1-Light Glazed S. S. B. | 1-Light Open | 3-Light Glazed S. S. B. | 3-Light Open | Size of Opening |
|---------------|-------------------------|--------------|-------------------------|--------------|-----------------|
| 16x16         | \$0.99                  | \$0.63       | \$1.41                  | \$0.93       | 1- 8x1- 9       |
| 18            | 1.02                    | .63          | 1.44                    | .96          | 1-11            |
| 20            | 1.11                    | .66          | 1.53                    | .96          | 2- 1            |
| 24            | 1.17                    | .66          | 1.59                    | .96          | 2- 5            |
| 18x18         | 1.11                    | .66          | 1.56                    | 1.02         | 1-10x1-11       |
| 20            | 1.17                    | .66          | 1.62                    | 1.02         | 2- 1            |
| 24            | 1.29                    | .72          | 1.74                    | 1.02         | 2- 5            |
| 26            | 1.38                    | .72          | 1.83                    | 1.05         | 2- 7            |
| 28            | 1.41                    | .72          | 1.86                    | 1.05         | 2- 9            |
| 30            | 1.50                    | .75          | 1.92                    | 1.08         | 2-11            |
| 20x16         | 1.11                    | .66          | 1.56                    | 1.02         | 2- 0x1- 9       |
| 18            | 1.17                    | .66          | 1.62                    | 1.02         | 1-11            |
| 20            | 1.17                    | .66          | 1.59                    | .96          | 2- 1            |
| 24            | 1.26                    | .66          | 1.65                    | .99          | 2- 5            |
| 26            | 1.29                    | .66          | 1.68                    | .99          | 2- 7            |
| 28            | 1.35                    | .72          | 1.74                    | 1.02         | 2- 9            |
| 30            | 1.56                    | .75          | 1.98                    | 1.08         | 2-11            |
| 32            | 1.68                    | .81          | 2.25                    | 1.26         | 3- 1            |
| 36            | 1.83                    | .84          | 2.40                    | 1.29         | 3- 5            |
| 24x16         | 1.11                    | .63          | 1.50                    | .96          | 2- 4x1- 9       |
| 18            | 1.17                    | .66          | 1.59                    | .96          | 1-11            |
| 20            | 1.26                    | .66          | 1.65                    | .99          | 2- 1            |
| 24            | 1.38                    | .66          | 1.77                    | .99          | 2- 5            |
| 26            | 1.41                    | .72          | 1.80                    | 1.02         | 2- 7            |
| 28            | 1.50                    | .72          | 1.89                    | 1.02         | 2- 9            |
| 30            | 1.59                    | .75          | 1.98                    | 1.02         | 2-11            |
| 32            | 1.92                    | .84          | 2.52                    | 1.29         | 3- 1            |
| 36            | 2.07                    | .87          | 2.67                    | 1.35         | 3- 5            |
| 26x20         | 1.41                    | .72          | 1.86                    | 1.05         | 2- 6x2- 1       |
| 24            | 1.56                    | .75          | 1.98                    | 1.08         | 2- 5            |
| 26            | 1.65                    | .75          | 2.07                    | 1.08         | 2- 7            |
| 28            | 1.80                    | .81          | 2.22                    | 1.14         | 2- 9            |
| 30            | 1.89                    | .81          | 2.31                    | 1.14         | 2-11            |
| 32            | 1.95                    | .87          | 2.55                    | 1.35         | 3- 1            |
| 36            | 2.25                    | .87          | 2.85                    | 1.38         | 3- 5            |
| 28x16         | 1.32                    | .72          | 1.77                    | 1.05         | 2- 8x1- 9       |
| 18            | 1.41                    | .72          | 1.86                    | 1.05         | 1-11            |
| 20            | 1.50                    | .75          | 1.92                    | 1.05         | 2- 1            |
| 24            | 1.65                    | .75          | 2.07                    | 1.08         | 2- 5            |
| 28            | 1.89                    | .81          | 2.31                    | 1.14         | 2- 9            |
| 30            | 1.92                    | .84          | 2.34                    | 1.14         | 2-11            |
| 32            | 2.22                    | .87          | 2.82                    | 1.35         | 3- 1            |
| 36            | 2.46                    | .93          | 3.03                    | 1.38         | 3- 5            |
| 30x16         | 1.38                    | .72          | 1.80                    | 1.08         | 2-10x1- 9       |
| 18            | 1.50                    | .75          | 1.89                    | 1.08         | 1-11            |
| 20            | 1.56                    | .75          | 1.95                    | 1.08         | 2- 1            |
| 24            | 1.74                    | .81          | 2.13                    | 1.14         | 2- 5            |
| 26            | 1.89                    | .81          | 2.31                    | 1.17         | 2- 7            |
| 28            | 1.92                    | .84          | 2.34                    | 1.17         | 2- 9            |
| 30            | 2.19                    | .84          | 2.61                    | 1.17         | 2-11            |
| 32            | 2.25                    | .93          | 2.85                    | 1.41         | 3- 1            |
| 36            | 2.46                    | .93          | 3.03                    | 1.44         | 3- 5            |
| 36x16         | 1.62                    | .84          | 2.01                    | 1.17         | 3- 4x1- 9       |
| 18            | 1.74                    | .84          | 2.13                    | 1.20         | 1-11            |
| 20            | 1.86                    | .87          | 2.25                    | 1.20         | 2- 1            |
| 24            | 2.10                    | .87          | 2.52                    | 1.26         | 2- 5            |
| 26            | 2.25                    | .93          | 2.67                    | 1.26         | 2- 7            |
| 28            | 2.46                    | .93          | 2.85                    | 1.29         | 2- 9            |
| 30            | 2.49                    | .96          | 2.88                    | 1.29         | 2-11            |
| 36            | *3.69                   | 1.02         | 3.63                    | 1.50         | 3- 5            |
| 40x16         | *2.22                   | .93          | 2.28                    | 1.26         | 3- 8x1- 9       |
| 18            | *2.34                   | .93          | 2.37                    | 1.26         | 1-11            |
| 20            | *2.49                   | .96          | 2.46                    | 1.29         | 2- 1            |
| 24            | *2.88                   | 1.02         | 2.79                    | 1.35         | 2- 5            |
| 28            | *3.48                   | 1.05         | *3.90                   | 1.38         | 2- 9            |
| 30            | *3.48                   | 1.05         | *3.90                   | 1.38         | 2-11            |
| 36            | *4.23                   | 1.08         | *4.83                   | 1.56         | 3- 5            |

\*Items Glazed D.S.B.

All Sash Toxic Treated.

See Page 143 for extras.


**FREIGHT ALLOWED 150 pounds or more—No crating charges**

# One-Light Transoms 1 3/8 and 1 3/4 Inches Thick



| Size of Opening | Size of Glass | 1 3/8" Glazed S. S. B. | 1 3/8" Open | 1 3/4" Glazed S. S. B. | 1 3/4" Open |
|-----------------|---------------|------------------------|-------------|------------------------|-------------|
| 2- 8x1- 0       | 28x 8         | \$0.99                 | \$0.60      | .....                  | .....       |
| 1- 2            | 10            | 1.05                   | .66         | .....                  | .....       |
| 1- 4            | 12            | 1.14                   | .66         | .....                  | .....       |
| 1- 6            | 14            | 1.29                   | .66         | .....                  | .....       |
| 1- 8            | 16            | 1.35                   | .69         | .....                  | .....       |
| 2-10x1- 0       | 30x 8         | 1.05                   | .66         | \$1.29                 | \$0.87      |
| 1- 2            | 10            | 1.08                   | .66         | 1.32                   | .93         |
| 1- 4            | 12            | 1.23                   | .66         | 1.47                   | .93         |
| 3- 0x1- 0       | 32x 8         | 1.14                   | .69         | 1.35                   | .96         |
| 1- 2            | 10            | 1.23                   | .69         | 1.48                   | .96         |
| 1- 4            | 12            | 1.32                   | .75         | .....                  | .....       |
| 1- 6            | 14            | 1.38                   | .75         | .....                  | .....       |
| 1- 8            | 16            | 1.47                   | .75         | .....                  | .....       |
| 2- 0            | 20            | 1.71                   | .78         | .....                  | .....       |

## Two-Light Cellar Sash 1 3/8 Inches Thick



| Size of Glass | Glazed S. S. B. | Open   | Size of Opening | Approximate Weights Glazed S. S. B. |
|---------------|-----------------|--------|-----------------|-------------------------------------|
| 10x12         | \$0.87          | \$0.57 | 2- 1x1- 5       | 6                                   |
| 14            | 1.02            | .66    | 1- 7            | 6                                   |
| 16            | 1.14            | .69    | 1- 9            | 6                                   |
| 20            | 1.26            | .72    | 2- 1            | 8                                   |
| 12x12         | .96             | .60    | 2- 5x1- 5       | 8                                   |
| 14            | 1.02            | .66    | 1- 7            | 8                                   |
| 16            | 1.11            | .69    | 1- 9            | 8                                   |
| 18            | 1.25            | .70    | 1-11            | 9                                   |
| 20            | 1.38            | .78    | 2- 1            | 9                                   |
| 24            | 1.56            | .81    | 2- 5            | 11                                  |
| 14x14         | 1.26            | .72    | 2- 9x1- 7       | 8                                   |
| 16            | 1.35            | .78    | 1- 9            | 8                                   |
| 18            | 1.41            | .78    | 1-11            | 8                                   |
| 20            | 1.47            | .81    | 2- 1            | 11                                  |
| 24            | 1.71            | .84    | 2- 5            | 12                                  |
| 28            | 1.92            | .90    | 2- 9            | 13                                  |

Note—Sash are all Toxic Treated.

FREIGHT ALLOWED 150 pounds or more—No crating charges

Comb. Dr  
Screens  
Garage  
Cedar Lin

Interior  
Doors

Entrance  
Door Fram

Exterior  
Doors  
Flush  
Mirror  
French

Unique  
Balance  
Farlo  
Frames

Frames  
R-411-R6  
R-651-R-C

Frames  
Door-Mis  
Louvres

Anderse  
Narrowlin  
Casemen

Blinds  
Moulding  
Jambs-Tr

Column  
Perch a  
Stair Pa


Kitchen  
Cabinet  
De Lux

Ironin  
Board  
Breakfa  
Nooks  
Med.-Ca

Corne  
Cases  
Doors

## Three-Light Cellar Sash


1 $\frac{1}{8}$  Inches Thick



| Size of Glass | Glazed S. S. B. | Open   | Size of Opening | Approx. Weights Glazed |
|---------------|-----------------|--------|-----------------|------------------------|
| 7x 9          | \$0.87          | \$0.57 | 2- 1x1- 2       | 6                      |
| 8x10          | .87             | .57    | 2- 4x1- 3       | 6                      |
| 14            | 1.08            | .66    | 1- 7            | 6                      |
| 9x12          | .96             | .60    | 2- 7x1- 5       | 7                      |
| 14            | 1.14            | .66    | 1- 7            | 8                      |
| 10x12         | .99             | .60    | 2-10x1- 5       | 8                      |
| 14            | 1.08            | .66    | 1- 7            | 8                      |
| 16            | 1.23            | .66    | 1- 9            | 8                      |
| 12x16         | 1.50            | .78    | 3- 4x1- 9       | 10                     |

## Three-Light Cellar Sash

1 $\frac{3}{8}$  Inches Thick



| Size of Glass | Glazed S. S. B. | Open   | Size of Opening | Approx. Weights Glazed |
|---------------|-----------------|--------|-----------------|------------------------|
| 7x 9          | \$0.96          | \$0.60 | 2- 1x1- 2       | 7                      |
| 8x10          | .93             | .60    | 2- 4x1- 3       | 7                      |
| 12            | 1.08            | .69    | 1- 5            | 7                      |
| 9x12          | 1.02            | .69    | 2- 7x1- 5       | 8                      |
| 14            | 1.23            | .72    | 1- 7            | 9                      |
| 16            | 1.29            | .78    | 1- 9            | 9                      |
| 10x12         | 1.08            | .69    | 2-10x1- 5       | 9                      |
| 14            | 1.17            | .72    | 1- 7            | 9                      |
| 16            | 1.32            | .78    | 1- 9            | 9                      |
| 18            | 1.50            | .81    | 1-11            | 10                     |
| 24            | 1.74            | .90    | 2- 5            | 11                     |
| 12x14         | 1.41            | .84    | 3- 4x1- 7       | 11                     |
| 16            | 1.47            | .84    | 1- 9            | 11                     |
| 18            | 1.71            | .90    | 1-11            | 11                     |
| 20            | 1.80            | .93    | 2- 1            | 12                     |

*Note—Sash are all Toxic Treated.*

**FREIGHT ALLOWED 150 pounds or more—No crating charges**



## Four-Light Barn Sash

1 1/8 Inches Thick




| Size of Glass           | Glazed S. S. B.              | Open                     | Size of Opening                   | Approx. Weights Glazed S. S. B. |
|-------------------------|------------------------------|--------------------------|-----------------------------------|---------------------------------|
| 8x10<br>12              | \$0.99<br>1.23               | \$0.66<br>.72            | 1- 8x2- 1<br>2- 5                 | 6<br>9                          |
| 9x12<br>14<br>16        | 1.11<br>1.23<br>1.35         | .69<br>.72<br>.81        | 1-10x2- 5<br>2- 9<br>3- 1         | 9<br>10<br>10                   |
| 10x10<br>12<br>14<br>16 | 1.23<br>1.17<br>1.29<br>1.53 | .72<br>.72<br>.78<br>.81 | 2- 0x2- 1<br>2- 5<br>2- 9<br>3- 1 | 9<br>9<br>10<br>10              |
| 12x12<br>14<br>16       | 1.32<br>1.53<br>1.68         | .78<br>.78<br>.84        | 2- 4x2- 5<br>2- 9<br>3- 1         | 12<br>13<br>14                  |

1 3/8 Inches Thick

| Size of Glass | Glazed S. S. B. | Open        | Size of Opening   | Approx. Weights Glazed S. S. B. |
|---------------|-----------------|-------------|-------------------|---------------------------------|
| 8x10          | \$1.11          | \$0.72      | 1- 8x2- 1         | 7                               |
| 9x12          | 1.20            | .78         | 1-10x2- 5         | 9                               |
| 10x12<br>14   | 1.26<br>1.41    | .81<br>.84  | 2- 0x2- 5<br>2- 9 | 10<br>11                        |
| 12x14<br>16   | 1.65<br>1.95    | .87<br>1.05 | 2- 4x2- 9<br>3- 1 | 14<br>16                        |

## Six-Light Barn Sash

1 1/8 Inches Thick



| Size of Glass | Glazed S. S. B. | Open       | Size of Opening   | Approx. Weights Glazed S. S. B. |
|---------------|-----------------|------------|-------------------|---------------------------------|
| 7x 9          | \$1.20          | \$0.75     | 2- 1x1-11         | 8                               |
| 8x10          | 1.32            | .81        | 2- 4x2- 1         | 9                               |
| 9x12          | 1.50            | .87        | 2- 7x2- 5         | 10                              |
| 10x12<br>14   | 1.56<br>1.92    | .87<br>.99 | 2-10x2- 5<br>2- 9 | 11<br>12                        |

1 3/8 Inches Thick

| Size of Glass | Glazed S. S. B. | Open         | Size of Opening   | Approx. Weights Glazed S. S. B. |
|---------------|-----------------|--------------|-------------------|---------------------------------|
| 8x10          | \$1.47          | \$0.93       | 2- 4x2- 1         | 10                              |
| 10x12<br>14   | 1.74<br>2.07    | 1.05<br>1.14 | 2-10x2- 5<br>2- 9 | 12<br>13                        |

Note—Sash are all Toxic Treated.

**FREIGHT ALLOWED 150 pounds or more—No crating charges**

Comb. Dr.  
Screens  
Garage  
Cedar Lin

Interior  
Doors

Entrance  
Door Frame

Exterior  
Doors  
Flush  
Mirror  
French

Unique  
Balance  
Farlo  
Frame

Frame  
R-411-R  
R-651-R

Frame  
Door-M  
Louvre

Anders  
Narrow  
Casement

Blind  
Moulding  
Jamb

Column  
Porch  
Stair P

Kitchen  
Cabinet  
De Lu

Iconic  
Bar  
Break  
Nook  
Med.-C

Corr  
Case  
W  
Don


**R-1116**

## Six-Light Casement Sash

**R-1116**
 **$1\frac{3}{8}$  Inches Thick**

| Glass Size | Glazed S. S. B. | Open   | Size of Opening                        |
|------------|-----------------|--------|----------------------------------------|
| 8x10       | \$1.44          | \$0.90 | 1- $8\frac{1}{4}$ x2-11 $\frac{1}{2}$  |
| 9x12       | 1.68            | 1.08   | 1-10 $\frac{1}{4}$ x3- 5 $\frac{1}{2}$ |
| 10x12      | 1.80            | 1.11   | 2- 0 $\frac{1}{4}$ x3- 5 $\frac{1}{2}$ |
| 10x14      | 2.04            | 1.23   | 2- 0 $\frac{1}{4}$ x3-11 $\frac{1}{2}$ |

When rabbeted together in pairs, width of opening is same as for R-1108.


**R-1108**

## Eight-Light Casement Sash

**R-1108**
 **$1\frac{3}{8}$  Inches Thick**

| Glass Size | Glazed S. S. B. | Open   | Size of Opening                        |
|------------|-----------------|--------|----------------------------------------|
| 8x10       | \$2.01          | \$1.23 | 1- $8\frac{1}{4}$ x3- 9 $\frac{3}{4}$  |
| 9x12       | 2.28            | 1.35   | 1-10 $\frac{1}{4}$ x4- 5 $\frac{3}{4}$ |
| 10x12      | 2.40            | 1.35   | 2- 0 $\frac{1}{4}$ x4- 5 $\frac{3}{4}$ |
| 10x14      | 2.70            | 1.47   | 2- 0 $\frac{1}{4}$ x5- 1 $\frac{3}{4}$ |

One pair 8x10 makes Opg. 3-4 wide.  
 One pair 9x12 makes Opg. 3-8 wide.  
 One pair 10x12 makes Opg. 4-0 wide.  
 One pair 10x14 makes Opg. 4-0 wide.


**R-1239**

## Nine-Light Casement Sash

**R-1239**
 **$1\frac{3}{8}$  Inches Thick**

| Glass Size | Glazed S. S. B. | Open   | Size of Opening         |
|------------|-----------------|--------|-------------------------|
| 8x10       | \$2.04          | \$1.11 | 2- 4x2-11 $\frac{1}{2}$ |
| 9x12       | 2.40            | 1.26   | 2- 7x3- 5 $\frac{1}{2}$ |
| 10x12      | 2.52            | 1.32   | 2-10x3- 5 $\frac{1}{2}$ |


**R-1240**

## Twelve-Light Casement Sash

**R-1240**
 **$1\frac{3}{8}$  Inches Thick**

| Glass Size | Glazed S. S. B. | Open   | Size of Opening |
|------------|-----------------|--------|-----------------|
| 8x10       | \$2.70          | \$1.50 | 2- 4x3-9        |
| 9x12       | 3.12            | 1.62   | 2- 7x4-5        |
| 10x12      | 3.27            | 1.65   | 2-10x4-5        |

*Note—Sash are all Toxic Treated—Back Puttied*

**FREIGHT ALLOWED 150 pounds or more—No crating charges**

# **Porch Enclosure Sash**

**R-1120**

**1 3/8 Inches Thick**

| Size of Opening     | Height Top Lt. | Glazed S. S. B. | Open   |
|---------------------|----------------|-----------------|--------|
| 1- 8 1/4 x 2-11 1/2 | 10"            | \$1.83          | \$0.90 |
| 2- 0 x 4- 0         | 16"            | 2.34            | 1.14   |
| 2- 4 x 4- 0         | 16"            | 2.58            | 1.23   |
| 1- 8 1/4 x 4- 5 3/4 | 16"            | 2.25            | 1.14   |
| 1-10 1/4 x 4- 5 3/4 | 16"            | 2.43            | 1.20   |
| 2- 0 1/4 x 4- 5 3/4 | 16"            | 2.58            | 1.23   |
| 2- 2 1/4 x 4- 5 3/4 | 16"            | 2.73            | 1.23   |
| 2- 4 1/4 x 4- 5 3/4 | 16"            | 2.76            | 1.26   |
| 2- 6 1/4 x 4- 5 3/4 | 16"            | 2.94            | 1.32   |
| 2- 8 1/4 x 4- 5 3/4 | 16"            | 3.15            | 1.32   |
| 1- 8 1/4 x 5- 1 3/4 | 16"            | 2.64            | 1.35   |
| 1-10 1/4 x 5- 1 3/4 | 16"            | 2.82            | 1.35   |
| 2- 0 1/4 x 5- 1 3/4 | 16"            | 2.97            | 1.38   |
| 2- 2 1/4 x 5- 1 3/4 | 16"            | 3.06            | 1.44   |
| 2- 4 1/4 x 5- 1 3/4 | 16"            | 3.15            | 1.44   |
| 2- 6 1/4 x 5- 1 3/4 | 16"            | 3.54            | 1.47   |
| 2- 8 1/4 x 5- 1 3/4 | 16"            | 3.57            | 1.50   |



**R-1120**

# **Nine-Light Porch or Casement Sash**

**R-1119**

**1 3/8 Inches Thick**

**Corner Lights 4" x 4"**

| Size of Opening    | Glazed |
|--------------------|--------|
| 1- 8 1/4 x 4-5 3/4 | \$2.82 |
| 1-10 1/4 x 4-5 3/4 | 3.00   |
| 2- 0 1/4 x 4-5 3/4 | 3.12   |
| 2- 2 1/4 x 4-5 3/4 | *3.87  |
| 2- 4 1/4 x 4-5 3/4 | *3.87  |
| 2- 6 1/4 x 4-5 3/4 | *4.35  |
| 1- 8 1/4 x 5-1 3/4 | *3.72  |
| 1-10 1/4 x 5-1 3/4 | *3.93  |
| 2- 0 1/4 x 5-1 3/4 | *3.99  |
| 2- 2 1/4 x 5-1 3/4 | *4.38  |
| 2- 4 1/4 x 5-1 3/4 | *4.92  |
| 2- 6 1/4 x 5-1 3/4 | *4.98  |

\*1 items Glazed D.S.B.  
Other items Glazed S.S.B.



**R-1119**

# **Hot Bed Sash W. P. Pine Hardwood Cross Bar**

**1 3/8 Inches Thick**

| Size of Opening | Glazed S. S. B. | Open   | Width of Glass | Rows of Glass | Approx. Weight Glazed |
|-----------------|-----------------|--------|----------------|---------------|-----------------------|
| 3- 0 x 6- 0     | \$5.52          | \$2.92 | 7              | 4             | 34                    |

Crated 6 to bundle

**Note—Sash are all Toxic Treated—Back Puttied**

**FREIGHT ALLOWED 150 pounds or more—No crating charges**

Comb. Drs.  
Screens  
Garage  
Cedar Lining

Interior  
Doors

Entrance  
Door Frames

Exterior  
Doors  
Flush  
Mirror  
French

Unique  
Balances  
Fario  
Frames

Frames  
R-411-R6P  
R-651-R-C

Frames  
Door-Misc.  
Louvers

Andersen  
Narrowline  
Casement

Blinds  
Mouldings  
Jamb-Trim

Columns  
Perch and  
Stair Parts

Kitchen  
Cabinets  
De Luxe

Ironing  
Boards  
Breakfast  
Nooks  
Med.-Cabs

Corner  
Cases  
Vitrines  
Dressers



## K. D. Sash Parts

2 lt. check rail windows,  $1\frac{3}{8}$ " thick machined and moulded—Standard sticking.

Stiles and top rail 2" face,  $2\frac{3}{16}$ " overall.

Bottom rail 3" face,  $3\frac{3}{16}$ " overall, bottom beveled for sill with slope of 3" to the foot.

Check rail  $1\frac{5}{16}$ " between glass,  $1\frac{5}{16}$ " overall.

Note: When ordering stiles or check rails specify whether they are for top or bottom sash.

### Toxic Treated and Pre-Fitted

| Glass Size | Stiles Per Pair | Top Rail Per Pc. | Check Rail Per Pc. | Bottom Rail Per Pc. |
|------------|-----------------|------------------|--------------------|---------------------|
| 12"        | \$0.24          | \$0.12           | \$0.12             | \$0.15              |
| 14"        | .24             | .12              | .12                | .18                 |
| 16"        | .30             | .15              | .12                | .18                 |
| 18"        | .30             | .15              | .12                | .18                 |
| 20"        | .30             | .15              | .12                | .21                 |
| 22"        | .36             | .18              | .15                | .21                 |
| 24"        | .36             | .18              | .15                | .24                 |
| 26"        | .36             | .18              | .15                | .24                 |
| 28"        | .36             | .18              | .15                | .24                 |
| 30"        | .42             | .21              | .18                | .27                 |
| 32"        | .48             | .24              | .18                | .30                 |
| 34"        | .48             | .24              | .18                | .30                 |
| 36"        | .48             | .24              | .21                | .33                 |
| 38"        | .48             | .24              | .21                | .33                 |
| 40"        | .54             | .27              | .21                | .36                 |
| 42"        | .60             | .30              | .24                | .36                 |
| 44"        | .60             | .30              | .24                | .39                 |
| 46"        | .72             | .36              | .30                | .48                 |

**FREIGHT ALLOWED 150 pounds or more—No crating charges**



## SASH WEIGHTS

|         |         |                     |                 |
|---------|---------|---------------------|-----------------|
| 2½ lbs. | 5½ lbs. | } Per 100 lbs. .... | Price<br>\$3.30 |
| 3 " "   | 6 " "   |                     |                 |
| 3½ " "  | 6½ " "  |                     |                 |
| 4 " "   | 7 " "   |                     |                 |
| 4½ " "  | 7½ " "  |                     |                 |
| 5 " "   | 8 " "   |                     |                 |

F. O. B. Chicago, Illinois




## SASH CORD

No. 8 Cotton Braided Sash Cord, 100 Lineal Ft. per hank. . . . \$1.12  
F. O. B. Chicago, Illinois


# W. P. Pine Lineal Sash Stock

Stile or Top Rail



| Design | Size                   | Description       | Price  |
|--------|------------------------|-------------------|--------|
| 120    | 1 1/8 x 2 1/8 To Glass | Stile or Top Rail | \$6.90 |
| 125    | 1 1/8 x 2 To Glass     | Stile or Top Rail | 8.03   |
| 130    | 1 1/8 x 2 1/4 To Glass | Stile or Top Rail | 8.85   |
| 135    | 1 3/4 x 2 To Glass     | Stile or Top Rail | 11.10  |
| 140    | 1 3/4 x 2 1/4 To Glass | Stile or Top Rail | 12.18  |

Bottom Rail



| Design | Size               | Description | Price   |
|--------|--------------------|-------------|---------|
| 145    | 1 1/8 x 3 To Glass | Bottom Rail | \$ 9.30 |
| 150    | 1 1/8 x 5 To Glass | Bottom Rail | 15.90   |
| 155    | 1 3/8 x 3 To Glass | Bottom Rail | 11.25   |
| 160    | 1 3/8 x 4 To Glass | Bottom Rail | 15.39   |
| 165    | 1 3/8 x 5 To Glass | Bottom Rail | 19.28   |
| 170    | 1 3/8 x 3 To Glass | Bottom Rail | 15.51   |
| 175    | 1 3/4 x 4 To Glass | Bottom Rail | 21.00   |
| 180    | 1 3/4 x 5 To Glass | Bottom Rail | 26.49   |

Bottom Check Rail and Top Check Rail



| Design | Size                         | Description  | Price  |
|--------|------------------------------|--------------|--------|
| 185    | 1 5/16 x 1 3/4 For 1 3/8 Wd. | Top Check    | \$6.42 |
| 190    | 1 5/16 x 1 3/4 For 1 3/8 Wd. | Bottom Check | 6.42   |
| 195    | 1 5/16 x 2 1/8 For 1 3/4 Wd. | Top Check    | 7.65   |
| 200    | 1 5/16 x 2 1/8 For 1 3/4 Wd. | Bottom Check | 7.65   |

Muntin and Bar



| Design | Size                       | Price  |
|--------|----------------------------|--------|
| 205    | 1 1/8 x 3/16 Between Glass | \$2.12 |
| 210    | 1 1/8 x 3/8 Between Glass  | 2.12   |
| 215    | 1 1/8 x 7/8 Between Glass  | 3.84   |
| 220    | 1 3/8 x 3/16 Between Glass | 2.81   |
| 225    | 1 3/8 x 1/4 Between Glass  | 2.81   |
| 230    | 1 3/8 x 3/8 Between Glass  | 2.81   |
| 235    | 1 3/8 x 1/2 Between Glass  | 3.15   |
| 240    | 1 3/8 x 7/8 Between Glass  | 4.85   |
| 245    | 1 3/4 x 1/4 Between Glass  | 3.15   |
| 250    | 1 3/4 x 3/8 Between Glass  | 4.85   |
| 255    | 1 3/4 x 7/8 Between Glass  | 6.83   |

Prices per 100 Lin. Ft.—Assorted lengths 6 to 16 ft.

Specified lengths add 10%

For quantities under 100 Lin. Ft. add 20%

Comb. Drs.  
Screens  
Garage  
Cedar Lining

Interior  
Doors

Entrance  
Door Frames

Exterior  
Doors  
Flush  
Mirror  
French

Unique  
Balances  
Fario  
Frames

Frames  
R-411-R6P  
R-651-R-C

Frames  
Door-Misc.  
Louvers

Andersen  
Narrowline  
Casement

Blinds  
Moulding  
Jamb-Trim

Columns  
Porch and  
Stair Parts

Kitchen  
Cabinets  
De Luxe

Iconing  
Boards  
Breakfast  
Nooks  
Med.-Cal

Cornice  
Cases  
M  
Down's



Chicago  
R-736

## Qualitybilt Combination Doors

W. P. Pine  
No. 1 Quality

Prices are Complete,  
Glazed and Wired  
Galvanized Wire



Catalina  
R-737

| Chicago<br>R-736 | Stock Sizes              | Thickness         | Catalina<br>R-737 |
|------------------|--------------------------|-------------------|-------------------|
| \$6.21           | 2- 6 $\frac{1}{2}$ x6- 7 | 1 $\frac{1}{8}$ " | \$6.98            |
| 6.39             | 2- 6 $\frac{1}{2}$ x6- 9 | 1 $\frac{1}{8}$ " | 7.02              |
| 6.62             | 2- 8 $\frac{1}{2}$ x6- 9 | 1 $\frac{1}{8}$ " | 7.25              |
| 6.80             | 2-10 $\frac{1}{2}$ x6- 9 | 1 $\frac{1}{8}$ " | 7.38              |
| 6.98             | 3- 0 $\frac{1}{2}$ x6- 9 | 1 $\frac{1}{8}$ " | 7.61              |
| 7.07             | 2-10 $\frac{1}{2}$ x6-11 | 1 $\frac{1}{8}$ " | 7.65              |
| .....            | 2- 6 $\frac{1}{2}$ x7- 1 | 1 $\frac{1}{8}$ " | 7.29              |
| 6.93             | 2- 8 $\frac{1}{2}$ x7- 1 | 1 $\frac{1}{8}$ " | 7.56              |
| 7.16             | 2-10 $\frac{1}{2}$ x7- 1 | 1 $\frac{1}{8}$ " | 7.74              |
| 7.34             | 3- 0 $\frac{1}{2}$ x7- 1 | 1 $\frac{1}{8}$ " | 7.97              |



Mackinac  
R-742

Prices are Complete,  
Glazed and Wired  
Galvanized Wire



Brighton  
R-740

| Mackinac<br>R-742 | Stock Sizes              | Thickness         | Brighton<br>R-740 |
|-------------------|--------------------------|-------------------|-------------------|
| \$7.38            | 2- 6 $\frac{1}{2}$ x6- 7 | 1 $\frac{1}{8}$ " | .....             |
| 7.43              | 2- 6 $\frac{1}{2}$ x6- 9 | 1 $\frac{1}{8}$ " | .....             |
| 7.65              | 2- 8 $\frac{1}{2}$ x6- 9 | 1 $\frac{1}{8}$ " | .....             |
| 7.83              | 2-10 $\frac{1}{2}$ x6- 9 | 1 $\frac{1}{8}$ " | \$7.79            |
| 8.06              | 3- 0 $\frac{1}{2}$ x6- 9 | 1 $\frac{1}{8}$ " | 7.97              |
| 8.10              | 2-10 $\frac{1}{2}$ x6-11 | 1 $\frac{1}{8}$ " | 8.24              |
| 7.83              | 2- 8 $\frac{1}{2}$ x7- 1 | 1 $\frac{1}{8}$ " | 8.24              |
| 8.19              | 2-10 $\frac{1}{2}$ x7- 1 | 1 $\frac{1}{8}$ " | 8.10              |
| 8.37              | 3- 0 $\frac{1}{2}$ x7- 1 | 1 $\frac{1}{8}$ " | 8.28              |
|                   |                          |                   | 8.60              |

FREIGHT ALLOWED 150 pounds or more—No crating charges



## Combination Doors



Storm King R-735



Screen Panel

## W. P. Pine Combination Doors

No. 1 Quality Circle Top Prices Are Complete, Glazed and Wired Galvanized Wire

| Stock Sizes     | Thickness | Storm King R-735 |
|-----------------|-----------|------------------|
| 3- 0 1/2 x 6-9  | 1 1/8"    | \$19.62          |
| 2- 10 1/2 x 7-1 | 1 1/8"    | 19.87            |
| 3- 0 1/2 x 7-1  | 1 1/8"    | 19.98            |



Iceland R-703

## Storm Doors or Combination Doors

## W. P. Pine No. 2 Quality



Greenland R-702

| Iceland Glazed R-703 | Stock Sizes       | Thickness | Greenland R-702 |
|----------------------|-------------------|-----------|-----------------|
| \$5.55               | 2- 6 1/2 x 6- 7   | 1 1/8"    | \$4.83          |
| 5.55                 | 2- 6 1/2 x 6- 9   | 1 1/8"    | 4.86            |
| 5.73                 | 2- 8 1/2 x 6- 9   | 1 1/8"    | 5.10            |
| 5.82                 | 2- 10 1/2 x 6- 9  | 1 1/8"    | 5.28            |
| 5.91                 | 3- 0 1/2 x 6- 9   | 1 1/8"    | 5.49            |
| 6.09                 | 2- 10 1/2 x 6- 11 | 1 1/8"    | 5.63            |
| 6.00                 | 2- 8 1/2 x 7- 1   | 1 1/8"    | 5.49            |
| 6.12                 | 2- 10 1/2 x 7- 1  | 1 1/8"    | 5.73            |
| 6.27                 | 3- 0 1/2 x 7- 1   | 1 1/8"    | 5.94            |

**FREIGHT ALLOWED 150 pounds or more—No crating charges**

Comb. Drs.  
Screens  
Garage  
Cedar Lining

Interior  
Doors

Entrance  
Door Frames

Exterior  
Doors  
Flush  
Mirror  
French

Unique  
Balances  
Fallo  
Frames

Frames  
R-411-R6P  
R-651-R-C

Frames  
Door-Misc.  
Louvres

Andersen  
Narrowline  
Casement

Blinds  
Mouldings  
Jambs-Trim


Columns  
Perch and  
Stair Parts

Kitchen  
Cabinets  
De Luxe

Ironing  
Boards  
Breakfast  
Nooks  
Med.-Cabs


Corner  
Cases  
Mirrors  
Dressers

## Micklin Dual and Single Corners



Corner Brace

- Punched for nails . . .
- Rust resisting . . .
- Bridge-truss design prevents sagging and wobbling . . .
- *Dual* Corners made in two sizes; for  $\frac{7}{8}$ -inch and  $1\frac{1}{8}$ -inch lumber . . .
- *Single* Corners fit any size lumber.



DUAL

### For Screens, Signs, Shelf Support Etc.

Made for  $\frac{7}{8}$  or  $1\frac{1}{8}$  lumber. Each set consists of 4 corners and nails. Du packed 36 sets per carton, corner braces packed 72 sets per carton.

Corner Braces . . . . . \$1.50 per c  
Dual corners,  $\frac{7}{8}$  and  $1\frac{1}{8}$  . . . . . 3.00 per c

## Red Cedar Closet Lining



### Carton Packed

Exposure to light and air ca surface to fade and the all-import become sealed within the cedar. C lining is packed in sealed fibreboa as it comes from the machines, th ing your home, even after long with the aroma fresh, unimpaired,


### 100% Oil Content

To retain all of the valuable oil- wood with its moth-killing aroma, ber from which the cedar lining is first scientifically dried. A full 10 moth stifling aroma remains in the lining.

$\frac{3}{8}$  x  $3\frac{1}{4}$ " 32 board feet—per carton. . . . .  
Add 25% to surface measure to determine board feet.


F. O. B. Chicago, Illinois

## Micklin Dual and Single Corners



**Corner Brace**

- Punched for nails . . .
- Rust resisting . . .
- Bridge-truss design prevents sagging and wobbling . . .
- *Dual* Corners made in two sizes; for  $\frac{7}{8}$ -inch and  $1\frac{1}{8}$ -inch lumber . . .
- *Single* Corners fit any size lumber.



**DUAL Corners**

### For Screens, Signs, Shelf Support Etc.

Made for  $\frac{7}{8}$  or  $1\frac{1}{8}$  lumber. Each set consists of 4 corners and nails. Dual corners packed 36 sets per carton, corner braces packed 72 sets per carton.

Corner Braces . . . . . \$1.50 per doz. sets  
Dual corners,  $\frac{7}{8}$  and  $1\frac{1}{8}$  . . . . . 3.00 per doz. sets

## Red Cedar Closet Lining



### Carton Packed

Exposure to light and air causes the surface to fade and the all-important oil to become sealed within the cedar. Our cedar lining is packed in sealed fibreboard boxes as it comes from the machines, thus reaching your home, even after long storage, with the aroma fresh, unimpaired, effective.

### 100% Oil Content

To retain all of the valuable oil-of-cedar-wood with its moth-killing aroma, the lumber from which the cedar lining is made is first scientifically dried. A full 100% of the moth stifling aroma remains in the finished lining.

$\frac{3}{8}$  x  $3\frac{1}{4}$ " 32 board feet—per carton . . . . . \$2.82  
Add 25% to surface measure to determine board feet.

F. O. B. Chicago, Illinois





Sunbeam  
R-694  
14M. Galv. Wire  
In the White  
3" Stile-6" Bot. Rail  
2" Cross Rail

## W. P. Pine Screen Doors

| Sunbeam<br>14 Mesh<br>Galv. | Stock Sizes               | Boston<br>16 Mesh<br>Galv. |
|-----------------------------|---------------------------|----------------------------|
| \$3.30                      | 2- 6 1/2 x 6- 7 x 1 1/8   | \$3.96                     |
| 3.42                        | 2- 6 1/2 x 6- 9 x 1 1/8   | 4.17                       |
| 3.42                        | 2- 8 1/2 x 6- 9 x 1 1/8   | 4.17                       |
| 3.66                        | 2- 10 1/2 x 6- 9 x 1 1/8  | 4.35                       |
| 3.69                        | 3- 0 1/2 x 6- 9 x 1 1/8   | 4.41                       |
| 3.66                        | 2- 10 1/2 x 6- 11 x 1 1/8 | 4.17                       |
| 3.57                        | 2- 8 1/2 x 7- 1 x 1 1/8   | 4.26                       |
| 3.66                        | 2- 10 1/2 x 7- 1 x 1 1/8  | 4.41                       |
| 3.78                        | 3- 0 1/2 x 7- 1 x 1 1/8   | 4.55                       |

Crated 6 to a Bundle



Boston  
R-705 1/2  
16M. Galv. Wire  
In the White  
4" Stile-6" Bot. Rail  
2" Vertical and  
Cross Rail



R-691

## Screen Door R-691

3/4 Inch Thick. 12 Mesh Black Wire  
Walnut Stain

| Stock Sizes         | List Price |
|---------------------|------------|
| 2-6 1/2 x 6-7 x 3/4 | \$2.40     |
| 2-8 1/2 x 6-9 x 3/4 | 2.49       |

Crated 6 to a Bundle



R-720

## Store Screen Door

Heavy Construction

4 in. Stiles and Top Rail  
7 in. Bottom Rail

1 1/8 Inches Thick  
In the White

| Sizes         | 16M Galv. | 16M Bronze |
|---------------|-----------|------------|
| 3-0 1/2 x 7-1 | \$7.17    | \$8.16     |
| 3-2 1/2 x 7-1 | 7.17      | 8.16       |
| 3-4 1/2 x 7-1 | 7.17      | 8.16       |
| 3-6 1/2 x 7-1 | 7.17      | 8.16       |
| 3-0 1/2 x 7-7 | 7.92      | 8.91       |
| 3-2 1/2 x 7-7 | 7.92      | 8.91       |
| 3-4 1/2 x 7-7 | 7.92      | 8.91       |
| 3-6 1/2 x 7-7 | 7.92      | 8.91       |

FREIGHT ALLOWED 150 pounds or more—No crating charges

Interior  
Doors

Entrance  
Door Frames

Exterior  
Doors  
Flush  
Mirror  
French

Unique  
Balances  
Fallo  
Frames

Frames  
R-411-R6P  
R-651-R-C

Frames  
Door-Misc.  
Louvers

Andersen  
Narrowline  
Casement

Blinds  
Mouldings  
Jamb-Trim

Columns  
Porch and  
Stair Parts


Kitchen  
Cabinets  
De Luxe

Ironing  
Boards  
Breakfast  
Nooks  
Med.-Cabs

Corner  
Cases  
Mirrors  
Dressers

# Full Size Window Screen

1 1/8-Inch Thick  
W. P. Pine  
  
In the White



## FLUSH MOULDED

2-Inch Stile and Top Rail  
3 1/2-Inch Bottom Rail

Through Mortise  
and Tenon Construction

| Window Size   | Opening Size  | List Price 16M Galv. | List Price 16M Bronze |
|---------------|---------------|----------------------|-----------------------|
| 16x16 2 Light | 1-8x3- 3 1/2  | \$1.26               | \$1.53                |
| 18            | 3- 7 1/2      | 1.30                 | 1.63                  |
| 20            | 3-11 1/2      | 1.38                 | 1.74                  |
| 24            | 4- 7 1/2      | 1.50                 | 1.92                  |
| 26            | 4-11 1/2      | 1.59                 | 2.01                  |
| 28            | 5- 3 1/2      | 1.65                 | 2.10                  |
| 30            | 5- 7 1/2      | 1.72                 | 2.21                  |
| 18x16         | 1-10x3- 3 1/2 | 1.29                 | 1.65                  |
| 18            | 3- 7 1/2      | 1.38                 | 1.74                  |
| 20            | 3-11 1/2      | 1.44                 | 1.86                  |
| 22            | 4- 3 1/2      | 1.50                 | 1.95                  |
| 24            | 4- 7 1/2      | 1.59                 | 2.04                  |
| 26            | 4-11 1/2      | 1.65                 | 2.16                  |
| 28            | 5- 3 1/2      | 1.74                 | 2.25                  |
| 30            | 5- 7 1/2      | 1.79                 | 2.35                  |
| 32            | 5-11 1/2      | 1.87                 | 2.47                  |
| 34            | 6- 3 1/2      | 1.92                 | 2.57                  |
| 20x14         | 2-0x2-11 1/2  | 1.29                 | 1.62                  |
| 16            | 3- 3 1/2      | 1.38                 | 1.71                  |
| 18            | 3- 7 1/2      | 1.44                 | 1.83                  |
| 20            | 3-11 1/2      | 1.50                 | 1.95                  |
| 22            | 4- 3 1/2      | 1.59                 | 2.04                  |
| 24            | 4- 7 1/2      | 1.65                 | 2.16                  |
| 26            | 4-11 1/2      | 1.74                 | 2.28                  |
| 28            | 5- 3 1/2      | 1.80                 | 2.40                  |
| 30            | 5- 7 1/2      | 1.87                 | 2.50                  |
| 32            | 5-11 1/2      | 1.95                 | 2.62                  |
| 34            | 6- 3 1/2      | 2.03                 | 2.71                  |
| 22x18         | 2-2x3- 7 1/2  | 1.50                 | 1.95                  |
| 20            | 3-11 1/2      | 1.56                 | 2.07                  |
| 22            | 4- 3 1/2      | 1.65                 | 2.19                  |
| 24            | 4- 7 1/2      | 1.74                 | 2.31                  |
| 26            | 4-11 1/2      | 1.80                 | 2.43                  |
| 28            | 5- 3 1/2      | 1.89                 | 2.55                  |
| 30            | 5- 7 1/2      | 1.95                 | 2.66                  |
| 32            | 5-11 1/2      | 2.03                 | 2.78                  |
| 34            | 6- 3 1/2      | 2.11                 | 2.90                  |
| 24x14         | 2-4x2-11 1/2  | 1.38                 | 1.77                  |
| 16            | 3- 3 1/2      | 1.47                 | 1.92                  |
| 18            | 3- 7 1/2      | 1.53                 | 2.04                  |
| 20            | 3-11 1/2      | 1.62                 | 2.16                  |
| 22            | 4- 3 1/2      | 1.74                 | 2.31                  |
| 24            | 4- 7 1/2      | 1.80                 | 2.43                  |
| 26            | 4-11 1/2      | 1.89                 | 2.55                  |
| 28            | 5- 3 1/2      | 1.95                 | 2.70                  |
| 30            | 5- 7 1/2      | 2.04                 | 2.82                  |
| 32            | 5-11 1/2      | 2.10                 | 2.94                  |
| 34            | 6- 3 1/2      | 2.18                 | 3.07                  |
| 36            | 6- 7 1/2      | 2.29                 | 3.19                  |
| 26x16         | 2-6x3- 3 1/2  | 1.50                 | 2.01                  |
| 18            | 3- 7 1/2      | 1.62                 | 2.16                  |
| 20            | 3-11 1/2      | 1.71                 | 2.25                  |
| 22            | 4- 3 1/2      | 1.77                 | 2.43                  |
| 24            | 4- 7 1/2      | 1.86                 | 2.55                  |
| 26            | 4-11 1/2      | 1.95                 | 2.67                  |
| 28            | 5- 3 1/2      | 2.04                 | 2.82                  |
| 30            | 5- 7 1/2      | 2.10                 | 2.94                  |
| 32            | 5-11 1/2      | 2.22                 | 3.09                  |
| 34            | 6- 3 1/2      | 2.29                 | 3.22                  |
| 36            | 6- 7 1/2      | 2.37                 | 3.36                  |

**FREIGHT ALLOWED 150 pounds or more—No crating charges**

## Window Screens

| Window Size   | Opening Size | List Price 16M Galv. | List Price 16M Bronze |
|---------------|--------------|----------------------|-----------------------|
| 28x18 2 Light | 2- 8x3- 7½   | \$1.68               | \$2.25                |
| 20            | 3- 11½       | 1.74                 | 2.40                  |
| 22            | 4- 3½        | 1.95                 | 2.67                  |
| 24            | 4- 7½        | 1.95                 | 2.67                  |
| 26            | 4- 11½       | 2.01                 | 2.82                  |
| 28            | 5- 3½        | 2.10                 | 2.97                  |
| 30            | 5- 7½        | 2.19                 | 3.09                  |
| 32            | 5- 11½       | 2.31                 | 3.27                  |
| 34            | 6- 3½        | 2.37                 | 3.38                  |
| 36            | 6- 7½        | 2.47                 | 3.53                  |
| 30x16         | 2- 10x3- 3½  | 1.62                 | 2.19                  |
| 18            | 3- 7½        | 1.74                 | 2.34                  |
| 20            | 3- 11½       | 1.83                 | 2.49                  |
| 22            | 4- 3½        | 2.01                 | 2.76                  |
| 24            | 4- 7½        | 2.01                 | 2.76                  |
| 26            | 4- 11½       | 2.10                 | 2.91                  |
| 28            | 5- 3½        | 2.19                 | 3.09                  |
| 30            | 5- 7½        | 2.28                 | 3.24                  |
| 32            | 5- 11½       | 2.40                 | 3.39                  |
| 34            | 6- 3½        | 2.47                 | 3.53                  |
| 36            | 6- 7½        | 2.55                 | 3.70                  |
| 32x18         | 3- 0x3- 7½   | 1.77                 | 2.45                  |
| 20            | 3- 11½       | 1.87                 | 2.59                  |
| 24            | 4- 7½        | 2.07                 | 2.91                  |
| 26            | 4- 11½       | 2.19                 | 3.09                  |
| 28            | 5- 3½        | 2.28                 | 3.24                  |
| 30            | 5- 7½        | 2.34                 | 3.39                  |
| 34x20         | 3- 2x3- 11½  | 1.92                 | 2.71                  |
| 22            | 4- 3½        | 2.03                 | 2.88                  |
| 24            | 4- 7½        | 2.13                 | 3.05                  |
| 26            | 4- 11½       | 2.24                 | 3.22                  |
| 28            | 5- 3½        | 2.34                 | 3.38                  |
| 30            | 5- 7½        | 2.44                 | 3.55                  |
| 32            | 5- 11½       | 2.52                 | 3.72                  |
| 34            | 6- 3½        | 2.63                 | 3.89                  |
| 36x20         | 3- 4x3- 11½  | 2.00                 | 2.83                  |
| 22            | 4- 3½        | 2.11                 | 3.00                  |
| 24            | 4- 7½        | 2.22                 | 3.18                  |
| 26            | 4- 11½       | 2.31                 | 3.36                  |
| 28            | 5- 3½        | 2.43                 | 3.54                  |
| 30            | 5- 7½        | 2.55                 | 3.69                  |
| 40x24         | 3- 8x4- 7½   | 2.37                 | 3.43                  |
| 26            | 4- 11½       | 2.47                 | 3.62                  |
| 28            | 5- 3½        | 2.61                 | 3.84                  |
| 30            | 5- 7½        | 2.73                 | 4.02                  |
| 34            | 6- 3½        | 2.94                 | 4.39                  |
| 36            | 6- 7½        | 3.04                 | 4.58                  |
| 40            | 7- 3½        | 3.25                 | 4.97                  |

### Extras

|                                             |                 |
|---------------------------------------------|-----------------|
| For painting Black, two sides one coat..... | Add \$0.24      |
| For Segment Head Screens.....               | Add 2.70        |
| For Circle or Gothic Top.....               | Add 3.93        |
| For Odd Screens Not Listed                  |                 |
| 16 Mesh Galvanized.....                     | Per Sq. Ft. .24 |
| 16 Mesh Bronze.....                         | Per Sq. Ft. .33 |

## Porch Screens

1½ Inches

Covering average run of straight Porch Screens with stiles and top rails not over 2 inches in width and bottom rail not over 3½ inches in width, in the white.

Minimum Section is 10 Square Feet

|                              |                    |
|------------------------------|--------------------|
| 16 Mesh Galvanized Wire..... | Per Sq. Ft. \$0.24 |
| 16 Mesh Bronze Wire.....     | Per Sq. Ft. .33    |

**FREIGHT ALLOWED 150 pounds or more—No crating charges**

Interior  
Doors

Entrance  
Door Frames

Exterior  
Doors  
Flush  
Mirror  
French

Unique  
Balances  
Fario  
Frames

Frames  
R-411-R6P  
R-651-R-C

Frames  
Door-Misc.  
Louvers

Andersen  
Narroline  
Casement

Blinds  
Mouldings  
Jambs-Trim

Columns  
Porch and  
Stair Parts

Kitchen  
Cabinets  
De Luxe

Ironing  
Boards  
Breakfast  
Nooks  
Med.-Cabs

Corner  
Cases  
Mirrors  
Downs



## Garage Doors

### Vertical Grain Douglas Fir



**R-693**  
Pairs



**R-493**  
3 to Set

| Glass Size | R-693 Open | R-693 Glazed S. S. B. | Stock Sizes             | R-493 Open | R-493 Glazed S. S. B. | Glass Size           |
|------------|------------|-----------------------|-------------------------|------------|-----------------------|----------------------|
| 11x13      | \$18.48    | \$20.73               | 7-6x7-0x1 $\frac{3}{4}$ | \$19.59    | \$21.84               | 10 $\frac{1}{2}$ x13 |
| 11x16      | 18.48      | 20.73                 | 7-6x7-6x1 $\frac{3}{4}$ | 19.59      | 21.84                 | 10 $\frac{1}{2}$ x16 |
| 12x13      | 18.48      | 20.73                 | 8-0x7-0x1 $\frac{3}{4}$ | 19.59      | 21.84                 | 11 $\frac{1}{2}$ x13 |
| 12x16      | 18.48      | 20.73                 | 8-0x7-6x1 $\frac{3}{4}$ | 19.59      | 21.84                 | 11 $\frac{1}{2}$ x16 |
| 12x16      | 18.48      | 20.73                 | 8-0x8-0x1 $\frac{3}{4}$ | 19.59      | 21.84                 | 11 $\frac{1}{2}$ x16 |

## Garage Doors

### Vertical Grain Douglas Fir



**R-793**  
Pairs



**R-593**  
3 to Set

| R-793 All Panelled | Stock Sizes             | R-593 All Panelled |
|--------------------|-------------------------|--------------------|
| \$19.59            | 8-0x7-0x1 $\frac{3}{4}$ | \$20.70            |
| 19.59              | 8-0x7-6x1 $\frac{3}{4}$ | 20.70              |
| 19.59              | 8-0x8-0x1 $\frac{3}{4}$ | 20.70              |

**FREIGHT ALLOWED 150 pounds or more—No crating charges**

QUALITYBILT WOODWORK

# QUALITYBILT "OVER-FOLD" (Patented) GARAGE DOOR

FOLDS AT TOP

NEVER IN THE WAY



Over-Fold  
(Patented)  
R-801

The new "OVER-FOLD" Garage Door is weight operated, the simplest and by far the most dependable method of counter-balancing that has ever been devised. The "OVER-FOLD" is easily installed in new or old garages. It will not sag, bind or scrape. Snow, ice or heaving of floor does not interfere with its smooth and practically effortless operation, because "OVER-FOLD" is designed to automatically provide, in closed position, a vertical door movement of 2". At any point within this range the door is opened, closed and locked with equal ease. It is the only door that has a definite thrust contact with the floor (between 50 and 75 pounds). This insures weather tightness, as there can be no tendency of the door to "crawl" away from the floor, as is true with most types.

Made of No. 1 W.P. Pine 1 $\frac{3}{4}$ " thick with Fir laminated panels. Furnished complete, all hardware included (hardware which attaches to the door, including high grade cylinder lock, is factory applied). The door is square for opening, ready to install. Glazed clear glass, set with wood stops.

| Door Sizes              | Door Frame Sizes | Clearance Height | Side Clearance    | Shipping Weight | Price   |
|-------------------------|------------------|------------------|-------------------|-----------------|---------|
| 8-0x7-6x1 $\frac{3}{4}$ | *8-0x7-0         | 8-0              | 3 $\frac{1}{2}$ " | 230 lbs.        | \$60.00 |
| 8-0x8-0x1 $\frac{3}{4}$ | *8-0x7-6         | 8-6              | 3 $\frac{1}{2}$ " | 270 lbs.        | 60.00   |

\* Note as listed above, door frame height is 6" less than door height. This is the recommended installation. It is entirely practical, however, to hang the door in any opening in height, just so the frame opening does not exceed the height of the door. For example, a door 8-0 high may be used for any frame opening in height from 7'-6" to 8'-0". It only means that when the door is in open position, the edges of the door will extend below the head of the frame.

**FREIGHT ALLOWED 150 pounds or more—No crating charges**

Interior  
Doors

Entrance  
Door Frame

Exterior  
Doors  
Flush  
Mirror  
French

Unique  
Balances  
Farlo  
Frames

Frames  
R-411-R6P  
R-651-R-C

Frames  
Door-Misc.  
Louvers

Andersen  
Narrowline  
Casement

Blinds  
Mouldings  
Jamb-T

Columns  
Porch and  
Stair Part

Kitchen  
Cabinets  
De Luxe

Ironing  
Boards  
Breakfast  
Nooks  
Med.-Cab

Corner  
Cases  
Mantels  
Dowels


**R-400**

## W. P. Pine Doors

### Four- and Five-Panel Raised Panels

Cove and Bead Sticking

Stiles— $4\frac{1}{4}"$  Face  
Top Rail— $4\frac{1}{4}"$  Face  
Bottom Rail— $9\frac{1}{4}"$  Face


**R-405**

| Stock Sizes | Thickness       | 4-Panel<br>No. 1<br>R-400 | 5-Panel<br>No. 1<br>R-405 | Weights |
|-------------|-----------------|---------------------------|---------------------------|---------|
| 2- 0x6-0    | $1\frac{3}{8}"$ | \$4.41                    | \$4.41                    | 28      |
| 2- 6x6-0    | $1\frac{3}{8}"$ | 5.40                      | .....                     | 32      |
| 2- 0x6-6    | $1\frac{3}{8}"$ | 4.62                      | 4.62                      | 33      |
| 2- 2x6-6    | $1\frac{3}{8}"$ | 5.19                      | 5.19                      | 33      |
| 2- 4x6-6    | $1\frac{3}{8}"$ | 5.07                      | 5.07                      | 34      |
| 2- 6x6-6    | $1\frac{3}{8}"$ | 5.34                      | 5.34                      | 35      |
| 2- 0x6-8    | $1\frac{3}{8}"$ | 4.68                      | 4.68                      | 35      |
| 2- 2x6-8    | $1\frac{3}{8}"$ | 5.25                      | 5.25                      | 36      |
| 2- 4x6-8    | $1\frac{3}{8}"$ | 5.19                      | 5.19                      | 37      |
| 2- 6x6-8    | $1\frac{3}{8}"$ | 5.40                      | 5.40                      | 37      |
| 2- 8x6-8    | $1\frac{3}{8}"$ | 5.67                      | 5.67                      | 37      |
| 2- 0x7-0    | $1\frac{3}{8}"$ | 5.40                      | 5.40                      | 36      |
| 2- 2x7-0    | $1\frac{3}{8}"$ | 5.67                      | 5.67                      | 36      |
| 2- 4x7-0    | $1\frac{3}{8}"$ | 5.94                      | 5.94                      | 37      |
| 2- 6x7-0    | $1\frac{3}{8}"$ | 6.21                      | 6.21                      | 40      |
| 2- 8x7-0    | $1\frac{3}{8}"$ | 6.48                      | 6.48                      | 40      |
| 2- 10x7-0   | $1\frac{3}{8}"$ | 6.75                      | 6.75                      | 43      |
| 3- 0x7-0    | $1\frac{3}{8}"$ | 7.05                      | 7.05                      | 45      |
| 2- 8x6-8    | $1\frac{3}{4}"$ | 8.46                      | 8.46                      | 46      |
| 2- 6x7-0    | $1\frac{3}{4}"$ | 8.70                      | 8.70                      | 46      |
| 2- 8x7-0    | $1\frac{3}{4}"$ | 9.09                      | 9.09                      | 48      |
| 2- 10x7-0   | $1\frac{3}{4}"$ | 9.48                      | 9.48                      | 52      |
| 3- 0x7-0    | $1\frac{3}{4}"$ | 9.84                      | 9.84                      | 55      |

## "Colonial" Interior Doors

Cove and Bead Sticking

### R-467 Solid Raised Panels

LAYOUT

Stiles and Top rail  $4\frac{1}{4}"$  face, Bottom Rail  $9\frac{1}{8}"$  face.


**R-467**

| Size      | Thickness       | Price  |
|-----------|-----------------|--------|
| 2- 0x6-0  | $1\frac{3}{8}"$ | \$5.37 |
| 2- 0x6-6  | $1\frac{3}{8}"$ | 5.25   |
| 2- 4x6-6  | $1\frac{3}{8}"$ | 5.73   |
| 2- 6x6-6  | $1\frac{3}{8}"$ | 5.97   |
| 1- 6x6-8  | $1\frac{3}{8}"$ | 5.19   |
| 1- 8x6-8  | $1\frac{3}{8}"$ | 5.19   |
| 2- 0x6-8  | $1\frac{3}{8}"$ | 4.98   |
| 2- 2x6-8  | $1\frac{3}{8}"$ | 5.94   |
| 2- 4x6-8  | $1\frac{3}{8}"$ | 5.85   |
| 2- 6x6-8  | $1\frac{3}{8}"$ | 5.67   |
| 2- 8x6-8  | $1\frac{3}{8}"$ | 5.91   |
| 2- 10x6-8 | $1\frac{3}{8}"$ | 6.90   |
| 2- 0x7-0  | $1\frac{3}{8}"$ | 6.80   |
| 2- 4x7-0  | $1\frac{3}{8}"$ | 6.85   |
| 2- 6x7-0  | $1\frac{3}{8}"$ | 6.90   |
| 2- 8x7-0  | $1\frac{3}{8}"$ | 7.17   |


For sizes and prices on  $1\frac{3}{4}"$  doors, see Page 28.

**FREIGHT ALLOWED 150 pounds or more—No crating charges**



# W. P. Pine Doors

Five-Cross Panel  
Cove and Bead Sticking  
Raised Panels  
Stiles—4¼" Face  
Top Rail—4¼" Face  
Bottom Rail—9¼" Face



# Fir Doors

Solid Edge Grain Stiles  
and Rails  
Five-Cross Panel  
Bead and Cove Sticking  
Raised Panels

| Stock Sizes | Thickness | No. 1<br>W.P. Pine | No. 2<br>W.P. Pine | No. 1<br>Fir | No. 2<br>Fir | Weights |
|-------------|-----------|--------------------|--------------------|--------------|--------------|---------|
| 2- 0x6- 0   | 1 1/8"    | \$3.99             | .....              | .....        | .....        | 23      |
| 2- 0x6- 0   | 1 3/8"    | 4.41               | \$4.11             | \$3.63       | \$3.36       | 29      |
| 2- 4x6- 0   | 1 3/8"    | 5.22               | .....              | .....        | .....        | 34      |
| 2- 6x6- 0   | 1 3/8"    | 5.40               | .....              | .....        | .....        | 35      |
| 2- 8x6- 0   | 1 3/8"    | 5.64               | .....              | .....        | .....        | 36      |
| 2-10x6- 0   | 1 3/8"    | .....              | 5.49               | .....        | .....        | 39      |
| 3- 0x6- 0   | 1 3/8"    | .....              | 5.70               | .....        | .....        | 41      |
| 2- 4x6- 4   | 1 3/8"    | 5.30               | .....              | .....        | .....        | 35      |
| 2- 0x6- 6   | 1 3/8"    | 4.62               | 4.32               | 3.84         | 3.57         | 34      |
| 2- 2x6- 6   | 1 3/8"    | 5.19               | .....              | .....        | .....        | 35      |
| 2- 4x6- 6   | 1 3/8"    | 5.40               | .....              | 4.62         | 4.32         | 35      |
| 2- 6x6- 6   | 1 3/8"    | 4.98               | 4.68               | 4.20         | 3.90         | 36      |
| 2- 8x6- 6   | 1 3/8"    | 5.91               | 5.52               | .....        | .....        | 38      |
| 3- 0x6- 6   | 1 3/8"    | 6.39               | .....              | .....        | .....        | 39      |
| 2- 0x6- 8   | 1 3/8"    | 4.38               | .....              | 3.60         | 3.36         | 36      |
| 2- 2x6- 8   | 1 3/8"    | 5.25               | .....              | .....        | .....        | 38      |
| 2- 4x6- 8   | 1 3/8"    | 5.19               | 4.86               | 4.41         | 4.08         | 38      |
| 2- 6x6- 8   | 1 3/8"    | 5.07               | 4.74               | 4.29         | 3.96         | 38      |
| 2- 8x6- 8   | 1 3/8"    | 5.28               | 4.95               | 4.50         | 4.17         | 38      |
| 2-10x6- 8   | 1 3/8"    | 6.24               | 5.85               | .....        | .....        | 41      |
| 3- 0x6- 8   | 1 3/8"    | 6.51               | .....              | .....        | .....        | 45      |
| 2-10x6-10   | 1 3/8"    | 6.66               | .....              | .....        | .....        | 41      |
| 2- 0x7- 0   | 1 3/8"    | 5.40               | .....              | .....        | .....        | 37      |
| 2- 2x7- 0   | 1 3/8"    | 5.67               | .....              | .....        | .....        | 38      |
| 2- 4x7- 0   | 1 3/8"    | 5.94               | .....              | .....        | .....        | 38      |
| 2- 6x7- 0   | 1 3/8"    | 5.85               | .....              | .....        | .....        | 41      |
| 2- 8x7- 0   | 1 3/8"    | 6.09               | .....              | .....        | .....        | 41      |
| 2-10x7- 0   | 1 3/8"    | 6.75               | .....              | .....        | .....        | 44      |
| 3- 0x7- 0   | 1 3/8"    | 7.05               | .....              | 6.27         | 5.82         | 46      |
| 2- 8x6- 0   | 1 3/8"    | 7.92               | .....              | .....        | .....        | 47      |
| 2-10x6- 0   | 1 3/8"    | 8.28               | .....              | .....        | .....        | 49      |
| 3- 0x6- 0   | 1 3/4"    | 8.64               | .....              | .....        | .....        | 51      |
| 2- 8x6- 6   | 1 3/8"    | 8.28               | .....              | .....        | .....        | 51      |
| 2-10x6- 6   | 1 3/8"    | 8.64               | .....              | .....        | .....        | 52      |
| 3- 0x6- 6   | 1 3/4"    | 9.00               | .....              | .....        | .....        | 54      |
| 2- 6x6- 8   | 1 3/8"    | 8.04               | .....              | .....        | .....        | 42      |
| 2- 8x6- 8   | 1 3/4"    | 7.95               | .....              | .....        | .....        | 47      |
| 2-10x6- 8   | 1 3/8"    | 8.79               | .....              | .....        | .....        | 53      |
| 3- 0x6- 8   | 1 3/4"    | 9.15               | .....              | .....        | .....        | 55      |
| 2-10x6-10   | 1 3/4"    | 9.36               | .....              | .....        | .....        | 53      |
| 2- 6x7- 0   | 1 3/8"    | 8.70               | .....              | .....        | .....        | 47      |
| 2- 8x7- 0   | 1 3/4"    | 9.09               | .....              | .....        | .....        | 49      |
| 2-10x7- 0   | 1 3/8"    | 9.48               | .....              | .....        | .....        | 53      |
| 3- 0x7- 0   | 1 3/4"    | 9.24               | .....              | .....        | .....        | 56      |

FREIGHT ALLOWED 150 pounds or more—No crating charges

Interior  
Doors

Entrance  
Door Frames

Exterior  
Doors  
Flush  
Mirror  
French

Unique  
Balances  
Fallo  
Frames

Frames  
R-411-R6P  
R-651-R-C

Frames  
Door-Misc.  
Louvers

Andersen  
Narrowline  
Casement

Blinds  
Mouldings  
Jamb-Trim

Columns  
Perch and  
Stair Parts

Kitchen  
Cabinets  
De Luxe

Ironing  
Boards  
Breakfast  
Nooks  
Med.-Cabs

Corner-  
Cases  
Mantels  
Dowels

## Two-Panel W. P. Pine Doors

R-432 W. P. P. Stiles and Rails  
Fir or Gum Panels

Stiles—4¼" Face  
Bottom Rail—9¼" Face  
Cove and Bead Sticking



R-432

## Two-Panel Fir Doors

R-432 Solid Edge Grain  
Stiles and Rails

Stiles—4¼" Face  
Bottom Rail—9¼" Face  
Bead and Cove Sticking

| Stock Sizes | Thickness | W. P. P.<br>S. & R.<br>Fir<br>Panel | W. P. P.<br>S. & R.<br>Gum<br>Panel | No. 1 Fir<br>2 Panel |
|-------------|-----------|-------------------------------------|-------------------------------------|----------------------|
| 2- 0x6- 0   | 1 3/8"    | \$3.99                              | .....                               | \$3.21               |
| 2- 4x6- 0   | 1 3/8"    | 5.04                                | .....                               | .....                |
| 2- 6x6- 0   | 1 3/8"    | 5.25                                | .....                               | .....                |
| 2- 0x6- 6   | 1 3/8"    | 4.17                                | .....                               | 3.39                 |
| 2- 2x6- 6   | 1 3/8"    | 5.01                                | .....                               | .....                |
| 2- 4x6- 6   | 1 3/8"    | 4.92                                | .....                               | 4.14                 |
| 2- 6x6- 6   | 1 3/8"    | 4.83                                | .....                               | 4.05                 |
| 2- 8x6- 6   | 1 3/8"    | 5.73                                | .....                               | .....                |
| 1- 6x6- 8   | 1 3/8"    | 4.35                                | .....                               | .....                |
| 1- 8x6- 8   | 1 3/8"    | 4.35                                | .....                               | .....                |
| 2- 0x6- 8   | 1 3/8"    | 4.23                                | \$5.22                              | 3.48                 |
| 2- 2x6- 8   | 1 3/8"    | 5.10                                | 5.52                                | 4.32                 |
| 2- 4x6- 8   | 1 3/8"    | 4.71                                | 5.43                                | 4.20                 |
| 2- 6x6- 8   | 1 3/8"    | 4.89                                | 5.67                                | 4.11                 |
| 2- 8x6- 8   | 1 3/8"    | 5.13                                | 5.94                                | 4.35                 |
| 2-10x6- 8   | 1 3/8"    | 6.06                                | .....                               | .....                |
| 3- 0x6- 8   | 1 3/8"    | 6.33                                | .....                               | .....                |
| 2-10x6-10   | 1 3/8"    | 6.45                                | .....                               | .....                |
| 2- 0x7- 0   | 1 3/8"    | 5.25                                | .....                               | .....                |
| 2- 2x7- 0   | 1 3/8"    | 5.49                                | .....                               | .....                |
| 2- 4x7- 0   | 1 3/8"    | 5.76                                | .....                               | .....                |
| 2- 6x7- 0   | 1 3/8"    | 6.03                                | .....                               | .....                |
| 2- 8x7- 0   | 1 3/8"    | 5.91                                | .....                               | .....                |
| 2-10x7- 0   | 1 3/8"    | 6.54                                | .....                               | .....                |
| 3- 0x7- 0   | 1 3/8"    | 6.84                                | .....                               | .....                |
| 2- 8x6- 8   | 1 3/4"    | 8.22                                | .....                               | .....                |
| 2-10x6- 8   | 1 3/4"    | 8.55                                | .....                               | .....                |
| 3- 0x6- 8   | 1 3/4"    | 8.85                                | .....                               | .....                |
| 2- 6x7- 0   | 1 3/4"    | 8.46                                | .....                               | .....                |
| 2- 8x7- 0   | 1 3/4"    | 8.82                                | .....                               | .....                |
| 2-10x7- 0   | 1 3/4"    | 9.18                                | .....                               | .....                |
| 3- 0x7- 0   | 1 3/4"    | 9.57                                | .....                               | .....                |

## One Panel

5" Face Stiles  
11" Face B. R.



R-431

## Two Vert Panel

4¼" Face Stiles  
9¼" Face B. R.



R-442

| R-431                               | R-431        |                | R-442                               |
|-------------------------------------|--------------|----------------|-------------------------------------|
| W. P.<br>Pine<br>S. & R.<br>Fir Pan | No. 1<br>Fir | Stock Sizes    | W. P.<br>Pine<br>S. & R.<br>Fir Pan |
| \$5.49                              | .....        | 2-0x6-0x1 1/8" | .....                               |
| 5.73                                | .....        | 2-0x6-6x1 1/8" | .....                               |
| 6.03                                | .....        | 2-2x6-6x1 1/8" | .....                               |
| 6.30                                | .....        | 2-4x6-6x1 1/8" | .....                               |
| 6.12                                | .....        | 2-6x6-6x1 1/8" | .....                               |
| 5.28                                | \$4.29       | 2-0x6-8x1 1/8" | \$4.92                              |
| 5.55                                | 4.77         | 2-2x6-8x1 1/8" | 5.52                                |
| 5.79                                | 4.77         | 2-4x6-8x1 1/8" | 5.25                                |
| 6.00                                | 4.98         | 2-6x6-8x1 1/8" | 5.67                                |
| 6.24                                | 5.22         | 2-8x6-8x1 1/8" | 5.73                                |

**FREIGHT ALLOWED 150 pounds or more—No crating charges**

# **"De Luxe" Interior Doors**

## **SOFTWOOD**

W. P. Pine Insert

| Size     | Thickness | W. P. Pine S. & R. Birch Pan | W. P. Pine S. & R. Gum Pan | W. P. Pine S. & R. Fir Pan |
|----------|-----------|------------------------------|----------------------------|----------------------------|
| 2- 0x6-0 | 1 3/8"    | \$6.18                       | \$5.97                     | .....                      |
| 2- 0x6-6 | 1 3/8"    | 6.09                         | 5.88                       | \$5.67                     |
| 2- 2x6-6 | 1 3/8"    | 6.84                         | .....                      | 6.36                       |
| 2- 4x6-6 | 1 3/8"    | 7.17                         | 6.90                       | 6.63                       |
| 2- 6x6-6 | 1 3/8"    | 7.05                         | 6.78                       | 6.54                       |
| 2- 8x6-6 | 1 3/8"    | 7.83                         | .....                      | .....                      |
| 1- 6x6-8 | 1 3/8"    | 5.94                         | 5.73                       | .....                      |
| 1- 8x6-8 | 1 3/8"    | 5.94                         | 5.73                       | .....                      |
| 2- 0x6-8 | 1 3/8"    | 6.18                         | 5.97                       | 5.76                       |
| 2- 2x6-8 | 1 3/8"    | 6.96                         | 6.69                       | 6.45                       |
| 2- 4x6-8 | 1 3/8"    | 6.87                         | 6.60                       | 6.36                       |
| 2- 6x6-8 | 1 3/8"    | 6.69                         | 6.45                       | 6.21                       |
| 2- 8x6-8 | 1 3/8"    | 6.99                         | 6.75                       | 6.48                       |
| 2-10x6-8 | 1 3/8"    | 8.28                         | .....                      | .....                      |
| 3- 0x6-8 | 1 3/8"    | 8.64                         | .....                      | .....                      |
| 2- 0x7-0 | 1 3/8"    | 7.17                         | .....                      | .....                      |
| 2- 2x7-0 | 1 3/8"    | 7.50                         | .....                      | .....                      |
| 2- 4x7-0 | 1 3/8"    | 7.86                         | .....                      | .....                      |
| 2- 6x7-0 | 1 3/8"    | 8.22                         | .....                      | .....                      |
| 2- 8x7-0 | 1 3/8"    | 8.58                         | .....                      | .....                      |
| 3- 0x7-0 | 1 3/8"    | 9.33                         | .....                      | .....                      |
| 2- 8x6-8 | 1 3/4"    | 10.95                        | .....                      | .....                      |
| 2-10x6-8 | 1 3/4"    | 11.37                        | .....                      | .....                      |
| 3- 0x6-8 | 1 3/4"    | 11.82                        | .....                      | .....                      |
| 2- 8x7-0 | 1 3/4"    | 11.76                        | .....                      | .....                      |



R-425

## **LAYOUT**

Stiles—4 3/8" Face  
Top Rail—4 3/8" Face  
Bottom Rail—9 1/2" Face

## **"DE LUXE" HARDWOOD**

| Size     | Thickness | Veneered Unsel Birch | Veneered Unsel Gum | Veneered Plain Red Oak |
|----------|-----------|----------------------|--------------------|------------------------|
| 2- 0x6-6 | 1 3/8"    | \$9.42               | \$9.39             | \$12.54                |
| 2- 4x6-6 | 1 3/8"    | 10.50                | 9.81               | 13.11                  |
| 2- 6x6-6 | 1 3/8"    | 10.20                | 10.14              | 13.53                  |
| 1- 6x6-8 | 1 3/8"    | 10.11                | 9.45               | .....                  |
| 1- 8x6-8 | 1 3/8"    | 10.11                | 9.45               | .....                  |
| 2- 0x6-8 | 1 3/8"    | 9.48                 | 8.88               | 11.85                  |
| 2- 2x6-8 | 1 3/8"    | 10.29                | 9.63               | 12.87                  |
| 2- 4x6-8 | 1 3/8"    | 9.93                 | 9.30               | 12.39                  |
| 2- 6x6-8 | 1 3/8"    | 9.93                 | 9.60               | 12.78                  |
| 2- 8x6-8 | 1 3/8"    | 10.32                | 9.96               | 13.26                  |
| 2-10x6-8 | 1 3/8"    | 11.79                | 11.01              | 14.70                  |
| 3- 0x6-8 | 1 3/8"    | 12.36                | .....              | .....                  |
| 2- 0x7-0 | 1 3/8"    | 10.92                | .....              | .....                  |
| 2- 2x7-0 | 1 3/8"    | 11.13                | .....              | .....                  |
| 2- 4x7-0 | 1 3/8"    | 11.40                | .....              | .....                  |
| 2- 6x7-0 | 1 3/8"    | 11.73                | .....              | .....                  |
| 2- 8x7-0 | 1 3/8"    | 12.15                | .....              | .....                  |
| 2- 8x6-8 | 1 3/4"    | 12.00                | .....              | .....                  |
| 2-10x6-8 | 1 3/4"    | 13.23                | 12.45              | .....                  |
| 3- 0x6-8 | 1 3/4"    | 13.80                | .....              | .....                  |
| 2- 6x7-0 | 1 3/4"    | 13.17                | .....              | .....                  |
| 2- 8x7-0 | 1 3/4"    | 13.59                | .....              | .....                  |
| 3- 0x7-0 | 1 3/4"    | 13.71                | .....              | .....                  |



Profile of De Luxe Design Cut Through Stile

**FREIGHT ALLOWED 150 pounds or more—No crating charges**

Entrance Door Frames

Exterior Doors Flush Mirror French

Unique Balances Fario Frames

Frames R-411-R67 R-651-R-1

Frames Door-Misc. Louvres

Andersen Narroline Casement

Blinds Mouldings Jamb-Trim

Columns Porch and Stair Parts

Kitchen Cabinets De Luxe

Ironing Boards Breakfast Nooks Med.-Cabs

Corner Cases Mouldings Downs




**R-431**

## Interior Hardwood Doors

### R-431 Birch

Veneer Rotary Cut. Sticking Cove and Bead.  
Stiles 5-Inch Face. Bottom Rail 11 1/2-Inch Face.

| Stock Sizes | Thickness | Birch   |
|-------------|-----------|---------|
| 2- 0x6-8    | 1 3/4"    | \$11.55 |
| 2- 2x6-8    | 1 3/4"    | 11.73   |
| 2- 4x6-8    | 1 3/4"    | 12.03   |
| 2- 6x6-8    | 1 3/4"    | 11.61   |
| 2- 8x6-8    | 1 3/4"    | 12.00   |
| 2- 0x7-0    | 1 3/4"    | 12.36   |
| 2- 2x7-0    | 1 3/4"    | 12.57   |
| 2- 4x7-0    | 1 3/4"    | 12.84   |
| 2- 6x7-0    | 1 3/4"    | 13.17   |
| 2- 8x7-0    | 1 3/4"    | 13.59   |
| 2-10x7-0    | 1 3/4"    | 14.07   |
| 3- 0x7-0    | 1 3/4"    | 13.71   |

### R-432 Plain Red Oak and Birch

Veneer Rotary Cut. Sticking Cove and Bead.  
Stiles 4 1/4-Inch Face. Bottom Rail 9 1/4-Inch Face.


**R-432**

| Stock Sizes | Thickness | Pl. Red Oak | Birch   |
|-------------|-----------|-------------|---------|
| 2- 0x6-0    | 1 3/8"    | \$11.52     | .....   |
| 2- 4x6-6    | 1 3/8"    | 12.33       | .....   |
| 2- 6x6-6    | 1 3/8"    | .....       | \$10.32 |
| 2- 0x6-8    | 1 3/8"    | 11.13       | 8.94    |
| 2- 2x6-8    | 1 3/8"    | 12.09       | .....   |
| 2- 4x6-8    | 1 3/8"    | 11.67       | 9.39    |
| 2- 6x6-8    | 1 3/8"    | 12.06       | 9.72    |
| 2- 8x6-8    | 1 3/8"    | 12.54       | 10.11   |
| 2- 0x7-0    | 1 3/8"    | 12.84       | 10.38   |
| 2- 2x7-0    | 1 3/8"    | 13.08       | .....   |
| 2- 4x7-0    | 1 3/8"    | 13.41       | 10.86   |
| 2- 6x7-0    | 1 3/8"    | 13.83       | 11.19   |
| 2- 8x7-0    | 1 3/8"    | 14.34       | 11.61   |
| 2- 8x6-8    | 1 3/4"    | 13.89       | 11.46   |
| 2- 6x7-0    | 1 3/4"    | 15.27       | 12.63   |
| 2- 8x7-0    | 1 3/4"    | 15.78       | 13.05   |
| 2-10x7-0    | 1 3/4"    | .....       | 13.53   |
| 3- 0x7-0    | 1 3/4"    | 15.99       | 13.17   |


**R-442**

### R-442 Birch

Veneer Rotary Cut. Sticking Cove and Bead.  
Stiles 4 1/4-Inch Face. Bottom Rail 11 1/2-Inch Face.

| Stock Sizes | Thickness | Birch   |
|-------------|-----------|---------|
| 2-0x6-8     | 1 3/8"    | \$10.44 |
| 2-2x6-8     | 1 3/8"    | 10.62   |
| 2-4x6-8     | 1 3/8"    | 10.92   |
| 2-6x6-8     | 1 3/8"    | 11.25   |
| 2-8x6-8     | 1 3/8"    | 11.67   |

**FREIGHT ALLOWED 150 pounds or more—No crating charges**


## Cupboard Doors

W. P. Pine Stiles and Rails  
3-Ply Rotary Cut Flat Fir Panel

O. G. Sticking One Side  
Square Sticking One Side

Stiles and Top Rail 2 1/2-Inch Face

Bottom Rail 3 1/2-Inch Face



| Sizes   | Thickness | Price  |
|---------|-----------|--------|
| 1-0x1-0 | 3/4"      | \$0.81 |
| 1-6     | 3/4"      | .81    |
| 1-2x1-6 | 3/4"      | .84    |
| 2-0     | 3/4"      | .93    |
| 2-6     | 3/4"      | 1.14   |
| 3-0     | 3/4"      | 1.23   |
| 3-6     | 3/4"      | 1.44   |
| 4-0     | 3/4"      | 1.59   |
| 1-4x1-0 | 3/4"      | .87    |
| 1-6     | 3/4"      | .87    |
| 1-8     | 3/4"      | .99    |
| 2-0     | 3/4"      | .99    |
| 2-4     | 3/4"      | 1.20   |
| 2-6     | 3/4"      | 1.20   |
| 3-0     | 3/4"      | 1.29   |
| 3-6     | 3/4"      | 1.53   |
| 4-0     | 3/4"      | 1.65   |
| 4-6     | 3/4"      | 1.89   |
| 1-6x1-0 | 3/4"      | .93    |
| 1-6     | 3/4"      | .93    |
| 1-8     | 3/4"      | 1.02   |
| 2-0     | 3/4"      | 1.02   |
| 2-4     | 3/4"      | 1.23   |
| 2-6     | 3/4"      | 1.23   |
| 3-0     | 3/4"      | 1.38   |
| 3-6     | 3/4"      | 1.59   |
| 4-0     | 3/4"      | 1.77   |
| 4-6     | 3/4"      | 2.01   |
| 1-8x1-0 | 3/4"      | .96    |
| 1-6     | 3/4"      | .96    |
| 1-8     | 3/4"      | .99    |
| 2-0     | 3/4"      | 1.02   |
| 2-4     | 3/4"      | 1.35   |
| 2-6     | 3/4"      | 1.35   |
| 3-0     | 3/4"      | 1.47   |
| 3-6     | 3/4"      | 1.74   |
| 4-0     | 3/4"      | 1.89   |
| 4-6     | 3/4"      | 2.19   |
| 2-0x1-6 | 3/4"      | 1.05   |
| 1-8     | 3/4"      | 1.20   |
| 2-0     | 3/4"      | 1.20   |
| 2-4     | 3/4"      | 1.47   |
| 2-6     | 3/4"      | 1.47   |
| 3-0     | 3/4"      | 1.65   |
| 3-6     | 3/4"      | 1.89   |
| 4-0     | 3/4"      | 2.16   |
| 4-6     | 3/4"      | 2.43   |

**FREIGHT ALLOWED 150 pounds or more—No crating charges**

Entrance  
Door Frames

Exterior  
Doors  
Flush  
Mirror  
French

Unique  
Balances  
Fario  
Frames

Frames  
R-411-R6P  
R-651-R-C

Frames  
Door-Misc.  
Louvers

Andersen  
Narrowline  
Casement

Blinds  
Mouldings  
Jambs-Trim


Columns  
Porch and  
Stair Parts

Kitchen  
Cabinets  
De Luxe

Ironing  
Boards  
Breakfast  
Nooks  
Med.-Cabs

Corner  
Cases  
Mantels  
Dowels

## "Colonial" Exterior Doors



R-600-C

Circle Top R-600-C can be furnished for \$5.50 added to price of R-600



R-600

### R-600


No. 1 W. P. Pine

Stiles 5-Inch Face

Bottom Rail 9 1/4-Inch Face

Cove and Bead Sticking

| Stock Sizes | Thickness | Price<br>DSB | Price<br>Open |
|-------------|-----------|--------------|---------------|
| 2- 8x6-8    | 1 3/4"    | \$16.44      | \$15.25       |
| 3- 0x6-8    | 1 3/4"    | 17.19        | 15.75         |
| 2-10x7-0    | 1 3/4"    | 18.30        | 16.96         |
| 3- 0x7-0    | 1 3/4"    | 18.30        | 16.96         |



R-632

### R-632

No. 1 W. P. Pine

Stiles 5-Inch Face

Bottom Rail 9 1/4-Inch Face

Sticking Cove and Bead

| Stock Sizes | Thickness | Price   |
|-------------|-----------|---------|
| 2- 8x6-8    | 1 3/4"    | \$10.08 |
| 3- 0x6-8    | 1 3/4"    | 10.71   |
| 2-10x7-0    | 1 3/4"    | 11.76   |
| 3- 0x7-0    | 1 3/4"    | 11.40   |


For this type of door 1 3/8" thick, see page 22

**FREIGHT ALLOWED 150 pounds or more—No crating charges**



## Colonial Entrance Doors

These Doors interchangeable with Designs shown in Entrances.  
Pages 30-31-32-33




R-607

**No. 1 W. P. Pine**  
Cove and Bead Sticking  
Stiles 5 Inch Face  
Heavy 1 3/4 Inch Raised Pane

| R-607   |         | 1 3/4<br>Thick | R-612   |         |
|---------|---------|----------------|---------|---------|
| Open    | DSB     | Size           | Open    | DSB     |
| \$19.92 | \$21.18 | 3-0x6-8        | \$18.84 | \$21.30 |
| 21.33   | 22.74   | 3-0x7-0        | 19.38   | 21.99   |




R-612




R-634

**No. 1 W. P. Pine**  
Cove and Bead Sticking  
Stiles 5 Inch Face  
Raised Panels 5/8 Inch Thick

| R-634   |         | 1 3/4<br>Thick | R-629   |         |
|---------|---------|----------------|---------|---------|
| Open    | DSB     | Size           | Open    | DSB     |
| \$12.57 | \$13.47 | 3-0x6-8        | \$11.55 | \$12.45 |
| 13.23   | 14.13   | 3-0x7-0        | 12.21   | 13.11   |



R-629



R-632

**No. 1 W. P. Pine**  
Cove and Bead Sticking  
Stiles 5 Inch Face  
Raised Panels 5/8 Inch Thick

| R-632   | 1 3/4 Thick | R-631   |
|---------|-------------|---------|
| Price   | Size        | Price   |
| \$10.71 | 3-0x6-8     | \$10.96 |
| 11.40   | 3-0x7-0     | 11.65   |



R-631

Entrance  
Door Frames

Exterior  
Doors  
Flush  
Mirror  
French

Unique  
Balances  
Fallo  
Frames

Frames  
R-411-R6P  
R-651-R-C

Frames  
Door-Misc.  
Louvres

Andersen  
Narrowline  
Casement

Blinds  
Mouldings  
Jamb-Trim

Columns  
Perch and  
Stair Parts

Kitchen  
Cabinets  
De Luxe

Ironing  
Boards  
Breakfast  
Nooks  
Med.-Cabs

Corner  
Cases  
Mirrors  
Dresses

**FREIGHT ALLOWED 150 pounds or more—No crating charges**

## Colonial Entrances



Entrance R-57  
(for 3-0x6-8 or 3-0x7-0 door)  
Door R-607

|                                                                                        |                                                                          |         |
|----------------------------------------------------------------------------------------|--------------------------------------------------------------------------|---------|
| R-57                                                                                   | For 2x4 Stud Construction (jambs rabbeted 1 $\frac{3}{4}$ " ).....       | \$30.39 |
| R-57                                                                                   | For 9" Brick Construction (plain jambs rabbeted 1 $\frac{3}{4}$ " )..... | 34.26   |
|                                                                                        | For paneled jambs add.....                                               | 4.59    |
|                                                                                        | If above frame is wanted set up add.....                                 | 12.00   |
| These prices do not include doors. Refer to pages 28-29 for types and prices of doors. |                                                                          |         |

### Specifications

#### W. P. Pine, Oak Sill

Includes, Head set up; pilasters, K. D. machined. Face of pilaster is fluted one side, and may be used with either fluted or plain surface exposed; jambs 1 $\frac{3}{8}$ " thick rabbeted 1 $\frac{3}{4}$ " ; 1 $\frac{1}{8}$ " O.S. Casing; 1 $\frac{5}{8}$ "x7 $\frac{1}{4}$ " Oak Sill. Horizontal parts in one bundle, vertical parts one bundle. All parts are treated to prevent decay.



Entrance R-58 (for 3-0x6-8 or 3-0x7-0 door)  
Door R-631

|                                                                                        |                                                                          |         |
|----------------------------------------------------------------------------------------|--------------------------------------------------------------------------|---------|
| R-58                                                                                   | For 2x4 Stud Construction (jambs rabbeted 1 $\frac{3}{4}$ " ).....       | \$32.55 |
| R-58                                                                                   | For 9" Brick Construction (plain jambs rabbeted 1 $\frac{3}{4}$ " )..... | 36.45   |
|                                                                                        | For paneled jambs add.....                                               | 4.59    |
|                                                                                        | If above frame is wanted set up add.....                                 | 12.00   |
| These prices do not include doors. Refer to pages 28-29 for types and prices of doors. |                                                                          |         |

**FREIGHT ALLOWED 150 pounds or more—No crating charges**

# Colonial Entrances



Entrance R-59  
(for 3-0x6-8 or 3-0x7-0 door)  
Door R-631


|      |                                                         |         |
|------|---------------------------------------------------------|---------|
| R-59 | For 2x4 Stud Construction (jambs rabbeted 1 3/4")       | \$40.65 |
| R-59 | For 9" Brick Construction (plain jambs rabbeted 1 3/4") | 44.59   |
|      | For paneled jambs add                                   | 4.59    |
|      | If above frame is wanted set up add                     | 12.00   |

These prices do not include doors. Refer to pages 28-29 for types and prices of doors.

## Specifications

### W. P. Pine, Oak Sill

Includes, Head set up; pilasters, K. D. machined. Face of pilaster is fluted one side, and may be used with either fluted or plain surface exposed; jambs 1 3/8" thick rabbeted 1 3/4"; 1 1/8" O.S. Casing; 1 5/8" x 7 1/4" Oak Sill. Horizontal parts in one bundle, vertical parts one bundle. All parts are treated to prevent decay.



Entrance R-60  
(for 3-0x6-8 or 3-0x7-0 door)  
Door R-634

|      |                                                         |         |
|------|---------------------------------------------------------|---------|
| R-60 | For 2x4 Stud Construction (jambs rabbeted 1 3/4")       | \$33.96 |
| R-60 | For 9" Brick Construction (plain jambs rabbeted 1 3/4") | 37.83   |
|      | For paneled jambs add                                   | 4.59    |
|      | If above frame is wanted set up add                     | 12.00   |

These prices do not include doors. Refer to pages 28-29 for types and prices of doors.

**FREIGHT ALLOWED 150 pounds or more—No crating charges**

Exterior  
Doors  
Flush  
Mirror  
French

Unique  
Balances  
Fallo  
Frames

Frames  
R-411-R6P  
R-651-R-C

Frames  
Door-Misc.  
Louvres

Andersen  
Narrowline  
Casement

Blinds  
Mouldings  
Jambs-Trim

Columns  
Porch and  
Stair Parts

Kitchen  
Cabinets  
De Luxe

Ironing  
Boards  
Breakfast  
Nooks  
Med.-Cabs

Corner  
Cases  
Mantels  
Dowels



## Colonial Entrances



R-61 (for 3-0x6-8 or 3-0x7-0 door)  
Door R-632


|      |                                                                         |         |
|------|-------------------------------------------------------------------------|---------|
| R-61 | For 2x4 Stud Construction (jambs rabbeted $1\frac{3}{4}$ " ).....       | \$45.18 |
| R-61 | For 9" Brick Construction (plain jambs rabbeted $1\frac{3}{4}$ " )..... | 49.14   |
|      | For paneled jambs add.....                                              | 4.59    |
|      | If above frame is wanted set up add.....                                | 12.00   |

These prices do not include doors. Refer to pages 28-29 for types and prices of doors.

## Specifications

## W. P. Pine, Oak Sill

Includes, Head set up; pilasters, K. D. machined. Face of pilaster is fluted one side, and may be used with either fluted or plain surface exposed; jambs  $1\frac{3}{8}$ " thick rabbeted  $1\frac{3}{4}$ ";  $1\frac{1}{8}$ " O.S. Casing;  $1\frac{5}{8}$ "x $7\frac{1}{4}$ " Oak Sill. Horizontal parts in one bundle, vertical parts one bundle. All parts are treated to prevent decay.




Entrance R-62  
(for 3-0x6-8 or 3-0x7-0 door)  
Door R-612

|      |                                                                         |         |
|------|-------------------------------------------------------------------------|---------|
| R-62 | For 2x4 Stud Construction (jambs rabbeted $1\frac{3}{4}$ " ).....       | \$39.03 |
| R-62 | For 9" Brick Construction (plain jambs rabbeted $1\frac{3}{4}$ " )..... | 42.91   |
|      | For paneled jambs add.....                                              | 4.59    |
|      | If above frame is wanted set up add.....                                | 12.00   |

These prices do not include doors. Refer to pages 28-29 for types and prices of doors.

**FREIGHT ALLOWED 150 pounds or more—No crating charges**

Colonial Entrances



Entrance R-63  
(for 3-0x6-8 or 3-0x7-0 door)  
Door R-629

|                                                                                       |                                                         |         |
|---------------------------------------------------------------------------------------|---------------------------------------------------------|---------|
| R-63                                                                                  | For 2x4 Stud Construction (jambs rabbeted 1 3/4")       | \$42.75 |
| R-63                                                                                  | For 9" Brick Construction (plain jambs rabbeted 1 3/4") | 46.60   |
|                                                                                       | For paneled jambs add.                                  | 4.59    |
|                                                                                       | If above frame is wanted set up add.                    | 12.00   |
| These prices do not include doors. Refer to page 28-29 for types and prices of doors. |                                                         |         |

Specifications

Entrance R-68

W. P. Pine, Oak Sill

Includes, head, pilasters, jambs rabbeted 1 3/4". Oak sill, transom 1'2" high, side lights 10" wide. Completely set up. Price includes frame, sidelights and transom glazed. No door included in price.



Entrance R-68 (for 3-0x7-0 door)  
Door R-632, Sidelights R-678  
Transom R-1253, Wood Bars

|                                                                                  |                                                   |         |
|----------------------------------------------------------------------------------|---------------------------------------------------|---------|
| R-68                                                                             | For 2x4 Stud Construction (Jambs rabbeted 1 3/4") | \$81.75 |
| Price does not include door. Refer to pages 28-29 for types and prices of doors. |                                                   |         |

FREIGHT ALLOWED 150 pounds or more—No crating charges

Exterior  
Doors  
Flush  
Mirror  
French

Unique  
Balances  
Fallo  
Frames

Frames  
R-411-R67  
R-651-R-C

Frames  
Door-Misc.  
Louvers

Andersen  
Narrowline  
Casement


Blinds  
Mouldings  
Jambs-Trim

Columns  
Porch and  
Stair Parts

Kitchen  
Cabinets  
De Luxe

Iconing  
Boards  
Breakfast  
Nooks  
Med.-Cabs

Corner-  
Cases  
Mouldings  
Dowels


**R-530**
**R-530**
**No. 2 W. P. Pine**

Sticking Cove and Bead

LAYOUT

Stiles—4 1/4" Face

Top Rail—4 1/4" Face

Bottom Rail—9 1/4" Face

| Stock Sizes | Thick-ness | Glazed | Open   | Glass Size |
|-------------|------------|--------|--------|------------|
| 2- 8x6-8    | 1 3/8"     | \$5.69 | \$4.95 | 23 1/2x26  |
| 2- 8x6-8    | 1 3/4"     | 7.47   | 6.80   | 23 1/2x26  |
| 2-10x6-8    | 1 3/4"     | 7.70   | 6.98   | 25 1/2x26  |
| 3- 0x6-8    | 1 3/4"     | 7.88   | 7.05   | 27 1/2x26  |
| 2- 8x7-0    | 1 3/4"     | 8.07   | 7.29   | 23 1/2x30  |
| 2-10x7-0    | 1 3/4"     | 8.41   | 7.47   | 25 1/2x30  |
| 3- 0x7-0    | 1 3/4"     | 8.66   | 7.76   | 27 1/2x30  |


**R-531**
**R-531**
**No. 2 W. P. Pine**

Sticking Cove and Bead

LAYOUT

Stiles—4 1/4" Face

Top Rail—4 1/4" Face

Bottom Rail—9 1/4" Face

| Stock Sizes | Thick-ness | Glazed | Open   | Glass Size    |
|-------------|------------|--------|--------|---------------|
| 2- 8x6-8    | 1 3/8"     | \$6.26 | \$5.45 | 11 1/2x12 3/4 |
| 2- 8x6-8    | 1 3/4"     | 8.21   | 7.48   | 11 1/2x12 3/4 |
| 2-10x6-8    | 1 3/4"     | 8.47   | 7.68   | 12 1/2x12 3/4 |
| 3- 0x6-8    | 1 3/4"     | 8.66   | 7.75   | 13 1/2x12 3/4 |
| 2- 8x7-0    | 1 3/4"     | 8.87   | 8.03   | 11 1/2x14 3/4 |
| 2-10x7-0    | 1 3/4"     | 9.25   | 8.21   | 12 1/2x14 3/4 |
| 3- 0x7-0    | 1 3/4"     | 9.52   | 8.53   | 13 1/2x14 3/4 |


**R-561  
Jaxon**
**R-561**
**Jaxon**
**No. 1 W. P. Pine**

Sticking Cove and Bead

LAYOUT

Stiles—4 1/4" Face

Top Rail—4 1/4" Face

Bottom Rail—9 1/4" Face

| Stock Sizes | Thick-ness | Glazed | Open   | Glass Size     |
|-------------|------------|--------|--------|----------------|
| 2-8x6-8     | 1 3/8"     | \$7.92 | \$6.60 | 11 1/2x13      |
| 2-8x6-8     | 1 3/4"     | 10.47  | 9.33   | 11 1/2x13      |
| 3-0x6-8     | 1 3/4"     | 10.92  | 9.66   | 13 1/2x13      |
| 3-0x7-0     | 1 3/4"     | 11.61  | 10.23  | 13 1/2x14 5/16 |

**FREIGHT ALLOWED 150 pounds or more—No crating charges**



## Exterior Doors

### R-536 Hunter

Stiles  $4\frac{1}{4}$ -Inch Face  
Bottom Rail  $9\frac{1}{4}$ -Inch Face  
Cove and Bead

No. 2 W. P. Pine and Fir

| Stock Sizes | Thick-ness      | No. 2 W. P. Pine Glazed | No. 2 W. P. Pine Open | No. 2 Fir Glazed |
|-------------|-----------------|-------------------------|-----------------------|------------------|
| 2- 6x6- 6   | $1\frac{3}{8}"$ | \$5.40                  | \$4.51                | \$4.62           |
| 2- 6x6- 8   | $1\frac{3}{8}"$ | 5.70                    | 4.70                  | 4.92             |
| 2- 8x6- 8   | $1\frac{3}{8}"$ | 5.70                    | 4.70                  | 4.92             |
| 2-10x6-10   | $1\frac{3}{8}"$ | 6.97                    | 5.80                  | ....             |
| 2- 8x7- 0   | $1\frac{3}{8}"$ | 6.57                    | 5.70                  | ....             |
| 3- 0x7- 0   | $1\frac{3}{8}"$ | 7.75                    | 6.00                  | ....             |

Glass size 2-8x6-8  $23\frac{1}{2} \times 30$ .

### R-537 Texas

Stiles  $4\frac{1}{4}$ -Inch Face  
Bottom Rail  $9\frac{1}{4}$ -Inch Face  
Cove and Bead

No. 1 W. P. Pine

| Stock Sizes | Thick-ness      | Glazed | Open   |
|-------------|-----------------|--------|--------|
| 2- 6x6- 6   | $1\frac{3}{4}"$ | \$5.70 | \$4.82 |
| 2- 6x6- 8   | $1\frac{3}{4}"$ | 6.18   | 5.23   |
| 2- 8x6- 8   | $1\frac{3}{4}"$ | 6.03   | 5.02   |
| 2-10x6- 8   | $1\frac{3}{4}"$ | 6.60   | 5.48   |
| 2-10x6-10   | $1\frac{3}{4}"$ | 7.32   | 5.84   |
| 2- 8x7- 0   | $1\frac{3}{4}"$ | 6.87   | 5.73   |
| 2-10x7- 0   | $1\frac{3}{4}"$ | 7.56   | 6.25   |
| 3- 0x7- 0   | $1\frac{3}{4}"$ | 7.68   | 6.37   |
| 2- 6x6- 8   | $1\frac{3}{4}"$ | 8.82   | 7.87   |
| 2- 8x6- 8   | $1\frac{3}{4}"$ | 8.61   | 7.59   |
| 2-10x6- 8   | $1\frac{3}{4}"$ | 8.91   | 7.79   |
| 3- 0x6- 8   | $1\frac{3}{4}"$ | 9.12   | 7.99   |
| 2-10x6-10   | $1\frac{3}{4}"$ | 9.93   | 8.80   |
| 2- 6x7- 0   | $1\frac{3}{4}"$ | 9.81   | 8.67   |
| 2- 8x7- 0   | $1\frac{3}{4}"$ | 9.81   | 8.67   |
| 2-10x7- 0   | $1\frac{3}{4}"$ | 10.20  | 8.88   |
| 3- 0x7- 0   | $1\frac{3}{4}"$ | 9.87   | 8.54   |

Glass size 2-8x6-8  $23\frac{1}{2} \times 30$ .

### R-549 Benton

Stiles  $4\frac{1}{4}$ -Inch Face  
Bottom Rail  $9\frac{1}{4}$ -Inch Face  
Sticking Cove and Bead

No. 2 W. P. Pine

| Stock Sizes | Thick-ness      | No. 2 Pine Glazed | No. 2 Pine Open |
|-------------|-----------------|-------------------|-----------------|
| 2- 6x6- 6   | $1\frac{3}{8}"$ | \$5.55            | \$4.76          |
| 2- 8x6- 8   | $1\frac{3}{8}"$ | 5.82              | 4.95            |
| 2- 8x6- 8   | $1\frac{3}{4}"$ | 8.91              | 8.03            |

Glass size 2-8x6-8  $23\frac{1}{2} \times 26$ .



R-536 Hunter



R-537 Texas



R-549 Benton

Exterior  
Doors  
Flush  
Mirror  
French

Unique  
Balances  
Fallo  
Frames

Frames  
R-411-R60  
R-651-R-C

Frames  
Door-Misc.  
Louvers

Andersen  
Narrowline  
Casement

Blinds  
Mouldings  
Jamb-Trim

Columns  
Perch and  
Stair Parts

Kitchen  
Cabinets  
De Luxe

Ironing  
Boards  
Breakfast  
Nooks  
Med.-Cabs

Corner-  
Cases  
Mantels  
Dowels

**FREIGHT ALLOWED 150 pounds or more—No crating charges**

## Exterior Doors—W. P. Pine

### R-591 Craft Door One Light

Stiles 5-Inch Face  
Bottom Rail 9¼-Inch Face  
Sticking Cove and Bead




R-591

| Stock Sizes | Glazed D.S.B. | Open   | Glass Size |
|-------------|---------------|--------|------------|
| 1 3/8"      |               |        |            |
| 2- 8x6- 8   | \$7.17        | \$6.33 | 22x18      |
| 2-10x6- 8   | 8.04          | 7.17   | 24x18      |
| 2- 8x7- 0   | 8.43          | 7.59   | 22x18      |
| 1 3/4"      |               |        |            |
| 2- 8x6- 8   | 9.75          | 8.91   | 22x18      |
| 2-10x6- 8   | 10.92         | 10.05  | 24x18      |
| 3- 0x6- 8   | 10.29         | 9.39   | 26x18      |
| 2- 8x7- 0   | 11.55         | 10.71  | 22x18      |
| 2-10x7- 0   | 11.85         | 10.98  | 24x18      |
| 3- 0x7- 0   | 11.13         | 10.23  | 26x18      |

### R-592 Craft Door Three Light

Stiles 5-Inch Face  
Bottom Rail 9¼-Inch Face  
Sticking Cove and Bead



R-592

| Stock Sizes | Glazed D.S.B. | Open   | Entire Glass Size |
|-------------|---------------|--------|-------------------|
| 1 3/8"      |               |        |                   |
| 2- 8x6- 8   | \$7.83        | \$6.87 | 22x18             |
| 2-10x6- 8   | 8.73          | 7.77   | 24x18             |
| 2- 8x7- 0   | 9.15          | 8.19   | 22x18             |
| 1 3/4"      |               |        |                   |
| 2- 8x6- 8   | 10.56         | 9.60   | 22x18             |
| 2-10x6- 8   | 11.76         | 10.80  | 24x18             |
| 3- 0x6- 8   | 11.07         | 10.08  | 26x18             |
| 2- 8x7- 0   | 12.42         | 11.46  | 22x18             |
| 2-10x7- 0   | 12.69         | 11.73  | 24x18             |
| 3- 0x7- 0   | 11.91         | 10.92  | 26x18             |

### R-594 Craft Door Six Light

Stiles 5-Inch Face  
Bottom Rail 9¼-Inch Face  
Sticking Cove and Bead



R-594

| Stock Sizes | Glazed D.S.B. | Open   | Entire Glass Size |
|-------------|---------------|--------|-------------------|
| 1 3/8"      |               |        |                   |
| 2- 8x6- 8   | \$8.40        | \$7.20 | 22x18             |
| 2-10x6- 8   | 9.42          | 8.13   | 24x18             |
| 2- 8x7- 0   | 9.75          | 8.55   | 22x18             |
| 1 3/4"      |               |        |                   |
| 2- 8x6- 8   | 11.19         | 9.99   | 22x18             |
| 2-10x6- 8   | 12.54         | 11.25  | 24x18             |
| 3- 0x6- 8   | 11.79         | 10.47  | 26x18             |
| 2- 8x7- 0   | 13.02         | 11.91  | 22x18             |
| 2-10x7- 0   | 13.47         | 12.18  | 24x18             |
| 3- 0x7- 0   | 12.63         | 11.31  | 26x18             |

**FREIGHT ALLOWED 150 pounds or more—No crating charges**

## Exterior Doors

**R-507 Beverly**  
 Stiles 5-Inch Face  
 Bottom Rail 9 1/4-Inch Face  
 Sticking Cove and Bead  
 No. 1 W. P. Pine

| Stock Sizes | Glazed D.S.B. | Open   | Glass Size |
|-------------|---------------|--------|------------|
| 1 3/8"      |               |        |            |
| 2- 6x6- 6   | \$8.13        | \$5.79 | 20x44      |
| 2- 8x6- 8   | 7.95          | 5.94   | 22x46      |
| 1 3/4"      |               |        |            |
| 2- 8x6- 8   | 10.62         | 8.61   | 22x46      |
| 2-10x6- 8   | 11.34         | 8.79   | 24x46      |
| 3- 0x6- 8   | 11.40         | 8.97   | 26x46      |
| 2-10x6-10   | 12.33         | 9.36   | 24x48      |
| 2- 8x7- 0   | 11.94         | 9.27   | 22x50      |
| 2-10x7- 0   | 12.42         | 9.45   | 24x50      |
| 3- 0x7- 0   | 12.00         | 9.63   | 26x50      |



R-507 Beverly

## R-512 Sterling

Stiles 5-Inch Face  
 Bottom Rail 9 1/4-Inch Face  
 Sticking Cove and Bead  
 No. 1 W. P. Pine

| Sizes      | Glazed D.S.B. | Open   | Entire Glass Size |
|------------|---------------|--------|-------------------|
| 1 3/8"     |               |        |                   |
| *2- 8x6- 8 | \$10.83       | \$8.04 | 22x46             |
| 1 3/4"     |               |        |                   |
| *2- 8x6- 8 | 14.13         | 11.34  | 22x46             |
| *2-10x6- 8 | 14.31         | 11.52  | 24x46             |
| *3- 0x6- 8 | 14.61         | 11.70  | 26x46             |
| 2- 8x7- 0  | 14.82         | 12.00  | 22x50             |
| 2-10x7- 0  | 15.06         | 12.18  | 24x50             |
| 3- 0x7- 0  | 15.33         | 12.36  | 26x50             |

\*Sizes in stock for immediate shipment. On other sizes bars must be inserted after order is received.



R-512 Sterling

## R-513 Argo

Stiles 5-Inch Face  
 Bottom Rail 9 1/4-Inch Face  
 Sticking Cove and Bead  
 No. 1 W. P. Pine

| Sizes      | Glazed D.S.B. | Open   | Entire Glass Size |
|------------|---------------|--------|-------------------|
| 1 3/8"     |               |        |                   |
| *2- 8x6- 8 | \$9.69        | \$7.29 | 22x46             |
| 1 3/4"     |               |        |                   |
| *2- 8x6- 8 | 12.63         | 10.17  | 22x46             |
| *2-10x6- 8 | 12.81         | 10.35  | 24x46             |
| *3- 0x6- 8 | 13.11         | 10.53  | 26x46             |
| 2- 8x7- 0  | 13.32         | 10.83  | 22x50             |
| 2-10x7- 0  | 13.56         | 11.01  | 24x50             |
| *3- 0x7- 0 | 13.83         | 11.19  | 26x50             |

\*Sizes in stock for immediate shipment. On other sizes bars must be inserted after order is received.



R-513 Argo

**FREIGHT ALLOWED 150 pounds or more—No crating charges**

Unique  
Balances  
Farlo  
Frames

Frames  
R-411-R60  
R-651-R-C

Frames  
Door-Misc.  
Louvers

Andersen  
Narrowline  
Casement

Blinds  
Mouldings  
Jamb-Trim

Columns  
Perch and  
Stair Parts

Kitchen  
Cabinets  
De Luxe

Ironing  
Boards  
Breakfast  
Nooks  
Med.-Cabs

Corner  
Cases  
Misc.  
Dress




## Exterior Doors

### R-642 Dividor

Pine Stiles 5" Face  
Hardwood Stiles 6" Face  
Bottom Rail 18" Face

**W. P. PINE - OAK - BIRCH**



R-642 Dividor


| Sizes              | W. P. Pine<br>Glazed<br>D. S. B. | W.P. Pine<br>Open | Oak<br>Glazed<br>D. S. B. | Birch<br>Glazed<br>D. S. B. |
|--------------------|----------------------------------|-------------------|---------------------------|-----------------------------|
| 1 3/4"<br>2- 8x6-8 | \$9.84                           | \$6.57            | .....                     | .....                       |
| 1 3/4"<br>2- 8x6-8 | 12.18                            | 9.48              | \$20.76                   | \$19.17                     |
| 2-10x6-8           | 13.02                            | 9.66              | .....                     | .....                       |
| 3- 0x6-8           | 12.60                            | 9.81              | 21.24                     | 19.56                       |
| 2- 8x7-0           | 13.35                            | 10.05             | 21.54                     | .....                       |
| 2-10x7-0           | 13.56                            | 10.20             | .....                     | .....                       |
| 3- 0x7-0           | 13.20                            | 10.35             | 22.08                     | 20.28                       |

If oak or birch doors are wanted open, deduct \$3.00 per door

### R-638 Marmon

Pine Stiles 5" Face  
Hardwood Stiles 6" Face  
Bottom Rail 18" Face

**W. P. PINE - OAK - BIRCH**



R-638 Marmon

| Sizes              | W. P. Pine<br>Glazed<br>D. S. B. | W.P. Pine<br>Open | Oak<br>Glazed<br>D. S. B. | Birch<br>Glazed<br>D. S. B. |
|--------------------|----------------------------------|-------------------|---------------------------|-----------------------------|
| 1 3/4"<br>2- 8x6-8 | \$9.24                           | \$5.67            | .....                     | .....                       |
| 1 3/4"<br>2- 8x6-8 | 12.03                            | 9.00              | \$19.77                   | \$18.18                     |
| 2-10x6-8           | 12.78                            | 9.18              | .....                     | .....                       |
| 3- 0x6-8           | 12.69                            | 9.33              | 20.49                     | 18.81                       |
| 2- 8x7-0           | 13.32                            | 9.60              | 20.67                     | .....                       |
| 2-10x7-0           | 13.77                            | 9.72              | .....                     | .....                       |
| 3- 0x7-0           | 13.32                            | 9.87              | 21.36                     | 19.53                       |

If oak or birch doors are wanted open, deduct \$3.18 per door

### R-575

Stiles and Top Rail 4 1/4" Face  
Bottom Rail 9 1/4" Face

**W. P. PINE - OAK - BIRCH**



R-575

| Stock<br>Sizes     | W. P. Pine<br>Glazed<br>D. S. B. | W.P. Pine<br>Open | Oak<br>Glazed<br>D. S. B. | Birch<br>Glazed<br>D. S. B. |
|--------------------|----------------------------------|-------------------|---------------------------|-----------------------------|
| 1 3/4"<br>2- 8x6-8 | \$9.72                           | \$7.86            | \$16.71                   | \$14.31                     |
| 2- 8x7-0           | 11.04                            | 8.49              | 17.97                     | 15.39                       |
| 3- 0x7-0           | 11.31                            | 8.88              | 19.71                     | 16.86                       |

Glass size 2-8x6-8 door—23 1/4"x40".

If oak or birch doors are wanted open, deduct \$1.92 per door

**FREIGHT ALLOWED 150 pounds or more—No crating charges**

## Exterior Doors

### R-514 Amayo

Stiles  $4\frac{1}{4}$ -Inch Face  
Bottom Rail  $9\frac{1}{4}$ -Inch Face  
Sticking Cove and Bead

No. 1 W. P. Pine

| Stock Sizes                              | Glazed D. S. B. | Open         | Glass Size                                 |
|------------------------------------------|-----------------|--------------|--------------------------------------------|
| $1\frac{3}{8}$ "<br>2- 8x6-8             | \$7.53          | \$5.64       | $23\frac{1}{2}$ x36                        |
| $1\frac{3}{4}$ "<br>2- 8x6-8<br>3- 0x7-0 | 9.72<br>11.79   | 7.95<br>8.97 | $23\frac{1}{2}$ x36<br>$27\frac{1}{2}$ x40 |



R-514 Amayo

### R-635 Solar

No. 1 W. P. Pine

Cove and Bead Sticking  
5-inch Face Stile  
18-inch Face Bottom Rail

| Stock Sizes                                          | Glazed D. S. B.         | Glazed Plain Plate      | Open                 |
|------------------------------------------------------|-------------------------|-------------------------|----------------------|
| $1\frac{3}{8}$ "<br>2- 8x6-8                         | \$9.03                  | \$18.90                 | \$6.00               |
| $1\frac{3}{4}$ "<br>2- 8x6-8<br>2-10x6-8<br>3- 0x6-8 | 11.16<br>12.33<br>11.67 | 21.03<br>22.83<br>23.25 | 8.13<br>8.88<br>8.22 |
| 2- 8x7-0<br>2-10x7-0<br>3- 0x7-0                     | 12.81<br>12.99<br>12.42 | 23.07<br>24.36<br>24.84 | 9.36<br>9.54<br>8.82 |

Glass size 2-8x6-8—22x56.



R-635 Solar

### R-635 Solar

Oak — Birch

Cove and Bead Sticking  
6-inch Face Stile  
18-inch Face Bottom Rail  
 $\frac{1}{4}$ -inch Veneer

| Stock Sizes                              | Oak Glazed D.S.B.       | Oak Open                | Birch Glazed D.S.B.     | Birch Open              | For Plain Plate, Add to Open Dr. |
|------------------------------------------|-------------------------|-------------------------|-------------------------|-------------------------|----------------------------------|
| $1\frac{3}{4}$ "<br>2- 8x6-8<br>3- 0x6-8 | \$15.93<br>16.71        | \$12.90<br>13.26        | \$14.88<br>15.03        | \$11.43<br>11.58        | \$11.88<br>13.95                 |
| 2- 8x7-0<br>2-10x7-0<br>3- 0x7-0         | 17.10<br>17.25<br>17.58 | 13.65<br>13.80<br>13.98 | 15.36<br>15.51<br>15.78 | 11.91<br>12.06<br>12.18 | 12.60<br>13.71<br>14.82          |

Glass size 2-8x6-8—20x56.



R-635 Solar

Unique  
Balances  
Farlo  
Frames

Frames  
R-411-R60  
R-651-R-C

Frames  
Door-Misc.  
Louvres

Andersen  
Narrowline  
Casement

Blinds  
Mouldings  
Jamb-Trim

Columns  
Porch and  
Stair Parts

Kitchen  
Cabinets  
De Luxe

Ironing  
Boards  
Breakfast  
Nooks  
Med.-Cabs

Corner  
Cases  
Mantels  
Dowels

**FREIGHT ALLOWED 150 pounds or more—No crating charges**

# AIR SLAB


## BIRCH FLUSH DOORS

### VENEERED BIRCH TWO SIDES

WRAPPED IN PAPER

PINE EDGE STRIP

Flush Doors are rapidly increasing in popularity, there being no projecting moulds to catch and retain dust and grime. The smooth, broad, sanitary surface permits an attractive display of the figure and grain of the wood. QUALITYBILT AIR SLAB FLUSH DOORS can be V-grooved in such designs as will harmonize with their architectural surroundings and lights can be cut into any size or shape desired. The principle of AIR SLAB construction with ventilated core produces a door which is rigid, light in weight and minimizes the possibility of warping and twisting.



R-450 AIR SLAB

| Stock Sizes | Thickness | Price   |
|-------------|-----------|---------|
| 1-6 x6-6    | 1 3/8"    | \$ 7.83 |
| 1-8 x6-6    | 1 3/8"    | 7.83    |
| 2-0 x6-6    | 1 3/8"    | 7.77    |
| 2-2 x6-6    | 1 3/8"    | 9.03    |
| 2-4 x6-6    | 1 3/8"    | 8.58    |
| 2-6 x6-6    | 1 3/8"    | 9.00    |
| 2-8 x6-6    | 1 3/8"    | 10.29   |
| 1-6 x6-8    | 1 3/8"    | 7.83    |
| 1-8 x6-8    | 1 3/8"    | 7.83    |
| 2-0 x6-8    | 1 3/8"    | 7.89    |
| 2-2 x6-8    | 1 3/8"    | 9.15    |
| 2-4 x6-8    | 1 3/8"    | 8.76    |
| 2-6 x6-8    | 1 3/8"    | 9.12    |
| 2-8 x6-8    | 1 3/8"    | 9.54    |
| 2-10x6-8    | 1 3/8"    | 10.23   |
| 3-0 x6-8    | 1 3/8"    | 11.37   |
| 2-0 x7-0    | 1 3/8"    | 9.42    |
| 2-2 x7-0    | 1 3/8"    | 9.90    |
| 2-4 x7-0    | 1 3/8"    | 10.35   |
| 2-6 x7-0    | 1 3/8"    | 10.17   |
| 2-8 x7-0    | 1 3/8"    | 10.62   |
| 2-10x7-0    | 1 3/8"    | 11.76   |
| 3-0 x7-0    | 1 3/8"    | 12.30   |

Each QUALITYBILT AIR SLAB FLUSH DOOR is completely sanded, squared and trimmed to net size and sealed in a dust proof paper package, ready for the painter's finish. These doors are adaptable to the many types of early and modern American Architecture.

THE INNER CORE construction is a series of small ventilated air cells built up in grid form of kiln dried W. P. Pine interlocking strips. The built-up grid forms a base or core to which the veneers are applied.

This type of construction not only makes possible a very substantial saving in weight, but produces a door capable of acclimating itself to varying conditions of temperature and humidity. The faces of the AIR SLAB FLUSH DOORS are built up of three plies of well matched veneers. Lock blocks are centered on both sides. The top and bottom core rails are of sufficient width to permit cutting off 2" in height; 1" off both top and bottom.

**FREIGHT ALLOWED 150 pounds or more—No crating charges**



# "V" Joint Flush Doors

W. P. Pine—Birch—Oak

Cross Banded—5-ply—Waterproof Glue

These popular doors are built-up, 5-ply construction, with heavy 1/4-inch face veneers and reinforced core. The "V" grooves are cut into this face veneer to make the "planks." These grooves will be cut approximately 6" apart unless otherwise specified or shown.



R-10



R-20



R-30



R-40



R-50



R-70

| Sizes           | W. P. Pine | Birch   | Oak     | These prices for Plain Flush Doors, no "V" joints or cutouts. For "V" joints, Circle Top, Lights cut in and Glazing, Add per following tables. |
|-----------------|------------|---------|---------|------------------------------------------------------------------------------------------------------------------------------------------------|
| 2- 8x6-8-1 1/4" | \$17.41    | \$23.46 | \$23.12 |                                                                                                                                                |
| 2-10x6-8-1 1/4" | 18.11      | 24.50   | 23.50   |                                                                                                                                                |
| 3- 0x6-8-1 1/4" | 18.78      | 25.31   | 24.94   |                                                                                                                                                |
| 2- 8x7-0-1 1/4" | 17.91      | 24.75   | 24.50   |                                                                                                                                                |
| 2-10x7-0-1 1/4" | 18.83      | 24.95   | 24.75   |                                                                                                                                                |
| 3- 0x7-0-1 1/4" | 19.27      | 25.96   | 25.59   |                                                                                                                                                |

|                                              | Price           |
|----------------------------------------------|-----------------|
| For Making "V" Joints, 1 Side.....Add        | \$1.50 per door |
| For Making "V" Joints, 2 Sides.....Add       | 3.00 per door   |
| For Making One-Half Circle Top.....Add       | 3.60 per door   |
| For Gothic, Peak Head or Segment Top.....Add | 3.60 per door   |

|                                     | Glazed<br>D. S. B. | Glazed<br>Leaded<br>Add to<br>D. S. B.<br>Price |
|-------------------------------------|--------------------|-------------------------------------------------|
| Cutting in Light Design No. 10..... | \$5.25             | \$4.50                                          |
| Cutting in Light Design No. 20..... | 2.00               | ....                                            |
| Cutting in Light Design No. 30..... | 6.75               | 4.50                                            |
| Cutting in Light Design No. 40..... | 13.50              | 4.50                                            |
| Cutting in Light Design No. 50..... | 6.75               | ....                                            |
| Cutting in Light Design No. 70..... | 12.75              | 4.50                                            |

FREIGHT ALLOWED 150 pounds or more—No crating charges

Unique  
Balances  
Fario  
Frames

Frames  
R-411-R60  
R-651-R-C

Frames  
Door-Misc.  
Louvers

Andersen  
Narrowline  
Casement

Blinds  
Mouldings  
Jambs-Trim

Columns  
Porch and  
Stair Parts

Kitchen  
Cabinets  
De Luxe

Ironing  
Boards  
Breakfast  
Nooks  
Med.-Cabs

Corner  
Cases  
Mantels  
Dowels


**R-650**

## Mirror Doors

### R431 Birch—One Panel Back

#### Priced Complete with Mirror

#### R-650

One-panel Back. Same as our R-431. This door is usually used for a closet and door does not need to match others in room.

| Stock Size | Mirror Size | Glazed Plain Plate | Glazed Bevel Plate |
|------------|-------------|--------------------|--------------------|
| 2-0x6-8    | 14x63 1/2   | \$31.26            | \$39.77            |
| 2-2x6-8    | 16x63 1/2   | 33.67              | 42.67              |
| 2-4x6-8    | 18x63 1/2   | 35.92              | 45.41              |
| 2-6x6-8    | 20x63 1/2   | 38.25              | 48.24              |
| 2-8x6-8    | 22x63 1/2   | 40.58              | 51.07              |
| 2-0x7-0    | 14x67 1/2   | 33.42              | 42.91              |
| 2-2x7-0    | 16x67 1/2   | 35.96              | 45.95              |
| 2-4x7-0    | 18x67 1/2   | 38.33              | 48.82              |
| 2-6x7-0    | 20x67 1/2   | 40.76              | 51.75              |
| 2-8x7-0    | 22x67 1/2   | 45.77              | 57.25              |

### PREPARING DOORS FOR MIRROR

These prices cover the preparation of the door, either raised or flat panel to receive Mirror. They include routing and all necessary molds fitted and applied. They do not include glass or glazing. For glass and glazing see mirror prices below.

|                                                    | Softwood | Hardwood |
|----------------------------------------------------|----------|----------|
| One Panel.....Add                                  | \$1.65   | \$ 2.25  |
| Two Regular Panels.....Add                         | 3.90     | 5.10     |
| Two Vertical Panels.....Add                        | 5.55     | 7.20     |
| Four Panels.....Add                                | 6.15     | 8.10     |
| Five Panels and Five Cross Panels.....Add          | 7.80     | 10.20    |
| Six Panel Colonial.....Add                         | 7.80     | 10.20    |
| Insert Type (DeLuxe).....Add                       | 4.20     | 5.55     |
| Planting Mirror Moulding and Stops on face of Door |          |          |
| (Any Type Door).....Add                            | 1.80     | 2.25     |

### PRICES OF MIRROR ONLY

(Including Glazing)

| Door Size | R431 Softwood Plain Plate | R431 Softwood Bevel Plate | All Others Plain Plate | All Others Bevel Plate |
|-----------|---------------------------|---------------------------|------------------------|------------------------|
| 2-0x6-6   | \$16.68                   | \$24.67                   | \$19.79                | \$29.28                |
| 2-0x6-8   | 17.10                     | 25.61                     | 20.27                  | 30.26                  |
| 2-0x7-0   | 17.94                     | 27.43                     | 21.34                  | 32.33                  |
| 2-2x6-8   | 19.30                     | 28.30                     | 22.34                  | 33.92                  |
| 2-2x7-0   | 20.27                     | 30.26                     | 23.43                  | 34.91                  |
| 2-4x6-6   | 20.71                     | 29.71                     | 23.80                  | 34.29                  |
| 2-4x6-8   | 21.25                     | 30.74                     | 24.41                  | 35.40                  |
| 2-4x7-0   | 22.34                     | 32.83                     | 25.62                  | 37.58                  |
| 2-6x6-6   | 22.58                     | 32.07                     | 28.26                  | 39.25                  |
| 2-6x6-8   | 23.19                     | 33.18                     | 29.00                  | 40.48                  |
| 2-6x7-0   | 24.41                     | 35.40                     | 30.48                  | 42.94                  |
| 2-8x6-8   | 25.13                     | 35.62                     | 31.29                  | 43.25                  |
| 2-8x7-0   | 29.00                     | 40.48                     | 32.91                  | 45.84                  |

To Obtain Complete Price of Mirror Door use Price of Door Desired Plus Extra for Preparing Door for Mirror Plus Price of Mirror (Plain or Bevel).



## Utility Mirror

### Mould and Stops

Utility Mirror can be applied to any Stock Door, W. P. Pine, Oak or Birch simply by setting moulding as shown in cut on face of door.

All Prices Per 100 lineal feet

Mould 3/4x1 1/4" and Stops 1/4x1 1/8".

W. P. Pine  
\$6.24

Birch  
\$10.80

Oak  
\$10.08

**FREIGHT ALLOWED 150 pounds or more**

# Store Doors

2 1/4" Thick  
Cove and  
Bead  
Sticking



R-155

6" Face  
Stiles  
and  
Top Rail  
18" Bottom  
Rail

## 2 1/4 Inches Thick (3 Ply)—W. P. Pine No. 1

| Sizes   | Open    | Glazed<br>D. S. | Glazed<br>P. Plate | Glass<br>Size |
|---------|---------|-----------------|--------------------|---------------|
| 3-0x7-0 | \$16.65 | \$20.76         | \$32.01            | 24x60         |
| 3-2x7-0 | 17.67   | 21.96           | 33.24              | 26x60         |
| 3-4x7-0 | 17.67   | 22.80           | 34.35              | 28x60         |
| 3-6x7-0 | 17.97   | 23.07           | 35.70              | 30x60         |
| 3-0x7-6 | 18.03   | 22.29           | 33.84              | 24x66         |
| 3-2x7-6 | 19.29   | 24.78           | 36.27              | 26x66         |
| 3-4x7-6 | 19.29   | 24.78           | 37.47              | 28x66         |
| 3-6x7-6 | 19.56   | 25.83           | 38.93              | 30x66         |

## R-155 Veneered Birch—2 1/4 Inches Thick 1/4-Inch Veneer Waterproof Glue

| Sizes   | Open    | Glazed<br>D. S. | Glazed<br>Plain<br>Plate | Glass<br>Size |
|---------|---------|-----------------|--------------------------|---------------|
| 3-0x7-0 | \$18.90 | \$23.01         | \$34.26                  | 24x60         |
| 3-2x7-0 | 19.17   | 23.46           | 34.74                    | 26x60         |
| 3-4x7-0 | 19.44   | 24.54           | 36.09                    | 28x60         |
| 3-6x7-0 | 20.46   | 25.56           | 38.19                    | 30x60         |
| 3-0x7-6 | 19.86   | 24.12           | 35.67                    | 24x66         |
| 3-2x7-6 | 20.10   | 25.62           | 37.08                    | 26x66         |
| 3-4x7-6 | 20.40   | 25.92           | 38.61                    | 28x66         |
| 3-6x7-6 | 21.42   | 27.69           | 40.77                    | 30x66         |

## R-155 Veneered Oak—2 1/4 Inches Thick 1/4-Inch Veneer Waterproof Glue

| Sizes   | Open    | Glazed<br>D. S. | Glazed<br>Plain<br>Plate | Glass<br>Size |
|---------|---------|-----------------|--------------------------|---------------|
| 3-0x7-0 | \$20.61 | \$24.70         | \$35.97                  | 24x60         |
| 3-2x7-0 | 20.94   | 25.20           | 36.48                    | 26x60         |
| 3-4x7-0 | 21.27   | 26.37           | 37.92                    | 28x60         |
| 3-6x7-0 | 22.50   | 27.60           | 40.23                    | 30x60         |
| 3-0x7-6 | 21.75   | 26.01           | 37.56                    | 24x66         |
| 3-2x7-6 | 22.08   | 27.57           | 39.06                    | 26x66         |
| 3-4x7-6 | 22.38   | 27.90           | 40.59                    | 28x66         |
| 3-6x7-6 | 23.61   | 29.88           | 42.99                    | 30x66         |

For Bevel Plate Glass—1 1/2" Bevel Add \$11.25

**FREIGHT ALLOWED 150 pounds or more—No crating charges**

Unique  
Balances  
Farlo  
Frames

Frames  
R-411-R6P  
R-651-R-C

Frames  
Door-Misc.  
Louvers

Andersen  
Narrowline  
Casement

Blinds  
Mouldings  
Jamb-Trim

Columns  
Perch and  
Stair Parts

Kitchen  
Cabinets  
De Luxe

Ironing  
Boards  
Breakfast  
Nooks  
Med.-Cabs

Corner  
Cases  
Mirrors  
Dressers



## French Doors


### R-625 "Sunlite"

Stiles 4-Inch Face

Bottom Rail 9-Inch Face

**No. 1 W. P. Pine**

Cove and Bead Sticking



R-625 Sunlite

| Stock Sizes               | Pair Glazed S. S. B. | Pair Open | Add for D. S. B. Glass |
|---------------------------|----------------------|-----------|------------------------|
| 4-0x6-8x1 $\frac{3}{8}$ " | \$13.74              | \$ 9.48   | \$0.96                 |
| 5-0x6-8x1 $\frac{3}{8}$ " | 14.40                | 9.72      | 1.14                   |
| 5-4x6-8x1 $\frac{3}{8}$ " | 15.60                | 9.78      | 1.14                   |
| 4-0x7-0x1 $\frac{3}{8}$ " | 14.82                | 9.96      | .96                    |
| 5-0x7-0x1 $\frac{3}{8}$ " | 15.84                | 10.26     | 1.14                   |
| 5-4x7-0x1 $\frac{3}{8}$ " | 16.38                | 10.38     | 1.14                   |

 For  $1\frac{3}{4}$ " thick, add \$4.35 per pair.

### No. 1 Fir

Cove and Bead Sticking

|                           |         |         |        |
|---------------------------|---------|---------|--------|
| 4-0x6-8x1 $\frac{3}{8}$ " | \$11.58 | \$ 7.32 | \$0.96 |
| 5-0x6-8x1 $\frac{3}{8}$ " | 12.78   | 8.10    | 1.14   |

### Plain Oak Veneer

Bevel Sticking

|                           |         |         |        |
|---------------------------|---------|---------|--------|
| 4-0x6-8x1 $\frac{3}{8}$ " | \$28.92 | \$24.06 | \$0.96 |
| 5-0x6-8x1 $\frac{3}{8}$ " | 30.12   | 24.84   | 1.14   |
| 5-4x6-8x1 $\frac{3}{8}$ " | 30.90   | 25.08   | 1.14   |
| 4-0x7-0x1 $\frac{3}{8}$ " | 30.42   | 25.56   | .96    |
| 5-0x7-0x1 $\frac{3}{8}$ " | 31.92   | 26.34   | 1.14   |

### Birch Veneer

Bevel Sticking

|                           |         |         |        |
|---------------------------|---------|---------|--------|
| 4-0x6-8x1 $\frac{3}{8}$ " | \$25.92 | \$21.06 | \$0.96 |
| 5-0x6-8x1 $\frac{3}{8}$ " | 26.94   | 21.66   | 1.14   |
| 5-4x6-8x1 $\frac{3}{8}$ " | 27.72   | 21.90   | 1.14   |
| 4-0x7-0x1 $\frac{3}{8}$ " | 27.12   | 22.26   | .96    |
| 5-0x7-0x1 $\frac{3}{8}$ " | 28.50   | 22.92   | 1.14   |
| 5-4x7-0x1 $\frac{3}{8}$ " | 28.92   | 23.10   | 1.14   |
| 6-0x7-0x1 $\frac{3}{8}$ " | 29.94   | 23.70   | 1.20   |

 For  $1\frac{3}{4}$ " thick, add \$3.21 per pair.

### R-627 "Morlite"

Stiles 4-Inch Face

Bottom Rail 9-Inch Face

**No. 1 W. P. Pine**

Cove and Bead Sticking



R-627 Morlite

| Sizes                     | Pair Glazed S. S. B. | Pair Open | Add for D. S. B. Glass |
|---------------------------|----------------------|-----------|------------------------|
| 5-0x6-8x1 $\frac{3}{8}$ " | \$16.68              | \$9.78    | \$1.14                 |
| 5-4x6-8x1 $\frac{3}{8}$ " | 16.74                | 9.84      | 1.20                   |
| 5-0x7-0x1 $\frac{3}{8}$ " | 18.42                | 11.28     | 1.14                   |
| 5-4x7-0x1 $\frac{3}{8}$ " | 18.54                | 11.40     | 1.20                   |
| 6-0x7-0x1 $\frac{3}{8}$ " | 19.02                | 11.58     | 1.20                   |

 For  $1\frac{3}{4}$ " thick, add \$4.74 per pair.

### No. 1 Fir

Cove and Bead Sticking

|                           |         |        |        |
|---------------------------|---------|--------|--------|
| 5-0x6-8x1 $\frac{3}{8}$ " | \$15.36 | \$9.12 | \$1.14 |
|---------------------------|---------|--------|--------|

### Plain Oak Veneer

Bevel Sticking

|                           |         |         |        |
|---------------------------|---------|---------|--------|
| 5-0x6-8x1 $\frac{3}{8}$ " | \$35.22 | \$28.32 | \$1.14 |
| 5-4x6-8x1 $\frac{3}{8}$ " | 35.46   | 28.56   | 1.20   |
| 5-0x7-0x1 $\frac{3}{8}$ " | 36.90   | 29.76   | 1.14   |
| 5-4x7-0x1 $\frac{3}{8}$ " | 37.20   | 30.06   | 1.20   |
| 6-0x7-0x1 $\frac{3}{8}$ " | 39.75   | 31.95   | 1.20   |

### Birch Veneer

Bevel Sticking

|                           |         |         |        |
|---------------------------|---------|---------|--------|
| 5-0x6-8x1 $\frac{3}{8}$ " | \$32.04 | \$25.14 | \$1.14 |
| 5-4x6-8x1 $\frac{3}{8}$ " | 32.28   | 25.38   | 1.20   |
| 5-0x7-0x1 $\frac{3}{8}$ " | 33.48   | 26.34   | 1.14   |
| 5-4x7-0x1 $\frac{3}{8}$ " | 33.72   | 26.58   | 1.20   |

 For  $1\frac{3}{4}$ " thick, add \$3.21 per pair.

**FREIGHT ALLOWED 150 pounds or more—No crating charges**

## French Doors


**R-630 Frenchador**

Stiles 5-Inch Face

Bottom Rail 1 1/2-Inch Face

**No. 1 W. P. Pine**

Cove and Bead Sticking

| Stock Sizes | Thickness | Glazed<br>S. S. B. | Open   | Add for<br>D. S. B.<br>Glass |
|-------------|-----------|--------------------|--------|------------------------------|
| 2- 6x6-8    | 1 3/8"    | \$9.21             | \$5.49 | \$0.60                       |
| 2- 8x6-8    | 1 3/8"    | 9.24               | 5.52   | .60                          |
| 3- 0x6-8    | 1 3/8"    | 9.93               | 5.97   | .60                          |
| 2- 6x7-0    | 1 3/8"    | 10.02              | 6.12   | .60                          |
| 2- 8x7-0    | 1 3/8"    | 10.11              | 6.18   | .60                          |
| 2- 6x6-8    | 1 3/4"    | 11.73              | 8.04   | .60                          |
| 2- 8x6-8    | 1 3/4"    | 11.82              | 8.10   | .60                          |
| 3- 0x6-8    | 1 3/4"    | 12.09              | 8.25   | .60                          |
| 2- 6x7-0    | 1 3/4"    | 12.33              | 8.49   | .60                          |
| 2- 8x7-0    | 1 3/4"    | 12.33              | 8.52   | .60                          |
| 2-10x7-0    | 1 3/4"    | 12.63              | 8.64   | .60                          |
| 3- 0x7-0    | 1 3/4"    | 12.63              | 8.64   | .60                          |

### Plain Oak Veneer

Bevel Sticking

|          |        |         |         |        |
|----------|--------|---------|---------|--------|
| 2- 6x6-8 | 1 3/4" | \$19.92 | \$16.14 | \$0.60 |
| 2- 8x6-8 | 1 3/4" | 20.07   | 16.29   | .60    |
| 3- 0x6-8 | 1 3/4" | 21.24   | 17.85   | .60    |
| 2- 6x7-0 | 1 3/4" | 18.54   | 16.89   | .60    |
| 2- 8x7-0 | 1 3/4" | 20.94   | 17.04   | .60    |
| 3- 0x7-0 | 1 3/4" | 22.08   | 18.60   | .60    |

### Birch Veneer

Bevel Sticking

|          |        |         |         |        |
|----------|--------|---------|---------|--------|
| 2- 6x6-8 | 1 3/4" | \$18.33 | \$14.55 | \$0.60 |
| 2- 8x6-8 | 1 3/4" | 20.70   | 14.67   | .60    |
| 3- 0x6-8 | 1 3/4" | 19.56   | 16.17   | .60    |
| 2- 6x7-0 | 1 3/4" | 19.08   | 15.18   | .60    |
| 2- 8x7-0 | 1 3/4" | 19.20   | 15.27   | .60    |
| 2-10x7-0 | 1 3/4" | 19.53   | 15.42   | .60    |
| 3- 0x7-0 | 1 3/4" | 20.28   | 16.80   | .60    |

**FREIGHT ALLOWED 150 pounds or more—No crating charges**

 Unique  
Balances  
Fallo  
Frames

 Frames  
R-411-R67  
R-651-R-6

 Frames  
Door-Misc.  
Louvers

 Andersen  
Narrowline  
Casement

 Blinds  
Mouldings  
Jambs-Trim


 Columns  
Porch and  
Stair Parts

 Kitchen  
Cabinets  
De Luxe

 Iconing  
Boards  
Breakfast  
Nooks  
Med.-Cabs

 Corner  
Cases  
Mantels  
Dowels

## White Metal Weatherstrip Double Spring Action



### No. 4000 Style AA

This Weatherstrip is folded "s" shape which gives a double spring action, preventing the contact part of the weatherstrip from losing its resilience. This assures sufficient tension to keep out the wind, rain, snow and dust and stops rattling. It can be used in new or old windows without removing sash from the frames. It is a white alloy metal which will not tarnish. Each set packed in a carton with full directions for applying.

|                               |        |
|-------------------------------|--------|
| Per set up to 26 x 26 window, |        |
| Wt. 1½ lbs.....               | \$1.26 |
| Per set up to 32 x 32 window, |        |
| Wt. 2 lbs.....                | 1.44   |
| Per set up to 38 x 38 window, |        |
| Wt. 2¼ lbs.....               | 1.83   |

## Door Weatherstrip

### No. 4005 Style AA

## Double Cushion White Metal with White Metal Threshold

Packed one set to a carton

| Size                           | Price  |
|--------------------------------|--------|
| 3-0 x 7-0—1⅜ Door.....         | \$3.10 |
| 3-0 x 7-0—1¼ Door.....         | 3.36   |
| 5-6 x 7-0—1¼ French Doors..... | 6.75   |
| 3-0 x 7-0—1¼ Circle Top.....   | 5.06   |

**FREIGHT ALLOWED on 100 Lbs. Dowels and Weatherstrip.**



## UNIQUE SASH BALANCES

for Farlo Frames

1 $\frac{3}{8}$ " or 1 $\frac{3}{4}$ " Windows



The Unique Sash Balance functions as a perfect balancing device complete within itself and maintains a true balance at any point in the run of the sash.

It is not a holding or friction device for the reason that it utilizes a basic mechanical principle which assures the constant and everlasting flow of power back and forth between the balance and sash.

All working parts of the Unique Sash Balance are concealed, the rigid tubing being the only exposed part. This may be painted if desired or left as it comes, as it is rust proof.

The Unique Sash Balance assures the home owner of a trouble-free operation of the window. There are no pulleys, cord or chain.

Instruction sheet is packed with each set. Windows are ploughed for balances without charge.

STOCK BALANCE is TYPE "D" for windows weighing up to 40 lbs. or 20 lbs. per sash and not over 5' 10" high.

Price per set of 4 balances for window shown on page 48.

For heavier windows use Type "C" balance. Ask for prices.

Unique  
Balances  
Farlo  
Frames

Frames  
R-411-R6P  
R-651-R-C

Frames  
Door-Misc.  
Louvers

Andersen  
Narrowline  
Casement

Blinds  
Mouldings  
Jambs-Trim

Columns  
Porch and  
Stair Parts

Kitchen  
Cabinets  
De Luxe

Iconing  
Boards  
Breakfast  
Nooks  
Med.-Cabs

Corner  
Cases  
Mantels  
Dowels

## FARLO WINDOW FRAME

### For Unique Balances



### SHOWING NARROW MULLIONS AND TRIM

#### 1 $\frac{3}{8}$ " 2-Lt. Window Frames

| 2-Lt.<br>Glass<br>Size | Frame Only |        | Unique<br>Balances<br>Set of 4 | No. 4000<br>Weather-<br>strip |
|------------------------|------------|--------|--------------------------------|-------------------------------|
|                        | Hd. & Sill | Sides  |                                |                               |
| 12                     | \$1.15     | \$1.13 | \$2.25                         | \$1.26                        |
| 14                     | 1.17       | 1.15   | 2.25                           | 1.26                          |
| 16                     | 1.18       | 1.16   | 2.25                           | 1.26                          |
| 18                     | 1.20       | 1.27   | 2.25                           | 1.26                          |
| 20                     | 1.22       | 1.40   | 2.25                           | 1.26                          |
| 22                     | 1.38       | 1.51   | 2.25                           | 1.26                          |
| 24                     | 1.46       | 1.58   | 2.25                           | 1.26                          |
| 26                     | 1.53       | 1.71   | 2.25                           | 1.26                          |
| 28                     | 1.62       | 1.78   | 2.25                           | 1.44                          |
| 30                     | 1.69       | 1.86   | 2.25                           | 1.44                          |
| 32                     | 1.82       | 1.98   | 2.36                           | 1.44                          |
| 34                     | 1.87       | 2.07   | 3.90                           | 1.83                          |
| 36                     | 1.91       | 2.15   | 4.13                           | 1.83                          |

#### Extras

|                                                        |        |
|--------------------------------------------------------|--------|
| Frames Toxic Treated—add, each.....                    | \$0.24 |
| Intermediate Sizes—add.....                            | 10%    |
| For each 2" or part extra jamb width—add 10% plus..... | .75    |
| Mullion Frames—add.....                                | .33    |
| Triple Frames—add.....                                 | .90    |
| Quad. Frames—add.....                                  | 1.50   |

## FARLO DRIP CAP DOOR FRAMES

For 2 x 4 Stud Wall W. P. Pine Sill to match Farlo Window Frame Rabbetted—  
1 $\frac{3}{8}$ " or 1 $\frac{3}{4}$ ".


|                                                                   |        |
|-------------------------------------------------------------------|--------|
| 2-8x6-8.....                                                      | \$4.41 |
| 3-0x6-8.....                                                      | 4.56   |
| 2-8x7-0.....                                                      | 4.53   |
| 3-0x7-0.....                                                      | 4.68   |
| Brick Veneer and Masonry Door Frames use A-852 or A-872, page 55. |        |

**FREIGHT ALLOWED 150 pounds or more—No crating charges**

# FARLO WINDOW FRAME

## For Unique Balances


All types of Construction  
W. P. Pine Frame No. 400




Plain Drip Cap]  
for 2x4 stud



Mullion Detail  
For All Type Construction



Jamb Section Showing Basic  
Detail in Brick Veneer Wall



Jamb Section Showing Basic  
Detail in Masonry Wall

Clear W. P. Pine for  $1\frac{3}{8}$ " check rail windows. These frames are made of clear W. P. Pine accurately machined and quickly and easily assembled. The same frame fits any type wall construction by using drip cap or small mould as shown. No weights, cords or pulleys. Narrow casings and mullions give a modern appearance outside and permit a modern narrow trim inside.

See Page 47 for Detail of Unique Balance.  
See Page 46 for Detail of Weatherstrip.

Frames  
R-411-R6P  
R-651-R-C

Frames  
Door-Misc.  
Louvres

Andersen  
Narrowline  
Casement

Blinds  
Mouldings  
Jambs-Trim

Columns  
Perch and  
Stair Parts

Kitchen  
Cabinets  
De Luxe

Ironing  
Boards  
Breakfast  
Nooks  
Med.-Cabs


Corner  
Cases  
Mantels  
Dowels



## DRIP CAP WINDOW FRAMES

R-411

For  $1\frac{3}{8}$  Inch Check Rail Windows



R-411

Made of Clear W. P. Pine. Head & Sill one Bundle. Sides one Bundle. Semi-Assembled. No inside stops included. Pockets screwed in and Pulleys set. Drip Cap and Blind Stop nailed on. Joints primed with Aluminum paint.  $5\frac{1}{2}$ " Mullions,  $1\frac{3}{32} \times 4\frac{1}{2}$ " outside casing. For 2x4 studs. Solid Sill.

### Complete Frame Prices


| Glass Size<br>2-Light Window | Head and Sill | Side Members | Complete<br>Frame |
|------------------------------|---------------|--------------|-------------------|
| 12x12                        | \$1.02        | \$1.68       | \$2.70            |
| 14x14                        | 1.08          | 1.77         | 2.85              |
| 16x16                        | 1.11          | 2.04         | 3.15              |
| 18x18                        | 1.20          | 2.16         | 3.36              |
| 20x20                        | 1.26          | 2.31         | 3.57              |
| 22x22                        | 1.41          | 2.40         | 3.81              |
| 24x24                        | 1.47          | 2.49         | 3.96              |
| 26x26                        | 1.53          | 2.61         | 4.14              |
| 28x28                        | 1.65          | 2.70         | 4.35              |
| 30x30                        | 1.71          | 2.82         | 4.53              |
| 32x32                        | 1.80          | 3.03         | 4.83              |
| 34x34                        | 1.86          | 3.15         | 5.01              |
| 36x36                        | 1.92          | 3.24         | 5.16              |

See Page 54 for extras and complete schedule of prices on all frames.

DRIP CAP WINDOW FRAMES

Andersen No. 601

For 1 3/8 Inch Check Rail Windows



A-601

Made of Clear W. P. Pine. Head & Sill one bundle. Sides one bundle. Semi-assembled. No inside stops included. Pockets screwed in and Pulleys set. Drip Cap and Blind Stop nailed on. Joints primed with aluminum paint. 5 1/2" mul-lion 1 1/16 x 3 3/4" outside casing. For 2x4 studs Solid Sill.

Complete Frame Prices

| Glass Size<br>2-Light Window | Head and Sill | Side Members | Complete<br>Frame |
|------------------------------|---------------|--------------|-------------------|
| 12x12                        | \$1.02        | \$1.68       | \$2.70            |
| 14x14                        | 1.08          | 1.77         | 2.85              |
| 16x16                        | 1.11          | 2.04         | 3.15              |
| 18x18                        | 1.20          | 2.16         | 3.36              |
| 20x20                        | 1.26          | 2.31         | 3.57              |
| 22x22                        | 1.41          | 2.40         | 3.81              |
| 24x24                        | 1.47          | 2.49         | 3.96              |
| 26x26                        | 1.53          | 2.61         | 4.14              |
| 28x28                        | 1.65          | 2.70         | 4.35              |
| 30x30                        | 1.71          | 2.82         | 4.53              |
| 32x32                        | 1.80          | 3.03         | 4.83              |
| 34x34                        | 1.86          | 3.15         | 5.01              |
| 36x36                        | 1.92          | 3.24         | 5.16              |

See Page 54 for extras and complete schedule of prices on all frames.

Frames  
R-411-R6P  
R-651-R-C

Frames  
Door-Misc.  
Louvers

Andersen  
Narrowline  
Casement

Blinds  
Mouldings  
Jambs-Trim

Columns  
Perch and  
Stair Parts

Kitchen  
Cabinets  
De Luxe


Ironing  
Boards  
Breakfast  
Nooks  
Med.-Cabs

Corner-  
Cases  
Mantels  
Dowels

# BRICK VENEER WINDOW FRAMES

Andersen No. A651

For 1 $\frac{3}{8}$  Inch Check Rail Windows



Made of Clear W. P. Pine. Head & Sill one bundle. Sides one bundle. Semi-assembled. No inside stops included. Pockets screwed in and Pulleys set. Joints primed with aluminum paint. 5 $\frac{1}{2}$ " Mullion, 1 $\frac{1}{16}$ " x 2" Brick Mould, 5 $\frac{31}{32}$ " Jamb overall. Solid Sill.

A-651

## Complete Frame Prices

| Glass Size<br>2-Light Window | Head and Sill | Side Members | Complete<br>Frame |
|------------------------------|---------------|--------------|-------------------|
| 12x12                        | \$1.05        | \$1.65       | \$2.70            |
| 14x14                        | 1.11          | 1.83         | 2.94              |
| 16x16                        | 1.17          | 1.95         | 3.12              |
| 18x18                        | 1.26          | 2.07         | 3.33              |
| 20x20                        | 1.32          | 2.25         | 3.57              |
| 22x22                        | 1.38          | 2.40         | 3.78              |
| 24x24                        | 1.44          | 2.52         | 3.96              |
| 26x26                        | 1.53          | 2.67         | 4.20              |
| 28x28                        | 1.62          | 2.79         | 4.41              |
| 30x30                        | 1.65          | 2.97         | 4.62              |
| 32x32                        | 1.74          | 3.09         | 4.83              |
| 34x34                        | 1.83          | 3.21         | 5.04              |
| 36x36                        | 1.89          | 3.36         | 5.25              |


See Page 54 for Extras and complete schedule of prices on all frames.



# BOX WINDOW FRAMES

for Masonry Construction  
Andersen 671

For 1 3/8" Check Rail Windows



A-671

Made of Clear W. P. Pine. Head & Sill one bundle. Sides one bundle. Semi-assembled. No inside stops included. Pockets screwed in and Pulleys set. Joints primed with aluminum paint. 5 1/2" Mullions, 1 1/16" Brick Mould. 1 3/4 x 7 1/4" Sill. Solid Sill.

## Complete Frame Prices

| Glass Size<br>2-Light Window | Head and Sill | Side Members | Complete<br>Frame |
|------------------------------|---------------|--------------|-------------------|
| 12x12                        | \$0.75        | \$2.31       | \$2.06            |
| 14x14                        | .81           | 2.43         | 3.24              |
| 16x16                        | .90           | 2.58         | 3.48              |
| 18x18                        | .96           | 2.73         | 3.69              |
| 20x20                        | 1.02          | 2.88         | 3.90              |
| 22x22                        | 1.11          | 3.00         | 4.11              |
| 24x24                        | 1.17          | 3.15         | 4.32              |
| 26x26                        | 1.23          | 3.30         | 4.53              |
| 28x28                        | 1.32          | 3.42         | 4.74              |
| 30x30                        | 1.38          | 3.57         | 4.95              |
| 32x32                        | 1.44          | 3.72         | 5.16              |
| 34x34                        | 1.53          | 3.84         | 5.37              |
| 36x36                        | 1.59          | 3.99         | 5.58              |

See Page 54 for extras and complete schedule of prices on all frames.

**FREIGHT ALLOWED 150 pounds or more—No crating charges**

Frames  
Door-Misc.  
Louvers

Andersen  
Narrowline  
Casement

Blinds  
Mouldings  
Jambs-Trim

Columns  
Porch and  
Stair Parts

Kitchen  
Cabinets  
De Luxe

Iconing  
Boards  
Breakfast  
Nooks  
Med.-Cabs

Corner  
Cases  
Mantels  
Dowels

# Andersen and Qualitybilt W. P. Pine Window Frames

For 1 $\frac{3}{8}$ -Inch Windows

Head and Sill One Bundle. Sides One Bundle. Semi-Assembled—No Inside Stops Included. Pockets Screwed in and Pulleys Set, Drip Cap and Blind Stop Nailed On. Joints Primed with Aluminum Paint.


| Glass Size 2 Lt. Window | Farlo without Bal-ances | Drip Cap A-601 R-411 | Brick Veneer A-651 | Box A-671 | Glass Size 2 Lt. Window | Farlo without Bal-ances | Drip Cap A-601 R-411 | Brick Veneer A-651 | Box A-671 |
|-------------------------|-------------------------|----------------------|--------------------|-----------|-------------------------|-------------------------|----------------------|--------------------|-----------|
| 16x16                   | \$2.34                  | \$3.15               | \$3.12             | \$3.48    | 28x16                   | \$2.78                  | \$3.69               | \$3.57             | \$3.90    |
| 18                      | 2.45                    | 3.27                 | 3.27               | 3.63      | 18                      | 2.89                    | 3.81                 | 3.69               | 4.02      |
| 20                      | 2.58                    | 3.42                 | 3.39               | 3.75      | 20                      | 3.02                    | 3.96                 | 3.84               | 4.20      |
| 22                      | 2.69                    | 3.51                 | 3.57               | 3.90      | 22                      | 3.13                    | 4.05                 | 3.96               | 4.32      |
| 24                      | 2.76                    | 3.60                 | 3.69               | 4.02      | 24                      | 3.20                    | 4.14                 | 4.14               | 4.44      |
| 26                      | 2.89                    | 3.72                 | 3.84               | 4.20      | 26                      | 3.33                    | 4.26                 | 4.26               | 4.59      |
|                         |                         |                      |                    |           | 28                      | 3.40                    | 4.35                 | 4.41               | 4.74      |
| 18x16                   | 2.36                    | 3.24                 | 3.21               | 3.57      | 30                      | 3.48                    | 4.47                 | 4.53               | 4.89      |
| 18                      | 2.47                    | 3.36                 | 3.33               | 3.69      | 32                      | 3.60                    | 4.68                 | 4.68               | 5.01      |
| 20                      | 2.60                    | 3.51                 | 3.51               | 3.84      | 36                      | 3.77                    | 4.89                 | 4.98               | 5.28      |
| 22                      | 2.71                    | 3.60                 | 3.63               | 3.96      |                         |                         |                      |                    |           |
| 24                      | 2.78                    | 3.69                 | 3.78               | 4.11      | 30x16                   | 2.85                    | 3.75                 | 3.63               | 3.96      |
| 26                      | 2.91                    | 3.81                 | 3.90               | 4.26      | 18                      | 2.96                    | 3.87                 | 3.78               | 4.11      |
| 28                      | 2.98                    | 3.90                 | 4.05               | 4.38      | 20                      | 3.09                    | 4.02                 | 3.90               | 4.26      |
| 30                      | 3.06                    | 4.02                 | 4.20               | 4.53      | 22                      | 3.20                    | 4.11                 | 4.05               | 4.38      |
|                         |                         |                      |                    |           | 24                      | 3.27                    | 4.20                 | 4.20               | 4.53      |
| 20x14                   | 2.37                    | 3.03                 | 3.12               | 3.48      | 26                      | 3.40                    | 4.32                 | 4.35               | 4.65      |
| 16                      | 2.38                    | 3.30                 | 3.27               | 3.63      | 28                      | 3.47                    | 4.41                 | 4.47               | 4.83      |
| 18                      | 2.49                    | 3.42                 | 3.39               | 3.75      | 30                      | 3.55                    | 4.53                 | 4.62               | 4.95      |
| 20                      | 2.62                    | 3.57                 | 3.57               | 3.90      | 32                      | 3.67                    | 4.74                 | 4.77               | 5.10      |
| 22                      | 2.73                    | 3.66                 | 3.69               | 4.02      | 36                      | 3.84                    | 4.95                 | 5.04               | 5.37      |
| 24                      | 2.80                    | 3.75                 | 3.84               | 4.20      |                         |                         |                      |                    |           |
| 26                      | 2.93                    | 3.87                 | 3.96               | 4.32      | 32x20                   | 3.22                    | 4.11                 | 3.96               | 4.32      |
|                         |                         |                      |                    |           | 22                      | 3.33                    | 4.20                 | 4.14               | 4.47      |
| 22x20                   | 2.78                    | 3.72                 | 3.63               | 3.96      | 24                      | 3.40                    | 4.29                 | 4.26               | 4.59      |
| 22                      | 2.89                    | 3.81                 | 3.78               | 4.11      | 26                      | 3.53                    | 4.41                 | 4.41               | 4.74      |
| 24                      | 2.96                    | 3.90                 | 3.90               | 4.26      | 28                      | 3.60                    | 4.50                 | 4.53               | 4.89      |
| 26                      | 3.09                    | 4.02                 | 4.05               | 4.38      | 30                      | 3.68                    | 4.62                 | 4.68               | 5.01      |
| 28                      | 3.16                    | 4.11                 | 4.20               | 4.53      | 32                      | 3.80                    | 4.83                 | 4.83               | 5.16      |
| 30                      | 3.24                    | 4.23                 | 4.35               | 4.65      | 36                      | 3.97                    | 5.04                 | 5.10               | 5.46      |
|                         |                         |                      |                    |           |                         |                         |                      |                    |           |
| 24x14                   | 2.61                    | 3.24                 | 3.27               | 3.63      | 34x20                   | 3.27                    | 4.17                 | 4.05               | 4.41      |
| 16                      | 2.62                    | 3.51                 | 3.39               | 3.75      | 22                      | 3.38                    | 4.26                 | 4.20               | 4.53      |
| 18                      | 2.73                    | 3.63                 | 3.57               | 3.90      | 24                      | 3.45                    | 4.36                 | 4.32               | 4.65      |
| 20                      | 2.86                    | 3.78                 | 3.69               | 4.02      | 26                      | 3.58                    | 4.47                 | 4.47               | 4.83      |
| 22                      | 2.97                    | 3.87                 | 3.84               | 4.20      | 28                      | 3.65                    | 4.56                 | 4.59               | 4.95      |
| 24                      | 3.04                    | 3.96                 | 3.96               | 4.32      | 30                      | 3.73                    | 4.68                 | 4.77               | 5.10      |
| 26                      | 3.17                    | 4.08                 | 4.14               | 4.44      | 32                      | 3.85                    | 4.89                 | 4.89               | 5.22      |
| 28                      | 3.24                    | 4.17                 | 4.26               | 4.59      | 36                      | 4.02                    | 5.10                 | 5.16               | 5.52      |
| 30                      | 3.32                    | 4.29                 | 4.41               | 4.74      |                         |                         |                      |                    |           |
|                         |                         |                      |                    |           | 36x24                   | 3.49                    | 4.41                 | 4.41               | 4.74      |
| 26x14                   | 2.68                    | 3.30                 | 3.33               | 3.69      | 26                      | 3.62                    | 4.53                 | 4.53               | 4.89      |
| 16                      | 2.69                    | 3.57                 | 3.51               | 3.81      | 28                      | 3.69                    | 4.62                 | 4.68               | 5.01      |
| 18                      | 2.86                    | 3.69                 | 3.63               | 3.96      | 30                      | 3.77                    | 4.74                 | 4.83               | 5.16      |
| 20                      | 2.93                    | 3.84                 | 3.78               | 4.11      | 32                      | 3.89                    | 4.95                 | 4.98               | 5.28      |
| 22                      | 3.04                    | 3.93                 | 3.90               | 4.26      | 36                      | 4.06                    | 5.16                 | 5.25               | 5.58      |
| 24                      | 3.11                    | 4.02                 | 4.02               | 4.38      |                         |                         |                      |                    |           |
| 26                      | 3.24                    | 4.14                 | 4.20               | 4.53      |                         |                         |                      |                    |           |
| 28                      | 3.31                    | 4.23                 | 4.32               | 4.65      |                         |                         |                      |                    |           |
| 30                      | 3.39                    | 4.35                 | 4.47               | 4.83      |                         |                         |                      |                    |           |

## Window Frames EXTRAS


|                                                             |            |
|-------------------------------------------------------------|------------|
| Toxic Treating.....                                         | \$0.27     |
| Cutting down width of jambs.....                            | .87        |
| Larger sizes for each 2" width or height.....               | .18        |
| Intermediate sizes for single frame.....                    | .87        |
| For each 2" or part extra jamb width—Add per frame—10%..... | Plus .75   |
| For brick arch.....                                         | Add .60    |
| Mullion frames—Twice Single.....                            | Plus .33   |
| Triple " —Three times Single.....                           | " .90      |
| Quad " —Four ".....                                         | " 1.47     |
| (5 $\frac{1}{2}$ " Mullion)                                 |            |
| Pockets and Pulleys omitted Frame No. 411.....              | Deduct .51 |

**FREIGHT ALLOWED 150 pounds or more**

# Andersen and Qualitybilt W. P. Pine Door Frames



Drip Cap Frame  
R-302-A-802



Plank Frame  
A-872

R-302-A-802

## Door Frames

### Plain Drip Cap. Door Frame for 2x4 Stud Wall

W. P. Pine Sill. Jambs  $1\frac{1}{2} \times 5\frac{1}{4}$  rabbeted  $1\frac{3}{8}$  or  $1\frac{3}{4}$ .

|                                                           |             |        |
|-----------------------------------------------------------|-------------|--------|
| Head and Sill Bundle                                      | { 2-8.....  | \$1.89 |
|                                                           | { 2-10..... | 1.95   |
|                                                           | { 3-0.....  | 2.04   |
| Side Bundle                                               | { 6-8.....  | 3.54   |
|                                                           | { 7-0.....  | 3.72   |
| For Oak Sill only up to 3'                                |             | 2.88   |
| For Oak Sill vs. Pine add.                                |             | 1.80   |
| W. P. Pine Sill omitted deduct                            |             | .99    |
| Transoms not over 1-4 high add.                           |             | 2.76   |
| Bevel Casing for stucco add.                              |             | .66    |
| Frames for stucco adding Mld. 8522 and Wide Drip Cap add. |             | .66    |
| For side light frame add 3 times price of single.         |             |        |
| For Circle or Segment Top add.                            |             | 11.25  |
| For larger than 3-0x7-0 add for each ft. in width or ht.  |             | .90    |
| For each 2" or part extra Jamb width add 25%.             |             |        |

A-852

### Door Frame for Brick Veneer

$1\frac{1}{2} \times 2$  brick mould,  $1\frac{1}{2} \times 5\frac{3}{4}$  jambs. No sill.

|                                                             |        |
|-------------------------------------------------------------|--------|
| Sizes up to 3-0x7-0 Rab. $1\frac{1}{2}$ or $1\frac{3}{4}$ . | \$4.74 |
| Add for Oak Sill.                                           | 2.88   |
| Add for W. P. Pine Sill                                     | 1.08   |

A-872

### Plank Door Frame

with  $1\frac{1}{2} \times 2$  S4S brick mould. Rabbeted  $1\frac{1}{2}$  or  $1\frac{3}{4}$  to receive door size 3-0x7-0 and under K. D. No sill.

|                                                | Square | Circle Top |
|------------------------------------------------|--------|------------|
| Jambs $1\frac{3}{8} \times 5\frac{3}{8}$ ..... | \$3.45 | \$13.20    |
| Jambs $1\frac{1}{2} \times 7\frac{1}{2}$ ..... | 6.03   | 17.70      |
| Jambs $1\frac{1}{2} \times 9\frac{1}{2}$ ..... | 7.62   | 21.27      |
| Transoms up to 20 inches add—                  |        |            |
| Jambs $1\frac{1}{2} \times 5\frac{1}{2}$ ..... | 2.52   |            |
| Jambs $1\frac{1}{2} \times 7\frac{1}{2}$ ..... | 3.15   |            |
| Jambs $1\frac{1}{2} \times 9\frac{1}{2}$ ..... | 3.60   |            |
| Brick Arch, add.                               | .60    |            |

A-881

### Garage Door Frame

Opening up to 8-0x8-0

|                                                                      |        |
|----------------------------------------------------------------------|--------|
| $1\frac{1}{2} \times 5\frac{1}{4}$ Jambs with Brick Mould.....       | \$6.87 |
| $1\frac{1}{2} \times 5\frac{1}{4}$ Jambs with Drip Cap & Casing..... | 8.82   |

**FREIGHT ALLOWED 150 pounds or more**

Frames  
Door-Misc.  
Louvers

Andersen  
Narrowline  
Casement

Blinds  
Mouldings  
Jambs-Trim


Columns  
Perch and  
Stair Parts

Kitchen  
Cabinets  
De Luxe

Ironing  
Boards  
Breakfast  
Nooks  
Med.-Cabs

Corner-  
Cases  
Mouldings  
Downs





## Casement Sash Frame A-701

This frame can be converted to brick veneer or solid masonry construction. See extras below.

### SASH FRAME EXTRAS

#### Frame Construction

Outswinging sash add to A. 701 . . . \$0.27

#### Brick Veneer Construction

Inswinging sash add to A. 701 . . . . . .51  
Outswinging sash add to A. 701 . . . . . .75

#### Masonry Construction

Inswinging sash add to A. 701 . . . . . .27  
Outswinging sash add to A. 701 . . . . . .51

#### Mullion Frame Twice

Price of single and add . . . . . .39

#### Triple Frame Three Times

Price of single and add . . . . . .99

#### Quad Frame Four Times


Price of single and add . . . . . 1.62

### Bundled Like Window Frames

A. 701 Frame Prices for plain drip cap 2x4 stud construction are shown above for all  $1\frac{3}{8}$ " Casement and Porch Enclosure Sash listed in this book for INSWINGING SASH.

| Width of Opening | Opening Heights of Sash |        |        |        |        |        |        | Head & Sill Bdl. |
|------------------|-------------------------|--------|--------|--------|--------|--------|--------|------------------|
|                  | 2-5                     | 2-11½  | 3-5½   | 3-9¾   | 3-11½  | 4-5¾   | 5-1¾   |                  |
| 1- 8             | \$2.91                  | \$3.15 | \$3.36 | \$3.51 | \$3.57 | \$3.81 | \$4.05 | \$1.53           |
| 1-10             | 3.00                    | 3.24   | 3.45   | 3.60   | 3.66   | 3.90   | 4.14   | 1.62             |
| 2- 0             | 3.06                    | 3.30   | 3.51   | 3.66   | 3.72   | 3.96   | 4.20   | 1.68             |
| 2- 2             | 3.15                    | 3.39   | 3.60   | 3.75   | 3.81   | 4.05   | 4.29   | 1.77             |
| 2- 4             | 3.21                    | 3.45   | 3.66   | 3.81   | 3.87   | 4.11   | 4.35   | 1.83             |
| 2- 6             | 3.27                    | 3.51   | 3.72   | 3.87   | 3.93   | 4.17   | 4.41   | 1.89             |
| 2- 8             | 3.33                    | 3.57   | 3.78   | 3.93   | 3.99   | 4.23   | 4.47   | 1.95             |
| 2-10             | 3.39                    | 3.63   | 3.84   | 3.99   | 4.05   | 4.29   | 4.53   | 2.01             |
| 3- 4             | 3.63                    | 3.87   | 4.08   | 4.23   | 4.29   | 4.53   | 4.77   | 2.25             |
| 3- 8             | 3.78                    | 4.02   | 4.23   | 4.38   | 4.44   | 4.68   | 4.92   | 2.40             |
| 4- 0             | 3.90                    | 4.14   | 4.35   | 4.50   | 4.56   | 4.80   | 5.04   | 2.52             |
| Side Bdl.        | 1.38                    | 1.62   | 1.83   | 1.98   | 2.04   | 2.28   | 2.52   | .....            |

**FREIGHT ALLOWED 150 pounds or more—No crating charges**



A-551

A-551

Plank Cellar Sash Frames

1 1/8x2 Brick Mould K. D.

|                                              |        |
|----------------------------------------------|--------|
| Sizes up to 2-10x1-11—Jambs 1 3/8x5 1/2..... | \$1.74 |
| 2-10x2- 5—Jambs 1 3/8x5 1/2.....             | 1.86   |

A-608

Barn and Garage Frame


Semi K. D. for 1 1/8 sash. Fits between studding set 24" on centers.

|                                   |      |        |
|-----------------------------------|------|--------|
| 8x10, 4-Lt. opg. 1-8x2-1.....     | each | \$1.47 |
| 9x12, 4-Lt. opg. 1-9 1/4x2-5..... | each | 1.59   |



A -608

W. P. Pine Basement Window



R-590

A complete unit including FRAME, SASH, SCREEN, and HARDWARE—ready for use with sash and screen fitted and hardware applied.

TWO LIGHTS WIDE

| Glass Size | Masonry Opening | Price  |
|------------|-----------------|--------|
| 10x12      | 2-1x1-5 3/8     | \$4.98 |
| 12x16      | 2-5x1-9 3/8     | 5.76   |
| 12x20      | 2-5x2-1 3/8     | 6.15   |

THREE LIGHTS WIDE

|       |                    |        |
|-------|--------------------|--------|
| 8x10  | 2-5 1/4x 1-3 3/8   | \$5.22 |
| 9x12  | 2-8 1/4x 1-5 3/8   | 5.40   |
| 10x12 | 2-11 1/4x 1-5 3/8  | 5.85   |
| 10x14 | 2-11 1/4x 1-7 3/8  | 6.15   |
| 10x16 | 2-11 1/4x 1-9 3/8  | 6.42   |
| 10x18 | 2-11 1/4x 1-11 3/8 | 6.69   |

From the inside—Note two open positions in which sash is automatically held. Sash is easily removed when open, by simply lifting it out of the frame. The strong lock holds the sash tightly in the closed position.

FREIGHT ALLOWED 150 pounds or more

Andersen  
Narrowline  
Casement

Blinds  
Mouldings  
Jambs-Trim


Columns  
Porch and  
Stair Parts


Kitchen  
Cabinets  
De Luxe

Ironing  
Boards  
Breakfast  
Nooks  
Med.-Cabs

Corner  
Cases  
Mouldings  
Dowels

## Louvres


**R-1308**

**R-1300**

**R-1304**

| Design | Opening | Stud Opening | Price   |
|--------|---------|--------------|---------|
| R-1308 | 2-6x1-6 | 2-9x1-10     | \$14.95 |
| R-1300 | 0-6x2-6 | 0-8x2-10     | 6.45    |
| R-1304 | 1-3x1-6 | 1-6x2-0      | 9.54    |

Made of clear W. P. Pine. Square inside to fit between studding, set up.

Above design of Quarter Circle Louvres can be supplied right or left. These will always be shipped in pairs unless otherwise ordered.


**R-1272**

## Gable Sash and Frames


**R-1274**

| Design | Opening | Stud Opening | Price   |
|--------|---------|--------------|---------|
| R-1272 | 3-0x1-6 | 3-3x1-11     | \$11.52 |
| R-1272 | 4-0x2-0 | 4-3x2-5      | 15.18   |
| R-1274 | 1-6x1-6 | 1-9x1-10     | 7.65    |
| R-1274 | 2-0x2-0 | 2-3x2-4      | 9.21    |
| R-1292 | 2-0x2-0 | 2-3x2-4      | 19.12   |


**R-1292**

**Material**—Clear W. P. Pine.  $1\frac{1}{8}$ " outside casing  
Sash  $1\frac{3}{8}$ " thick, divided with wood bars, glazed.

**Description**—Shipped completely set up, sash fitted into frame. Made circle outside and square inside. This permits sash to be slid or hinged as desired.

Above design of Quarter Circle Sash can be supplied right or left. These will always be shipped in pairs unless otherwise ordered.

**Packing**—One sash and frame in a dust-proof carton.

**FREIGHT ALLOWED 150 pounds or more**



Sidelights

R-675 W. P. Pine

| Size    | Thickness | Glazed<br>Plain | Open   |
|---------|-----------|-----------------|--------|
| 1-2x6-8 | 1 3/8"    | \$5.58          | \$3.42 |
| 1-4x6-8 | 1 3/8"    | 5.70            | 3.54   |
| 1-2x7-0 | 1 3/8"    | 5.94            | 3.66   |
| 1-4x7-0 | 1 3/8"    | 6.06            | 3.78   |



R-675

R-677 W. P. Pine

| Size    | Thickness | Glazed<br>Plain | Open   |
|---------|-----------|-----------------|--------|
| 1-2x6-8 | 1 3/8"    | \$7.23          | \$5.07 |
| 1-4x6-8 | 1 3/8"    | 7.35            | 5.19   |
| 1-2x7-0 | 1 3/8"    | 7.59            | 5.31   |
| 1-4x7-0 | 1 3/8"    | 7.71            | 5.43   |



R-677

R-678 W. P. Pine

| Size    | Thickness | Glazed<br>Plain | Open   |
|---------|-----------|-----------------|--------|
| 1-2x6-8 | 1 3/8"    | \$5.76          | \$4.56 |
| 1-4x6-8 | 1 3/8"    | 6.06            | 4.71   |
| 1-2x7-0 | 1 3/8"    | 6.09            | 4.83   |
| 1-4x7-0 | 1 3/8"    | 6.87            | 4.95   |



R-678

R-676 W. P. Pine

| Size    | Thickness | Glazed<br>Plain | Open   |
|---------|-----------|-----------------|--------|
| 1-2x6-8 | 1 3/8"    | \$4.62          | \$3.45 |
| 1-4x6-8 | 1 3/8"    | 4.92            | 3.57   |
| 1-2x7-0 | 1 3/8"    | 4.95            | 3.69   |
| 1-4x7-0 | 1 3/8"    | 5.73            | 3.81   |



R-676

All Side Lights must be made from K. D. after order is received.

FREIGHT ALLOWED 150 pounds or more—No crating charges

Andersen  
Narrowline  
Casement

Blinds  
Mouldings  
Jambs-Trim

Columns  
Perch and  
Stair Parts

Kitchen  
Cabinets  
De Luxe

Ironing  
Boards  
Breakfast  
Nooks  
Med.-Cabs

Corner-  
Cases  
Mouldings  
Dowels

THE NEW  
*Andersen* NARROLINE  
DOUBLE HUNG WINDOW



**A Complete Unit—Ready to Install**

**FRAME — WINDOW  
WEATHERSTRIPS  
COUNTERBALANCING EQUIPMENT**

A sensation! The remarkable Andersen NARROLINE Window is making a tremendous hit with architects and builders all over America.

Improved Flat Weight Counterbalancing provides modern narrow mullions and trim yet insures a lifetime of dependable and trouble-free sash operation.

New Silver Seal Weatherstrips, Andersen Fitted Windows  $1\frac{1}{2}$ " thick, and the Leak-Proof Andersen Master Frame make the New NARROLINE Unit a real leader in the complete unit field.


Permanence and long life is assured by the Andersen Chemical Preservative Treatment.

**COMPLETE UNIT—EASY TO INSTALL**—The NARROLINE Unit is exceedingly simple in design and construction. It is furnished assembled with sash hung ready for quick installation or it can be easily assembled on the job with a minimum of carpenter labor.

*Andersen*


## NARROLINE WINDOW

### New Silver Seal Weatherstrip



The new duplex action Silver-Seal weatherstripping has both rib and spring metal contacts that insure MAXIMUM WEATHER-TIGHTNESS. The sash slide smoothly at all times because they are guided by the ribs and are centered between the spring-leaf weatherstrips. The weatherstrip metal has a special permanently frictionless finished surface.


Parting stops are completely covered with the attractive silver colored weatherstrip metal.



Section Through Head. The metal covered parting stop and special weatherstrip insure easy sash operation. Notice the new stronger  $1\frac{1}{2}$  inch thick sash.



SECTION THROUGH CHECK RAIL—Note the improved check rail weatherstrip with concealed nailing and spring-leaf metal-to-metal contact.



Section Through Bottom Rail showing the improved fold back spring-leaf weatherstrip attached to the sash—self-cleaning, self-adjusting and out of sight when the sash is open.

Andersen  
Narroline  
Casement

Blinds  
Mouldings  
Jambs-Trim

Columns  
Perch and  
Stair Parts

Kitchen  
Cabinets  
De Luxe


Ironing  
Boards  
Breakfast  
Nooks  
Med.-Cabs

Corner-  
Cases  
Mantels  
Dowels



# Andersen NARROLINE

## DISTINCTIVE FEATURES




### • WEATHERSTRIPPED

Maximum weathertightness and easy sash operation are assured by new duplex action Silver Seal Weatherstrips (patent pending). They are made of strong, attractive aluminum alloy, electro-chemically treated to give a permanently lubricated glass like surface.



### • COUNTERBALANCED

The time tested principle of counterbalancing is retained to insure a lifetime of trouble-free sash operation. The special flat weights permit modern narrow mullions and trim. Counterbalancing equipment includes the weights, sash chain cut to length and Andersen Noiseless Pulleys installed in the frame.



### • LEAKPROOF


Andersen Leakproof Locked Sill Joint with steep sill slope and chamfered blind stop to insure quick drainage, and the weather-tight wide blind stop, make the Narroline frames leakproof.

### • NEW ANDERSEN WINDOW

1½" thick. Stronger. Glazed SSA and bed puttied. New corner joints eliminate exposed end wood at bottom rail.

### • IMPROVED FRAME DESIGN

Inside casing can be as narrow as 2½" without any blocking or other special preparation. The wide blind stop permits the use of exterior moulding or casings of any desired width.




tight installation in masonry complete wall insulation and comfort.

The wide blind stop completely closes and seals the opening between the frame and wall in the only sure and dependable way in frame, stucco and brick veneer walls. Mortar clinch grooves are provided for weather-walls. These features are essential to mean added fuel economy and home

# Andersen NARROLINE

## DOUBLE HUNG UNIT No. 680



DETAIL shows Andersen Window No. 680 in frame wall construction with wood siding. This same unit is used without change in any type of wood frame, brick veneer or masonry wall.

Both frame and window are protected with Andersen chemical preservative and moisture repellent treatment.

Andersen SILVER SEAL weatherstrips are supplied for the entire opening as standard equipment. Check rail and bottom rail weatherstrips are furnished attached to the sash.

Flat sash weights, Andersen noiseless pulleys and galvanized sash chains, cut to length and with fasteners, are furnished for each opening.

Andersen check rail windows 1 1/2" thick are furnished factory fitted and ploughed for weatherstrips, glazed SSA and bedded in putty.

## NOTICE TO BUILDERS

If you apply sheathing before setting the frames, be sure to allow for the WEATHERTIGHT WIDE BLIND STOP. Set sheathing back at least one inch from the edge of the studding at the sides, two inches above the face of the header at the top and flush with the plate at the bottom.

Blinds  
Mouldings  
Jamb-Trim

Columns  
Porch and  
Stair Parts

Kitchen  
Cabinets  
De Luxe

Ising  
Boards  
Breakfast  
Nooks  
Med.-Cabs

Corner-  
Cases  
Mouldings  
Dowels

# Andersen Narroline Unit No. 680

The following "Unit" Prices include KD Frames with 1½"x2" exterior mouldings, no water drip, carton packing; Andersen Silver Seal Weatherstrip for head and sides of frame packed in window cartons; Andersen Fitted Check Rail Windows 1½" thick, with Andersen Silver Seal check and bottom rail weatherstrips applied, glazed with SSA glass, except as noted, bedded in putty, carton packing; galvanized sash chains packed in window carton; flat sash weights. All parts of frame and sash are protected with the Andersen Chemical Preservative and Moisture Repellent Treatment.

|                      |                                              |        |
|----------------------|----------------------------------------------|--------|
| Mullion Units.....   | 2 times the price of a single unit plus..... | \$0.34 |
| Triple Units.....    | 3 times the price of a single unit plus..... | .91    |
| Quadruple Units..... | 4 times the price of a single unit plus..... | 1.48   |
| Quintuple Units..... | 5 times the price of a single unit plus..... | 1.80   |
| Sextuple Units.....  | 6 times the price of a single unit plus..... | 3.40   |

NOTE—Add \$0.16 per sash opening for No. 923 Water Drip.



A-1211



A-2444



A-1341



A-1221

| Sash Opg.   | Glass | Price   | Price | Price   | Price   |
|-------------|-------|---------|-------|---------|---------|
| 1' 6x3' 10  | 14x20 | \$10.75 |       | \$11.26 | \$11.00 |
| 4' 10       | 26    | 12.34   |       |         |         |
| 1' 8x3' 0   | 16x15 |         | 11.06 |         |         |
| 3' 6        | 18    |         | 11.45 |         |         |
| 3' 10       | 20    | 11.11   | 11.77 | 11.62   | 11.36   |
| 4' 6        | 24    | 12.19   | 12.85 | 12.70   |         |
| 4' 10       | 26    | 12.70   | 13.28 | 13.31   | 13.06   |
| 1' 10x3' 10 | 18x20 | 11.47   |       | 11.98   | 11.72   |
| 4' 6        | 24    | 12.70   | 13.21 | 13.20   |         |
| 4' 10       | 26    | 13.26   | 13.70 |         |         |
| 5' 2        | 28    |         | 14.17 |         |         |



A-1211



A-3466



A-1361



A-1231



A-3569

| Sash Opg. | Glass | Price   | Price   | Price   | Price   | Price   |
|-----------|-------|---------|---------|---------|---------|---------|
| 2' 0x3' 0 | 20x15 | \$10.66 | \$11.86 | \$11.18 | \$10.92 |         |
| 3' 6      | 18    | 11.29   | 12.35   | 12.04   | 11.66   |         |
| 3' 10     | 20    | 12.01   | 13.07   | 12.76   | 12.38   |         |
| 4' 2      | 22    |         | 13.57   | 13.31   | 12.94   |         |
| 4' 6      | 24    | 13.08   | 14.17   | 13.82   | 13.45   |         |
| 4' 10     | 26    | 13.61   | 14.72   | 14.35   | 13.98   |         |
| 5' 2      | 28    | 14.21   | 15.32   | 14.95   | 14.58   |         |
| 2' 4x3' 0 | 24x15 | 11.20   | 12.14   | 11.72   | 11.46   |         |
| 3' 6      | 18    | 12.16   | 13.14   | 12.90   | 12.53   |         |
| 3' 10     | 20    | 12.72   | 13.52   | 13.46   | 13.09   |         |
| 4' 2      | 22    |         | 14.26   | 13.99   | 13.62   |         |
| 4' 6      | 24    | 13.96   | 14.75   | 14.70   | 14.33   |         |
| 4' 10     | 26    | 14.32   | 15.11   | 15.06   | 14.69   |         |
| 5' 2      | 28    | 15.04   | 15.72   | 15.78   | 15.41   |         |
| 5' 6      | 30    | 15.62   |         |         |         | \$16.34 |
| 5' 10     | 32    | 16.38   |         | 17.44   | 16.91   |         |

Continued next page



# Andersen Narroline Unit No. 680

|            | A-1211 | A-3466  | A-1361  | A-1231  | A-3569  |
|------------|--------|---------|---------|---------|---------|
| Sash Opg.  | Glass  | Price   | Price   | Price   | Price   |
| 2' 7x3' 0  | 27x15  | \$12.11 | \$13.01 | \$12.64 | \$12.37 |
| 3' 6       | 18     | 12.77   | 13.45   | 13.51   | 13.14   |
| 3' 10      | 20     | 13.45   | 14.39   | 14.20   | 13.82   |
| 4' 2       | 22     | 14.75   | 14.66   | 14.29   |         |
| 4' 6       | 24     | 14.64   | 15.22   | 15.38   | 15.01   |
| 4' 10      | 26     | 15.14   | 15.72   | 15.89   | 15.52   |
| 5' 2       | 28     | 15.70   | 16.27   | 16.44   | 16.07   |
| 5' 6       | 30     | 16.27   |         |         | \$16.86 |
| 5' 10      | 32     | *18.83  |         | *19.88  | *19.36  |
| 2' 10x3' 0 | 30x15  | 12.32   | 13.12   | 12.85   | 12.59   |
| 3' 6       | 18     | 13.78   | 13.97   | 14.52   | 14.15   |
| 3' 10      | 20     | 13.78   | 14.46   | 14.52   | 14.15   |
| 4' 2       | 22     | 15.08   | 15.29   | 15.83   | 15.46   |
| 4' 6       | 24     | 15.77   | 15.70   | 16.51   | 16.14   |
| 4' 10      | 26     | 16.13   | 16.20   | 16.87   | 16.50   |
| 5' 2       | 28     | 16.13   | 16.72   |         |         |
| 5' 6       | 30     |         |         |         | 17.68   |
| 5' 10      | 32     | *19.30  |         | *20.35  | *19.82  |



A-1211



A-4488



A-1381



A-1241



A-4582

| Sash Opg.  | Glass | Price   | Price   | Price   | Price   | Price   |
|------------|-------|---------|---------|---------|---------|---------|
| 3' 0x3' 0  | 32x15 |         | \$14.29 |         |         |         |
| 3' 10      | 20    | \$14.24 | 15.44   | \$15.23 | \$14.74 |         |
| 4' 2       | 22    |         | 16.24   |         |         |         |
| 4' 6       | 24    | 15.66   | 16.64   | 16.64   | 16.15   |         |
| 4' 10      | 26    | *17.11  | 17.33   | *18.10  | *17.60  |         |
| 5' 2       | 28    | *18.61  | 18.04   | *19.60  | *19.10  |         |
| 5' 6       | 30    |         |         |         |         | \$19.15 |
| 5' 10      | 32    | *20.22  |         | *21.61  | *20.92  |         |
| 3' 4x3' 10 | 36x20 |         | 16.34   |         |         |         |
| 4' 2       | 22    |         | 16.81   |         |         |         |
| 4' 6       | 24    | *17.51  | 17.22   | *18.49  | *18.00  |         |
| 4' 10      | 26    | *18.61  | 18.11   | *19.60  | *19.10  |         |
| 5' 2       | 28    |         | 18.79   |         |         |         |
| 5' 6       | 30    |         |         |         |         | 19.96   |
| 5' 10      | 32    | *21.50  |         | *22.90  | *22.20  |         |
| 3' 8x3' 10 | 40x20 |         | 17.18   |         |         |         |
| 4' 6       | 24    | *18.83  | 18.40   | *19.81  | *19.32  |         |
| 4' 10      | 26    | *19.97  | 19.13   | *20.95  | *20.46  |         |
| 5' 2       | 28    |         | 19.51   |         |         |         |
| 5' 6       | 30    | *21.41  |         |         |         | 20.69   |
| 5' 10      | 32    | *22.55  | 21.40   | *23.94  | *23.24  |         |

\*These items priced with sash glazed DSA.

Frames Completely Assembled, Add.....\$1.67

## NARROLINE DOOR FRAME

Andersen No. 886 Narroline Door Frame to match unit No. 680, Shipped K. D. with 1½ x 2 exterior moulding; Andersen Silverseal Metalane Weatherstrip (not attached); no water drip; all parts are protected with a chemical preservative treatment. For 1½ or 1¾ doors.

## COMPLETE DOOR FRAME

|                              | 2-8x6-8 | 3-0x7-0 |
|------------------------------|---------|---------|
| With no Sill.....            | \$5.48  | \$5.70  |
| With Pine Sill.....          | 6.54    | 6.84    |
| With Oak Sill.....           | 8.75    | 8.25    |
| Silverseal Weatherstrip..... | 3.55    | 3.80    |
| Add for water drip.....      | .16     | .16     |

FREIGHT ALLOWED 150 pounds or more—No crating charges

Blinds  
Mouldings  
Jambs-Trim

Columns  
Porch and  
Stair Parts


Kitchen  
Cabinets  
De Luxe

Ironing  
Boards  
Breakfast  
Nooks  
Med.-Cabs

Corner  
Cases  
Mantels  
Dowels

# *Andersen*

## CASEMENT WINDOWS



### A Complete Unit

Frame - Sash - Hardware - Screen - Double Glass  
Weatherstripped - Factory Fitted - Treated

Stock Styles and Sizes  
for Every Window Requirement

THE ANDERSEN CASEMENT is an improved wood casement window that successfully combines the advantages of weathertight wood construction with the beauty of modern, narrow line design. It harmonizes pleasingly with all types of architecture and gives added charm and value to any building in which it is used.

Effective weatherstripping, double glazing, and leakproof frame construction make the Andersen Casement Window exceptionally leakproof and weathertight and especially suited to the requirements of air conditioning and gas or electric heat.

All wood parts are protected against decay and termites with the Andersen Chemical Preservative and Moisture Repellent Treatment.

The Andersen Casement is convenient and easy to operate. It is simple in construction and easy to install. In no other casement, wood or metal, will you find all these distinctive features.

# Andersen

## CASEMENT WINDOWS

Distinctive Hardware Features



Extension Hinges permit easy cleaning of outside glass from the inside.




Double Glass, (storm sash) is easily and quickly slipped in place or removed for cleaning or storing. Inside screen removed same easy way.



Worm Gear Sash Operator with solid bronze handle and case. Adjusts and automatically locks sash in any position. Powerful and easy to operate. Independent of screen.



Sash Lock pulls the sash completely shut and locks it securely when closed without opening or removing the screen. Also forcibly ejects the sash when opened.



Bar Sash Operator with bronze finish over cadmium plating. Works easily and smoothly. Holds sash securely in any position. A very satisfactory low priced operator.

Blinds  
Mouldings  
Jambs-Trim

Columns  
Perch and  
Stair Parts

Kitchen  
Cabinets  
De Luxe


Ising  
Boards  
Breakfast  
Nooks  
Med.-Cabs

Corner  
Cases  
Mouldings  
Dowels



# Andersen CASEMENT

## DETAIL OF COMPLETE UNIT




Any Andersen brick moulding or casing may be substituted for the brick moulding shown or units can be furnished without exterior moulding on special order. When no exterior moulding is ordered, specify length of sill horns required.

All inside finish stops, mullion and transom inside casing as shown on this detail are furnished as part of the unit. These parts are furnished in W. P. Pine unless otherwise specified. These can be furnished in other wood at an extra charge.

Finish moulding with screen rabbet shown in sill detail is for swinging sash only. For stationary sash the same moulding as shown at head and jamb is used at the sill.

Weatherstrip as shown is furnished for all openings, applied to the head and sides of the frame and the bottom rail of the sash.



### Section Through Jamb

Special design of sash and frame prevents sticking and gives two point contact and a third contact with weatherstrip. Note special frame design for weathertight joining with wall in wood frame or masonry construction.

ANDERSEN CASEMENT WINDOWS

Complete Hardware for Swinging Sash

Includes Sash Operator, Lock, Hinges, Burglar Bolt & Screws.  
Complete Hardware BAR OPERATOR of Steel, bronze plated  
over cadmium, per set. ....\$3.94

Complete Hardware WORM GEAR OPERATOR with pol-  
ished cast bronze case and handle. .... 6.02

Screens & Removable Double Glazing

| For Sash<br>1 Lt. Wide | SCREENS                    |                                  | Removable Dbl.<br>Glaz.<br>Glazed with<br>D.S.A. Glass |
|------------------------|----------------------------|----------------------------------|--------------------------------------------------------|
|                        | Wood Frame<br>16 M. Bronze | Aluminum Frame<br>16 M. Aluminum |                                                        |
| 1 Lt. High             |                            |                                  | \$2.47                                                 |
| 2 Lt. High             | \$1.28                     | \$3.61                           | 3.46                                                   |
| 3 Lt. High             | 1.61                       | 4.20                             | 4.43                                                   |
| 4 Lt. High             | 1.91                       | 4.75                             | 5.80                                                   |
| 5 Lt. High             | 2.36                       | 5.88                             | 6.80                                                   |
| For Sash<br>2 Lt. Wide |                            |                                  |                                                        |
| 1 Lt. High             |                            |                                  | 2.76                                                   |
| 2 Lt. High             | \$1.70                     | \$3.89                           | 3.90                                                   |
| 3 Lt. High             | 2.10                       | 4.63                             | 4.99                                                   |
| 4 Lt. High             | 2.40                       | 5.29                             | 6.55                                                   |
| 5 Lt. High             | 2.77                       | 6.83                             | 7.66                                                   |

Horizontal bars only, no extra charge.

Units will be assembled on order at following prices.

Units assembled, include frames set up, sash hung, and all hardware  
applied.

Inside Stops, Mullion Center and Transom Bar, Inside Casings and  
screens shipped in separate cartons.

For setting up each Swinging Sash. ....Add \$2.25

For setting up each Stationary Sash. ....Add 1.80

For setting up each Transom Sash. ....Add .81

Blinds  
Mouldings  
Jambs-Trim

Columns  
Perch and  
Stair Parts

Kitchen  
Cabinets  
De Luxe

Ironing  
Boards  
Breakfast  
Nooks  
Med.-Cabs

Corner-  
Cases  
Mouldings  
Dowels

# ANDERSEN CASEMENT WINDOWS


| Unit No. | Wood Muntin Bars Gl. SSA | Aluminum Muntin Bars Gl. SSA | Jamb Lining and Stool* Jamb's up to 6 1/2" W. P. Pine | Water Drip No. 923 Add | Rough Studding Opening | Masonry Opening Moulding 1 1/8" Wide |
|----------|--------------------------|------------------------------|-------------------------------------------------------|------------------------|------------------------|--------------------------------------|
| 1212     | \$5.42                   | \$5.75                       | \$0.75                                                | \$0.12                 | 1-6 1/4 x 2- 6         | 1-5 1/4 x 2- 6 1/8                   |
| 1313     | 6.83                     | 7.39                         | .90                                                   | .12                    | 3- 6 3/16              | 3- 6 3/16                            |
| 1413     | 9.90                     | 10.46                        | .96                                                   | .12                    | 4- 9 3/4               | 4- 9 7/8                             |
| 1414     | 8.90                     | 9.70                         | .96                                                   | .12                    | 4- 6 3/8               | 4- 6 1/2                             |
| 1513     | 11.96                    | 12.85                        | 1.05                                                  | .12                    | 5- 9 15/16             | 5-10 1/16                            |
| 1514     | 11.96                    | 12.76                        | 1.05                                                  | .12                    | 5- 9 15/16             | 5-10 1/16                            |
| 1614     | 13.33                    | 14.45                        | 1.26                                                  | .12                    | 6-10 1/4               | 6-10 1/4                             |
| 2214     | 5.90                     | 6.83                         | .75                                                   | .13                    | 1-10 1/2 x 2- 6        | 1-9 1/2 x 2- 6 1/8                   |
| 2316     | 7.54                     | 8.98                         | .90                                                   | .13                    | 3- 6 3/16              | 3- 6 3/16                            |
| 2416     | 10.84                    | 12.65                        | .96                                                   | .13                    | 4- 9 3/4               | 4- 9 7/8                             |
| 2418     | 9.83                     | 11.84                        | .96                                                   | .13                    | 4- 6 3/8               | 4- 6 1/2                             |
| 2516     | 13.10                    | 15.47                        | 1.05                                                  | .13                    | 5- 9 15/16             | 5-10 1/16                            |
| 2518     | 13.12                    | 15.50                        | 1.05                                                  | .13                    | 5- 9 15/16             | 5-10 1/16                            |
| 25110    | 11.42                    | 14.02                        | 1.05                                                  | .13                    | 5- 9 15/16             | 5- 6 11/16                           |
| 2618     | 14.69                    | 17.63                        | 1.26                                                  | .13                    | 6-10 1/8               | 6-10 1/4                             |
| 26110    | 14.76                    | 17.72                        | 1.29                                                  | .13                    | 6-10 1/8               | 6-10 1/4                             |
| 27110    | 16.33                    | 19.85                        | 1.50                                                  | .13                    | 7-10 1/16              | 7-10 7/16                            |
| 4214     | 11.14                    | 12.49                        | 1.14                                                  | .24                    | 3-7 3/8 x 2- 6         | 3-6 3/8 x 2- 6 1/8                   |
| 4224     | 10.36                    | 12.20                        | 1.14                                                  | .24                    | 3-6 1/4 x 2- 6         | 3-5 1/4 x 2- 6 1/8                   |
| 4316     | 14.17                    | 16.40                        | 1.35                                                  | .24                    | 3-7 3/8 x 3- 6 3/16    | 3-6 3/8 x 3- 6 3/16                  |
| 4326     | 13.32                    | 16.20                        | 1.35                                                  | .24                    | 3-6 1/4 x 3- 6 3/16    | 3-5 1/4 x 3- 6 3/16                  |
| 4418     | 17.70                    | 20.65                        | 1.23                                                  | .24                    | 2-7 3/8 x 4- 6 3/8     | 3-6 3/8 x 4- 6 1/2                   |
| 4426     | 19.54                    | 23.16                        | 1.38                                                  | .24                    | 3-6 1/4 x 4- 9 3/4     | 3-5 1/4 x 4- 9 7/8                   |
| 4428     | 17.63                    | 21.66                        | 1.38                                                  | .24                    | 4- 6 3/8               | 4- 6 1/2                             |
| 4526     | 23.03                    | 27.76                        | 1.50                                                  | .24                    | 5- 9 15/16             | 5-10 1/16                            |
| 4528     | 23.83                    | 28.61                        | 1.50                                                  | .24                    | 5- 9 15/16             | 5-10 1/16                            |
| 45110    | 20.63                    | 24.61                        | 1.50                                                  | .24                    | 3-7 3/8 x 5- 6 9/16    | 3-6 3/8 x 5- 6 11/16                 |
| 45210    | 20.53                    | 25.72                        | 1.50                                                  | .24                    | 3-6 1/4 x 5- 6 9/16    | 3-5 1/4 x 5- 6 11/16                 |
| 4628     | 26.63                    | 32.51                        | 1.71                                                  | .24                    | 6-10 1/8               | 6-10 1/4                             |
| 46210    | 26.78                    | 32.71                        | 1.71                                                  | .24                    | 6-10 1/8               | 6-10 1/4                             |
| 47210    | 29.58                    | 36.61                        | 1.90                                                  | .24                    | 7-10 1/16              | 7-10 7/16                            |
| 6224     | 15.65                    | 17.93                        | 1.56                                                  | .33                    | 5-3 1/8 x 2- 6         | 5-2 1/8 x 2- 6 1/8                   |
| 6234     | 14.94                    | 17.71                        | 1.56                                                  | .33                    | 5-2 x 2- 6             | 5-1 x 2- 6 1/8                       |
| 6326     | 20.02                    | 23.69                        | 1.71                                                  | .33                    | 5-3 1/8 x 3- 6 3/16    | 5-2 1/8 x 3- 6 3/16                  |
| 6336     | 19.24                    | 23.56                        | 1.71                                                  | .33                    | 5-2 x 3- 6 3/16        | 5-1 x 3- 6 3/16                      |
| 6428     | 25.56                    | 30.53                        | 1.77                                                  | .33                    | 5-3 1/8 x 4- 6 3/8     | 5-2 1/8 x 4- 6 1/2                   |
| 6436     | 28.42                    | 33.85                        | 1.77                                                  | .33                    | 5-2 x 4- 9 3/4         | 5-1 x 4- 9 7/8                       |
| 6438     | 25.56                    | 31.61                        | 1.77                                                  | .33                    | 4- 6 3/8               | 4- 6 1/2                             |
| 6536     | 33.13                    | 40.22                        | 1.89                                                  | .33                    | 5- 9 15/16             | 5-10 1/16                            |
| 6538     | 34.73                    | 41.89                        | 1.89                                                  | .33                    | 5- 9 15/16             | 5-10 1/16                            |
| 65210    | 29.80                    | 36.37                        | 1.89                                                  | .33                    | 5-3 1/8 x 5- 6 9/16    | 5-2 1/8 x 5- 6 11/16                 |
| 65310    | 29.77                    | 37.55                        | 1.89                                                  | .33                    | 5-2 x 5- 6 9/16        | 5-1 x 5- 6 11/16                     |
| 6638     | 38.75                    | 47.57                        | 2.10                                                  | .33                    | 6-10 1/8               | 6-10 1/4                             |
| 66310    | 38.99                    | 47.88                        | 2.10                                                  | .33                    | 6-10 1/8               | 6-10 1/4                             |
| 67310    | 43.01                    | 53.56                        | 2.28                                                  | .33                    | 7-10 1/16              | 7-10 7/16                            |
| 8244     | 19.43                    | 23.12                        | 1.92                                                  | .42                    | 6-9 3/4 x 2- 6         | 6-8 3/4 x 2- 6 1/8                   |
| 8346     | 25.06                    | 30.82                        | 2.10                                                  | .42                    | 3- 6 3/16              | 3- 6 3/16                            |
| 8446     | 37.16                    | 44.41                        | 2.10                                                  | .42                    | 4- 9 3/4               | 4- 9 7/8                             |
| 8448     | 33.40                    | 41.46                        | 2.10                                                  | .42                    | 4- 6 3/8               | 4- 6 1/2                             |
| 8546     | 43.10                    | 52.56                        | 2.25                                                  | .42                    | 5- 9 15/16             | 5-10 1/16                            |
| 8548     | 45.49                    | 55.04                        | 2.25                                                  | .42                    | 5- 9 15/16             | 5-10 1/16                            |
| 85410    | 38.92                    | 49.28                        | 2.25                                                  | .42                    | 5- 6 9/16              | 5- 6 11/16                           |
| 8648     | 50.74                    | 62.50                        | 2.43                                                  | .42                    | 6-10 1/8               | 6-10 1/4                             |
| 86410    | 51.06                    | 62.92                        | 2.43                                                  | .42                    | 6-10 1/8               | 6-10 1/4                             |
| 87410    | 56.30                    | 70.37                        | 2.67                                                  | .42                    | 7-10 1/16              | 7-10 7/16                            |
| 10254    | 24.02                    | 28.64                        | 2.40                                                  | .48                    | 8-5 1/2 x 2- 6         | 8-4 1/2 x 2- 6 1/8                   |
| 10356    | 30.98                    | 38.18                        | 2.52                                                  | .48                    | 3- 6 3/16              | 3- 6 3/16                            |
| 10456    | 46.07                    | 55.13                        | 2.55                                                  | .48                    | 4- 9 3/4               | 4- 9 7/8                             |
| 10458    | 41.34                    | 51.42                        | 2.55                                                  | .48                    | 4- 6 3/8               | 4- 6 1/2                             |
| 10556    | 53.23                    | 65.05                        | 2.67                                                  | .48                    | 5- 9 15/16             | 5-10 1/16                            |
| 10558    | 56.41                    | 68.35                        | 2.67                                                  | .48                    | 5- 9 15/16             | 5-10 1/16                            |
| 105510   | 48.17                    | 61.13                        | 2.67                                                  | .48                    | 5- 6 9/16              | 5- 6 11/16                           |
| 10658    | 62.88                    | 77.58                        | 2.88                                                  | .48                    | 6-10 1/8               | 6-10 1/4                             |
| 106510   | 63.29                    | 78.11                        | 2.88                                                  | .48                    | 6-10 1/8               | 6-10 1/4                             |
| 107510   | 69.76                    | 87.34                        | 3.06                                                  | .48                    | 7-10 1/16              | 7-10 7/16                            |

\*For complete trim prices figure desired pattern casing and apron on Lineal basis plus 20%. This trim shipped paper wrapped.



# Andersen Casement Window Units

## Stock Sizes and Layouts



Glass Sizes—One light wide units, 12"x12"—all other units 8"x12" throughout.

"Unit" prices shown on opposite page include the frames K.D. with 1 3/8" x 1 1/8" exterior moulding, all parts completely treated with Andersen Chemical Preservative treatment, Bronze Weatherstrips applied, Sash, W. P. Pine Inside Stops, Mullion Center and Transom Inside Casing.

These prices do NOT include Screens, Removable Double Glazing and Hardware to operate Swinging Sash. See Page 69 for prices.

NOTE: Units with either Aluminum Bar Sash Glazed SSA or Wood Bar Sash, Sash Glazed SSA are carried in stock for immediate delivery.

Blinds  
Mouldings  
Jambs-Trim

Columns  
Porch and  
Stair Parts

Kitchen  
Cabinets  
De Luxe

Ironing  
Boards  
Breakfast  
Nooks  
Med.-Cabs

Corner  
Cases  
Mantels  
Dowels

## Unipak Wood Casements

### FACTORY ASSEMBLED UNITS

*Hinges and Weather-Stripping Factory Applied  
All Hardware, Prefitted Screens, and Optional Double  
Glazing Panels Furnished*



BEAUTY—COMFORT—EFFICIENCY

UNIPAK retains the Superior Qualities of Wood Window Construction . . .

Freedom from sweating, frosting, corrosion and scaling.

Maximum insulation.

Warmth and friendliness.

Spring bronze weatherstripping for leak proof construction.

Optional double glazing for air conditioning.

Toxic treated for life-time service.

Specially designed hardware for maximum efficiency.

### AND OF UTMOST IMPORTANCE

The exclusive "UNIPAK" split-frame installation method that solves a vital construction problem, simply and without extra cost

"UNIPAK" discards the old and customary method of installing the complete window frame with its finished jambs, mullion posts and transom bars and subjecting them to all the inherent abuses of the early construction period and plastering time.

"UNIPAK" employs an entirely different principle, as described on the following page.

*Write for complete catalog and prices*

## Unipak Wood Casements

Installed the "Unipak Way"



*The factory assembled and completely fitted inner units are installed from inside the building by merely driving a few screws.*

**OUTER FRAME**—The outer frame only, consisting of the minimum parts necessary to frame the opening and having no direct relationship with the operation of the casement, is installed as the walls are erected. It has no finished jambs, mullion posts or transom bars. These are formed by inner units when installed later.

**INNER UNITS**—Completely assembled and fitted—stationary units or prefitted sash with their surrounding frames, hinged and weatherstripped at factory, are installed preferably after the plastering is dry, as illustrated above. Holes for screws are factory drilled and attaching screws are furnished.

**APPLICATION OF THE INTERIOR TRIM**—This is also of utmost simplicity. As detailed on the following page, mullion casing and transom bar casing consists only of one piece instead of the customary three members. This reduces installation labor two-thirds. Face trim is furnished cut to exact length and notch mortised at intersections, insuring ease and accuracy of installation.

*Write for complete catalog and prices.*

Blinds  
Mouldings  
Jambs-Trim

Columns  
Porch and  
Stair Parts

Kitchen  
Cabinets  
De Luxe

Ironing  
Boards  
Breakfast  
Nooks  
Med.-Cabs

Corner  
Cases  
Mantels  
Dowels




# Unipak Wood Casements

## FITTINGS



Cleaning



Transom Bar Section

Note heavy zinc cover which protects entire top edge of sash when open.



Double Glazing

**WASHING WINDOWS**—Extension hinges provide 4-in. opening for cleaning outside of sash from inside of building. A safe, easy job.

**DOUBLE GLAZING**—Removable glass panel with white metal frame equipped with compression rubber gasket attaches to inside of sash with clips and swings with sash for year-round insulation. Removed only for occasional cleaning—meets air conditioning requirements. Reduces heat loss by radiation sixty per cent. Requires no fitting or painting.

## “UNIPAK” EXTENSION HINGE



Note angular truss construction and method of attaching for maximum strength and rigidity. See how hinges reinforce members of inner frames and sash. Prevents side play or sagging of sash and positively controls fitting clearance. Close in hinges, used on narrow units, are same construction but without the extension arms.

## HARDWARE SPECIFICATIONS

**SCREENS** (For Manually Operated Unipak)—steel frames with baked aluminum finish. Attaching clips included.

**SCREENS** (For Mechanically Operated Unipak)—extruded aluminum frames equipped with spring bolts for attaching.

Both types wired with 16 mesh aluminum wire cloth. Require no painting.


**OPERATORS AND LOCKS**—Statuary Bronze finish. Swivel knobs and handles for operators and locks are solid brass.

**WEATHERSTRIP**—Spring bronze compression type, completely installed at factory.

**INSTALLATION INSTRUCTIONS**—Simple instructions for application of locks and operators packed with Hardware.


*Write for complete catalog and prices*

## Optional Operation Methods



Thru-Stool  
Operator

Angle Drive  
Operator



Sash  
Lock

**MECHANICALLY OPERATED UNIPAK** as illustrated at left, employs the finest nationally known worm and gear type operators. Two types available at the same price. Casement is operated without interference with screen.

**ANGLE DRIVE OPERATOR**—sets directly on stool, no projection beyond stool line. No notching of stool or boring for crank required.

**THRU STOOL OPERATOR**—fully concealed within stool which is notched to form enclosure. A neat removable cover conceals notching for operator.

**SASH LOCK**—Cam action picks up sash within about  $\frac{1}{2}$ " of closed position, also forcibly ejects sash slightly when opening. Operates without interference with screen. Two locks furnished for all sash over three lights high.

## Manually Operated Unipak

As Illustrated at the Right.

**MANUALLY OPERATED UNIPAK** dispenses with all mechanical operating mechanism. With finger-tip pressure the lower half of the beautiful streamlined metal screen slides to open position, giving instantly direct and never-failing control of the casement. The frame of this ingeniously designed screen is only  $\frac{1}{2}$  x  $\frac{3}{8}$ " over-all. When closed you would never guess it to be a sliding screen as the wire cloth of both panels is almost on the same plane. Swing of sash is controlled by special type friction washers built into the hinges and a safety sliding stay prevents opening of sash beyond ninety degrees.



Lock for "Manually  
Operated" Units



In addition to its simplicity and greater economy Manually Operated Unipak has other distinct virtues to commend it. Note that in operating the casement a push or pull is applied manually at center line of sash in height instead of power exerted at bottom of sash. This prevents racking and insures positive control under all conditions.

Write for complete catalog and prices

Blinds  
Mouldings  
Jamb-Trim

Columns  
Perch and  
Stair Parts


Kitchen  
Cabinets  
De Luxe

Ironing  
Boards  
Breakfast  
Nooks  
Med.-Cabs


Corner  
Cases  
Mantels  
Dowels




## "Unipak-Unique" Double Hung Windows and Frames



HEAD



JAMB



SILL

A beautiful streamlined window, with narrow casings and mullion combined with the efficiency of double interlocking built-in weatherstripping, completely factory installed. Weights and cord and cumbersome leaky weight boxes are eliminated, yet the window is perfectly counterbalanced.

In addition, "Unipak Unique" employs the exclusive split frame installation method as follows:

### OUTER FRAME—

Consisting merely of the wide blind stops, outside casings and a portion of the sill (those members heavily outlined in detail on following page), are installed as the walls are erected.

### INNER UNITS—

Later, preferably after the plastering is dry, the inner frame is assembled around the pre-fitted windows and the entire unit is rigidly screwed in position against the outer frame. Holes for screws are factory drilled and screws are furnished. As the windows and frames are completely weather stripped and fitted, the assembling of the unit and its installation requires only a few minutes' time.

### INTERLOCKING WEATHERSTRIPS—

Special design double interlocking type with metal to metal sliding contact or entire sash travel. Rolled from 9 gauge (.018 in.) cross grain zinc; very strong, yet sufficiently resilient to compensate for ordinary misalignments in sash or frame. Weatherstripping for head and check rail is compression type spring bronze.

### REMOVAL OF WINDOWS—

Without the slightest injury to the weather-stripping, the windows can be removed and again replaced, if for any reason this should be necessary after installation. The weather-stripped parting stops divide at the center line of the window meeting rails and may be readily pivoted back into a deepened plow at these points and thus disengaged from interlocking contact.

*Write for complete catalog and prices.*



## "Unipak Unique" Double Hung Windows And Frames

### ALL-PURPOSE FRAME

"Unipak Unique" is an all-purpose frame—the same detail used for any type wall, siding, shingles, stucco, brick veneer or solid masonry. Adapted by using either drip FL-7480, or brick mould FL-7056-A. Always specify type of wall. All frames and sash made of clear W. P. Pine, chemically treated to resist moisture and termites and provide perfect paint base. Jambes are  $1\frac{1}{8}$ " thick. Shipped semi set up, but completely fitted with all weather-stripping applied.



### ROUGH OPENINGS

**Width**—Add 7 in. to glass or 3 in. to sash opening.


**Height**—Add 10 in. to glass or 4 in. to sash opening.

**Mullions**—Add  $6\frac{1}{2}$  in. between glass or  $2\frac{1}{2}$  in. between sash.


**NOTE**—If brick veneer Outer Frames are set to overlap sheathing, order must so state as wider stops, stool, and liner will be required.



Mullion



Brick Veneer  
(See note under  
Rough Openings)



JAMB LINER

### JAMB LINERS

All frames furnished with standardized jambes,  $4\frac{1}{16}$ " wide for  $1\frac{3}{8}$ " windows. If wall requires  $5\frac{1}{4}$ " jambes,  $1\frac{3}{8}$ " liners are supplied. Thus, any width jamb is provided without change in standard width frame. Liners are furnished with inside trim. Merely specify width of jamb overall required.

"Unipak Unique" windows are counterbalanced with Unique sash balances. It is a simple, yet highly efficient counterbalance, which employs for its action the torsion spring principle. Spring is made of high grade oil tempered spring steel with a slotted fitting at the bottom, thru which slides a spiral lifting rod.

Painting will not affect its operation.

For price on balances only see page 48.



Write for complete catalog and prices.

Blinds  
Mouldings  
Jamb-Trim

Columns  
Porch and  
Stair Parts

Kitchen  
Cabinets  
De Luxe

Ironing  
Boards  
Breakfast  
Nooks  
Med.-Cabs

Corner  
Cases  
Mouldings  
Dowels

## Blinds and Shutters

*Toxic Treated*



R-1404



R-1410

*Toxic Treated*



R-1414



R-1428

FOR PRICES—SEE OPPOSITE PAGE



R-1458



R-1450



R-1462



R-1451

*FREIGHT ALLOWED 150 pounds or more*

# Blinds and Shutters

## Toxic Treated

W.P. Pine—1½" Thick

All Blinds and Shutters must be made to special order.

| Glass Size | Blind Opening | R-1404 | R-1410 | R-1414 | R-1428 |
|------------|---------------|--------|--------|--------|--------|
| 20x14      | 2-0x2-11½     | \$5.73 | \$7.59 | \$7.32 | \$8.61 |
| 16         | 3- 3½         | 5.73   | 7.59   | 7.32   | 8.61   |
| 18         | 3- 7½         | 5.73   | 7.59   | 7.32   | 8.61   |
| 20         | 3-11½         | 5.73   | 7.59   | 7.32   | 8.61   |
| 22         | 4- 3½         | 6.12   | 8.10   | 7.77   | 9.15   |
| 24         | 4- 7½         | 6.54   | 8.61   | 8.25   | 9.75   |
| 26         | 4-11½         | 6.96   | 9.15   | 8.73   | 10.32  |
| 28         | 5- 3½         | 7.38   | 9.66   | 9.21   | 10.92  |
| 24x14      | 2-4 x2-11½    | 5.73   | 7.59   | 7.32   | 8.61   |
| 16         | 3- 3½         | 5.73   | 7.59   | 7.32   | 8.61   |
| 18         | 3- 7½         | 5.73   | 7.59   | 7.32   | 8.61   |
| 20         | 3-11½         | 5.73   | 7.59   | 7.32   | 8.61   |
| 22         | 4- 3½         | 6.12   | 8.10   | 7.77   | 9.15   |
| 24         | 4- 7½         | 6.54   | 8.61   | 8.25   | 9.75   |
| 26         | 4-11½         | 6.96   | 9.15   | 8.73   | 10.32  |
| 28         | 5- 3½         | 7.38   | 9.66   | 9.21   | 10.92  |
| 30         | 5- 7½         | 7.80   | 10.20  | 9.69   | 11.49  |
| 26x16      | 2-6 x3- 3½    | 5.73   | 7.59   | 7.32   | 8.61   |
| 18         | 3- 7½         | 5.73   | 7.59   | 7.32   | 8.61   |
| 20         | 3-11½         | 5.73   | 7.59   | 7.32   | 8.61   |
| 24         | 4- 7½         | 6.54   | 8.61   | 8.25   | 9.75   |
| 26         | 4-11½         | 6.96   | 9.15   | 8.73   | 10.32  |
| 28         | 5- 3½         | 7.38   | 9.66   | 9.21   | 10.92  |
| 30         | 5- 7½         | 7.80   | 10.20  | 9.69   | 11.49  |
| 28x20      | 2-8 x3-11½    | 5.73   | 7.59   | 7.32   | 8.61   |
| 24         | 4- 7½         | 6.54   | 8.61   | 8.25   | 9.75   |
| 26         | 4-11½         | 6.96   | 9.15   | 8.73   | 10.32  |
| 28         | 5- 3½         | 7.38   | 9.66   | 9.21   | 10.92  |
| 30         | 5- 7½         | 7.80   | 10.20  | 9.69   | 11.49  |
| 30x20      | 2-10x3-11½    | 5.73   | 7.59   | 7.32   | 8.61   |
| 24         | 4- 7½         | 6.54   | 8.61   | 8.25   | 9.75   |
| 26         | 4-11½         | 6.96   | 9.15   | 8.73   | 10.32  |
| 28         | 5- 3½         | 7.38   | 9.66   | 9.21   | 10.92  |
| 30         | 5- 7½         | 7.80   | 10.20  | 9.69   | 11.49  |

### All blinds toxic treated.

Rabbeted in Pairs.

If wanted not rabbeted order must so specify.

Cut-out designs included in price.

Cut-out designs shown can be substituted in R-1410, R-1414 without extra charge.

All slats are stationary.

Quantities of 5 to 9 of a size & kind deduct 8%.

Quantities of 10 or more of a size & kind deduct 23%.

**FREIGHT ALLOWED 150 pounds or more—No crating charges**

Blinds  
Mouldings  
Jamb-Trim

Columns  
Porch and  
Stair Parts

Kitchen  
Cabinets  
De Luxe

Ironing  
Boards  
Breakfast  
Nooks  
Med.-Cabs

Corner  
Cases  
Mantels  
Dowels



## Exterior W. P. Pine Mouldings

| No.                | Description       | Size                                   | Price  | Shown on Page |
|--------------------|-------------------|----------------------------------------|--------|---------------|
| 7001               | Crown Mould       | $\frac{3}{4} \times 1 \frac{3}{4}$     | \$2.94 | 82            |
| 7002               | Crown Mould       | $\frac{3}{4} \times 2 \frac{1}{4}$     | 4.20   | 82            |
| 7003               | Crown Mould       | $\frac{3}{4} \times 2 \frac{3}{4}$     | 5.17   | 82            |
| 7004               | Crown Mould       | $\frac{3}{4} \times 3 \frac{1}{4}$     | 5.97   | 82            |
| 7005               | Crown Mould       | $\frac{3}{4} \times 3 \frac{5}{8}$     | 6.78   | 82            |
| 7007               | Crown Mould       | $\frac{3}{4} \times 4 \frac{5}{8}$     | 8.37   | 82            |
| 7011               | Crown Mould       | $\frac{3}{4} \times 2 \frac{1}{4}$     | 4.20   | 82            |
| 7012               | Crown Mould       | $\frac{3}{4} \times 2 \frac{3}{4}$     | 5.17   | 82            |
| 7013               | Crown Mould       | $\frac{3}{4} \times 3 \frac{1}{4}$     | 5.97   | 82            |
| 7014               | Crown Mould       | $\frac{3}{4} \times 3 \frac{5}{8}$     | 6.78   | 82            |
| 7015               | Crown Mould       | $\frac{3}{4} \times 4 \frac{1}{4}$     | 7.59   | 82            |
| 7016               | Crown Mould       | $\frac{3}{4} \times 4 \frac{5}{8}$     | 8.37   | 82            |
| 7023               | Crown Mould       | $\frac{3}{4} \times 1 \frac{3}{4}$     | 2.94   | 82            |
| 7024               | Crown Mould       | $\frac{3}{4} \times 2$                 | 3.30   | 82            |
| 7025               | Crown Mould       | $\frac{3}{4} \times 2 \frac{1}{4}$     | 4.20   | 82            |
| 7026               | Crown Mould       | $\frac{3}{4} \times 2 \frac{3}{4}$     | 5.17   | 82            |
| 7027               | Crown Mould       | $\frac{3}{4} \times 3 \frac{1}{4}$     | 5.97   | 82            |
| 7032               | Cove Mould        | $\frac{3}{4} \times \frac{7}{8}$       | 1.20   | 83            |
| 7032-A             | Cove Mould        | $\frac{3}{4} \times \frac{7}{8}$       | .99    | 83            |
| 7033               | Cove Mould        | $\frac{3}{4} \times 1 \frac{1}{16}$    | 1.92   | 83            |
| 7035               | Sprung Cove       | $\frac{3}{4} \times 1 \frac{3}{4}$     | 2.94   | 82            |
| 7036               | Sprung Cove       | $\frac{3}{4} \times 2 \frac{1}{4}$     | 4.20   | 82            |
| 7037               | Cove Mould        | $\frac{3}{4} \times 2 \frac{3}{4}$     | 5.17   | 82            |
| 7038               | Cove Mould        | $\frac{3}{4} \times 3 \frac{1}{4}$     | 5.97   | 82            |
| 7047               | Bed Mould         | $\frac{3}{4} \times 1 \frac{1}{16}$    | 1.92   | 82            |
| 7048               | Bed Mould         | $\frac{3}{4} \times 1 \frac{5}{16}$    | 2.07   | 82            |
| 7049               | Bed Mould         | $1 \frac{1}{16} \times 1 \frac{5}{16}$ | 3.96   | 82            |
| 7050               | Bed Mould         | $1 \frac{1}{16} \times 1 \frac{9}{8}$  | 4.41   | 82            |
| 7055               | Sprung Bed Mould  | $\frac{3}{4} \times 1 \frac{3}{4}$     | 2.94   | 82            |
| 7061               | Brick Mould       | $1 \frac{1}{16} \times 2$              | 5.40   | 83            |
| 7082               | Quarter Round     | $\frac{1}{4} \times \frac{1}{4}$       | .75    | 83            |
| 7083               | Quarter Round     | $\frac{1}{2} \times \frac{1}{2}$       | .90    | 83            |
| 7084               | Quarter Round     | $\frac{5}{8} \times \frac{5}{8}$       | 1.14   | 83            |
| 7085               | Quarter Round     | $\frac{3}{4} \times \frac{3}{4}$       | 1.20   | 83            |
| 7092               | Half Round        | $\frac{5}{16} \times \frac{5}{8}$      | .63    | 84            |
| 7093               | Half Round        | $\frac{3}{8} \times 1 \frac{1}{16}$    | .90    | 84            |
| 7094               | Half Round        | $\frac{1}{2} \times 1$                 | 1.44   | 84            |
| 7101               | Screen Mould      | $\frac{1}{4} \times \frac{3}{4}$       | .72    | 84            |
| 7102               | Screen Mould      | $\frac{1}{4} \times \frac{3}{4}$       | .72    | 84            |
| 7103               | Clover Leaf Mould | $\frac{5}{16} \times \frac{5}{8}$      | .63    | 84            |
| 7104               | Clover Leaf Mould | $\frac{3}{8} \times \frac{3}{4}$       | .78    | 84            |
| 7171               | Glass Bead        | $\frac{1}{4} \times \frac{1}{2}$       | .72    | 84            |
| 7172               | Glass Bead        | $\frac{5}{8} \times \frac{7}{16}$      | .75    | 84            |
| 7174               | Glass Bead        | $\frac{5}{8} \times \frac{1}{2}$       | .72    | 84            |
| 7175               | Glass Bead        | $\frac{1}{2} \times \frac{9}{16}$      | .93    | 84            |
| 7175-A             | Glass Bead        | $\frac{5}{8} \times \frac{9}{8}$       | .72    | 84            |
| 7461               | Parting Stop      | $\frac{1}{2} \times \frac{3}{4}$       | 1.08   | 83            |
| 7463               | Blind Stop        | $\frac{3}{4} \times 1 \frac{1}{4}$     | 2.07   | 83            |
| 7464               | Blind Stop        | $\frac{3}{4} \times 1 \frac{3}{8}$     | 2.25   | 83            |
| 7481               | Drip Cap          | $1 \frac{1}{16} \times 1 \frac{5}{8}$  | 4.41   | 83            |
| 7481-A             | Drip Cap          | $\frac{3}{4} \times 1 \frac{5}{8}$     | 2.67   | 83            |
| 7482               | Drip Cap          | $1 \frac{1}{16} \times 2$              | 5.40   | 83            |
| 7483               | Drip Cap          | $1 \frac{1}{16} \times 2 \frac{1}{2}$  | 6.21   | 83            |
| 7501               | Lattice           | $\frac{5}{16} \times 1 \frac{1}{8}$    | .99    | 83            |
| 7502               | Lattice           | $\frac{5}{16} \times 1 \frac{3}{8}$    | 1.14   | 83            |
| 7503               | Lattice           | $\frac{5}{16} \times 1 \frac{3}{4}$    | 1.43   | 83            |
| 7504               | Lattice           | $\frac{5}{16} \times 2 \frac{1}{4}$    | 2.25   | 83            |
| 7511               | Nosing Mould      | $1 \frac{1}{16} \times 1 \frac{5}{8}$  | 5.40   | 83            |
| 7512               | Nosing Mould      | $1 \frac{5}{16} \times 2 \frac{1}{4}$  | 5.94   | 83            |
| 7551               | Baluster Stock    | $\frac{3}{4} \times \frac{3}{4}$       | 1.32   | 83            |
| 7552               | Baluster Stock    | $1 \frac{1}{16} \times 1 \frac{1}{16}$ | 3.30   | 83            |
| 7553               | Baluster Stock    | $1 \frac{5}{16} \times 1 \frac{5}{16}$ | 4.62   | 83            |
| 7554               | Baluster Stock    | $1 \frac{5}{8} \times 1 \frac{5}{8}$   | 7.47   | 83            |
| 8006               | Crown Mould       | $\frac{3}{4} \times 4 \frac{1}{4}$     | 7.59   | 82            |
| 8030               | Sprung Bed Mould  | $\frac{3}{4} \times 2 \frac{1}{4}$     | 4.20   | 82            |
| 8032               | Sprung Bed Mould  | $\frac{3}{4} \times 2$                 | 3.30   | 82            |
| 8045               | Bed Mould         | $\frac{3}{4} \times 1 \frac{1}{2}$     | 2.40   | 82            |
| 8048               | Bed Mould         | $1 \frac{5}{8} \times 2$               | 8.73   | 82            |
| 8066 $\frac{1}{2}$ | Quarter Round     | $1 \frac{1}{16} \times 1 \frac{1}{16}$ | 3.30   | 83            |
| 8176               | Band Mould        | $\frac{3}{4} \times 1 \frac{3}{4}$     | 2.94   | 83            |
| 8177               | Band Mould        | $\frac{3}{4} \times 2$                 | 3.30   | 83            |
| 8271               | Fence Cap         | $\frac{3}{4} \times 1 \frac{3}{4}$     | 2.94   | 83            |
| 8272               | Fence Cap         | $1 \frac{1}{16} \times 2$              | 5.40   | 83            |
| 8441               | Brick Mould       | $1 \frac{1}{16} \times 2$              | 5.40   | 83            |
| 8502               | Shingle Mould     | $\frac{3}{4} \times 1 \frac{1}{8}$     | 1.86   | 84            |
| 8503               | Water Drip        | $\frac{3}{4} \times 1 \frac{1}{2}$     | 2.40   | 84            |
| 8522               | Stucco Mould      | $\frac{3}{4} \times 1 \frac{3}{8}$     | 2.25   | 84            |

Prices per 100 Lin. Ft. Assorted Lengths 6 to 16 ft.  
Specified lengths add 10%. For quantities under 100 Lin. Ft. add 20%.

# Interior Mouldings

| No.                | Kind               | Size                                   | Y. P.  | Gum    | Oak    | Birch  | Shown on Page |
|--------------------|--------------------|----------------------------------------|--------|--------|--------|--------|---------------|
| 7032               | Cove.....          | $\frac{3}{4} \times \frac{7}{8}$       | \$1.08 | \$1.80 | \$2.64 | \$2.64 | 85            |
| 7033               | Cove.....          | $\frac{3}{4} \times 1 \frac{1}{16}$    | 1.43   |        |        |        | 85            |
| 7073               | Base Shoe.....     | $\frac{1}{2} \times \frac{3}{4}$       | 1.08   | 1.80   | 2.64   | 2.64   | 88            |
| 7083               | Quarter Round..... | $\frac{1}{2} \times \frac{1}{2}$       | 1.08   |        |        |        | 85            |
| 7084               | Quarter Round..... | $\frac{5}{8} \times \frac{5}{8}$       | 1.08   |        |        |        | 85            |
| 7085               | Quarter Round..... | $\frac{3}{4} \times \frac{3}{4}$       | 1.08   | 1.80   | 2.64   | 2.64   | 85            |
| 7120               | Panel Strip.....   | $\frac{5}{16} \times 1 \frac{5}{8}$    | 1.58   |        |        |        | 85            |
| 7121               | Panel Strip.....   | $\frac{5}{16} \times 1 \frac{5}{8}$    | 1.58   |        |        |        | 85            |
| 7141               | Base Mould.....    | $\frac{5}{8} \times 1 \frac{3}{4}$     | 2.97   | 4.05   | 5.94   | 5.94   | 88            |
| 7142               | Base Mould.....    | $\frac{3}{4} \times 1 \frac{3}{4}$     | 2.97   |        |        |        | 88            |
| 7143               | Base Mould.....    | $\frac{3}{4} \times 2 \frac{1}{4}$     | 3.63   |        |        |        | 88            |
| 7146               | Wainscot Cop.....  | $\frac{3}{4} \times 2 \frac{3}{4}$     | 4.53   |        |        |        | 85            |
| 7149               | Back Band.....     | $\frac{3}{4} \times 1 \frac{1}{16}$    | 1.70   |        |        |        | 87            |
| 7150               | Back Band.....     | $\frac{3}{4} \times 1 \frac{1}{16}$    | 1.70   | 2.70   | 3.96   | 3.96   | 87            |
| 7151               | Back Band.....     | $1 \frac{1}{16} \times 1 \frac{1}{16}$ | 3.09   | 4.23   | 6.20   | 6.20   | 87            |
| 7162               | Cap. Mould.....    | $1 \frac{1}{16} \times 2$              | 5.24   | 6.75   | 9.90   |        | 87            |
| 7186               | Fillet.....        | $\frac{1}{16} \times 1 \frac{1}{16}$   | 1.25   | 1.98   | 2.90   |        | 87            |
| 7222               | O. G. Stop.....    | $\frac{3}{8} \times 1 \frac{1}{16}$    | 1.13   |        |        |        | 85            |
| 7223               | O. G. Stop.....    | $\frac{3}{8} \times 1 \frac{3}{8}$     | 1.25   |        |        |        | 85            |
| 7224               | O. G. Stop.....    | $\frac{3}{8} \times 1 \frac{5}{8}$     | 1.58   |        |        |        | 85            |
| 7225               | O. G. Stop.....    | $\frac{1}{2} \times 1 \frac{1}{16}$    | 1.43   |        |        |        | 85            |
| 7226               | O. G. Stop.....    | $\frac{1}{2} \times 1 \frac{3}{8}$     | 1.70   |        |        |        | 85            |
| 7227               | O. G. Stop.....    | $\frac{1}{2} \times 1 \frac{5}{8}$     | 2.64   |        |        |        | 85            |
| 7228               | O. G. Stop.....    | $\frac{1}{2} \times 1 \frac{7}{8}$     | 2.97   |        |        |        | 85            |
| 7241               | R. E. Stop.....    | $\frac{1}{2} \times 1 \frac{1}{16}$    | 1.43   |        |        |        | 85            |
| 7242               | R. E. Stop.....    | $\frac{1}{2} \times 1 \frac{3}{8}$     | 1.70   | 2.70   | 3.96   | 3.96   | 85            |
| 7243               | R. E. Stop.....    | $\frac{1}{2} \times 1 \frac{5}{8}$     | 2.64   | 3.60   | 5.28   | 5.28   | 85            |
| 7244               | R. E. Stop.....    | $\frac{1}{2} \times 1 \frac{7}{8}$     | 2.97   | 4.05   | 5.94   | 5.94   | 85            |
| 7245               | R. E. Stop.....    | $\frac{1}{2} \times 2 \frac{1}{4}$     | 3.32   | 4.50   | 6.60   | 6.60   | 85            |
| 7261               | Picture Mould..... | $\frac{3}{4} \times 1 \frac{3}{4}$     | 2.64   | 3.60   | 5.28   | 5.28   | 86            |
| 7265               | Corner Bead.....   | $1 \frac{5}{16} \times 1 \frac{1}{16}$ | 6.44   | 6.75   | 9.90   |        | 86            |
| 7268               | Shelf Cleat.....   | $\frac{3}{4} \times 1 \frac{1}{16}$    | 3.32   |        |        |        | 85            |
| 7306               | Apron.....         | $\frac{5}{8} \times 3 \frac{5}{8}$     | 5.04   | 7.56   | 11.09  | 11.09  | 85            |
| 7307               | Apron.....         | $\frac{3}{4} \times 3 \frac{5}{8}$     | 5.36   | 7.56   | 11.09  | 11.09  | 86            |
| 7311               | Stool.....         | $\frac{3}{4} \times 3 \frac{1}{4}$     | 5.36   | 6.30   | 9.24   | 9.24   | 86            |
| 7312               | Stool.....         | $1 \frac{1}{16} \times 3 \frac{5}{8}$  | 7.52   | 11.88  | 17.42  | 17.42  | 86            |
| 7313               | Stool.....         | $1 \frac{1}{16} \times 4 \frac{1}{4}$  | 10.60  | 14.13  | 20.72  | 20.72  | 86            |
| 7314               | Stool.....         | $1 \frac{1}{16} \times 5 \frac{1}{4}$  | 12.00  |        |        |        | 86            |
| 7335               | Head Casing.....   | $\frac{3}{4} \times 4 \frac{1}{2}$     | 7.20   | 9.45   | 13.86  | 13.86  | 87            |
| 7345               | Casing.....        | $\frac{5}{8} \times 3 \frac{5}{8}$     | 5.04   | 7.56   | 11.09  | 11.09  | 87            |
| 7346               | Casing.....        | $\frac{3}{4} \times 3 \frac{5}{8}$     | 5.36   | 7.56   | 11.09  | 11.09  | 87            |
| 7347               | Casing.....        | $\frac{3}{4} \times 4 \frac{1}{4}$     | 7.20   |        |        |        | 87            |
| 7349               | Mull Casing.....   | $\frac{3}{4} \times 5 \frac{1}{2}$     | 8.04   | 11.70  | 17.16  |        | 87            |
| 7385               | O. G. Base.....    | $\frac{3}{4} \times 4 \frac{1}{4}$     | 7.20   |        |        |        | 88            |
| 7386               | O. G. Base.....    | $\frac{3}{4} \times 5 \frac{1}{2}$     | 8.04   |        |        |        | 88            |
| 7387               | O. G. Base.....    | $\frac{3}{4} \times 7 \frac{1}{4}$     | 10.72  |        |        |        | 88            |
| 7391               | Pilaster Base..... | $\frac{5}{8} \times 5 \frac{1}{2}$     | 7.56   | 11.70  | 17.16  | 17.16  | 88            |
| 7393               | Pilaster Base..... | $\frac{3}{4} \times 5 \frac{1}{2}$     | 8.04   |        |        |        | 88            |
| 7398               | Base.....          | $\frac{3}{4} \times 7 \frac{1}{4}$     | 10.72  |        |        |        | 88            |
| 7431               | R. E. Base.....    | $\frac{5}{8} \times 5 \frac{1}{2}$     | 7.56   | 11.70  |        |        | 88            |
| 7432               | R. E. Base.....    | $\frac{5}{8} \times 7 \frac{1}{4}$     | 10.08  | 14.40  | 21.12  | 21.12  | 88            |
| 7435               | R. E. Base.....    | $\frac{3}{4} \times 7 \frac{1}{4}$     | 10.72  | 14.40  | 21.12  | 21.12  | 88            |
| 7461               | Parting Stop.....  | $\frac{1}{2} \times \frac{3}{4}$       | 1.08   |        |        |        | 84            |
| 7465               | Pulley Stile.....  | $\frac{3}{4} \times 4 \frac{1}{2}$     | 7.20   |        |        |        | 84            |
| 7542               | Full Round.....    | $1 \frac{1}{16}$                       | 2.79   |        |        |        | 85            |
| 7543               | Full Round.....    | $1 \frac{5}{16}$                       | 4.88   |        |        |        | 85            |
| 8234               | Hook Strip.....    | $\frac{5}{8} \times 2 \frac{1}{2}$     | 3.63   |        |        |        | 85            |
| 8267B              | Stool.....         | $1 \frac{1}{16} \times 7 \frac{1}{4}$  | 16.00  | 23.76  | 34.85  |        | 86            |
| 8267C              | Sash Stool.....    | $1 \frac{1}{16} \times 1 \frac{3}{4}$  | 4.59   | 5.49   | 8.71   | 8.71   | 86            |
| 8378 $\frac{1}{2}$ | Back Band.....     | $1 \frac{1}{16} \times 1 \frac{1}{8}$  | 1.70   | 2.70   | 3.96   | 3.96   | 87            |
| 8397 $\frac{1}{2}$ | Jamb Stock.....    | $\frac{3}{4} \times 5 \frac{5}{8}$     | 8.04   | 11.70  | 17.16  | 17.16  | 89            |
| 8421               | Base.....          | $\frac{3}{4} \times 7 \frac{1}{4}$     | 10.72  |        |        |        | 88            |
| 8499               | Panel Strip.....   | $\frac{3}{8} \times 2 \frac{1}{4}$     | 1.98   | 3.60   | 5.28   |        | 87            |
| 8627               | Chair Rail.....    | $\frac{1}{2} \times 2 \frac{1}{2}$     | 3.63   |        |        |        | 87            |
| 8639               | Chair Rail.....    | $\frac{1}{2} \times 3$                 | 4.53   | 5.85   | 8.58   | 8.58   | 87            |
| 8640 $\frac{1}{2}$ | Mull Casing.....   | $\frac{5}{8} \times 5 \frac{1}{2}$     | 7.56   | 11.70  | 17.16  | 17.16  | 87            |
| 8703               | Back Band.....     | $1 \frac{1}{16} \times 1 \frac{1}{8}$  | 1.70   | 2.70   | 3.96   | 3.96   | 87            |
| 8704               | Casing.....        | $\frac{5}{8} \times 3 \frac{5}{8}$     | 5.04   | 7.56   | 11.09  | 11.09  | 87            |
| R4611              | Panel Mould.....   | $\frac{1}{2} \times 1 \frac{3}{8}$     | 1.98   | 3.15   | 4.62   | 4.62   | 88            |
| R4613              | Wall Member.....   | $\frac{5}{8} \times 2 \frac{1}{2}$     | 3.63   | 4.95   | 7.26   | 7.26   | 88            |
| R4614              | Cove.....          | $\frac{3}{4} \times 4 \frac{1}{8}$     | 7.20   | 9.00   | 13.20  | 13.20  | 88            |
| 5501               | Side Casing.....   | $\frac{1}{2} \times 3$                 | 4.53   | 5.85   | 8.58   | 8.58   | 87            |
| 5503               | Head Casing and    | $\frac{1}{2} \times 3$                 | 4.53   | 5.85   | 8.58   | 8.58   | 86            |
| 5503               | Apron.....         | $\frac{1}{2} \times 3$                 | 4.53   | 5.85   | 8.58   | 8.58   | 86            |
| 5505               | Back Band.....     | $\frac{3}{4} \times \frac{1}{8}$       | 1.43   | 2.25   | 3.30   | 3.30   | 87            |

Prices per 100 Lin. Ft.—Assorted lengths 6 to 16 ft.

Specified lengths add 10%.

For quantities under 100 Lin. Ft. add 20%.

Columns  
Porch and  
Stair Parts

Kitchen  
Cabinets  
De Luxe

Ironing  
Boards  
Breakfast  
Nooks  
Med.-Cab

Corner  
Cases  
Mantels  
Dowels

## W. P. Pine Mouldings

### Crown Mould and Bed



|       |                                    |       |        |
|-------|------------------------------------|-------|--------|
| 7001— | $\frac{3}{4} \times 1 \frac{3}{4}$ | ..... | \$2.94 |
| 7002— | $\frac{3}{4} \times 2 \frac{1}{4}$ | ..... | 4.20   |
| 7003— | $\frac{3}{4} \times 2 \frac{3}{4}$ | ..... | 5.17   |
| 7004— | $\frac{3}{4} \times 3 \frac{1}{4}$ | ..... | 5.97   |
| 7005— | $\frac{3}{4} \times 3 \frac{5}{8}$ | ..... | 6.78   |
| 7007— | $\frac{3}{4} \times 4 \frac{5}{8}$ | ..... | 8.37   |
| 8006— | $\frac{3}{4} \times 4 \frac{1}{4}$ | ..... | 7.59   |



|       |                                    |       |        |
|-------|------------------------------------|-------|--------|
| 7011— | $\frac{3}{4} \times 2 \frac{1}{4}$ | ..... | \$4.20 |
| 7012— | $\frac{3}{4} \times 2 \frac{3}{4}$ | ..... | 5.17   |
| 7013— | $\frac{3}{4} \times 3 \frac{1}{4}$ | ..... | 5.97   |
| 7014— | $\frac{3}{4} \times 3 \frac{5}{8}$ | ..... | 6.78   |
| 7015— | $\frac{3}{4} \times 4 \frac{1}{4}$ | ..... | 7.59   |
| 7016— | $\frac{3}{4} \times 4 \frac{5}{8}$ | ..... | 8.37   |



|       |                                    |       |        |
|-------|------------------------------------|-------|--------|
| 7024— | $\frac{3}{4} \times 2$             | ..... | \$3.30 |
| 7025— | $\frac{3}{4} \times 2 \frac{1}{4}$ | ..... | 4.20   |
| 7026— | $\frac{3}{4} \times 2 \frac{3}{4}$ | ..... | 5.17   |
| 7027— | $\frac{3}{4} \times 3 \frac{1}{4}$ | ..... | 5.97   |

|       |                                    |       |        |
|-------|------------------------------------|-------|--------|
| 7023— | $\frac{3}{4} \times 1 \frac{3}{4}$ | ..... | \$2.94 |
|-------|------------------------------------|-------|--------|

### Sprung Cove Mould



|       |                                    |       |        |
|-------|------------------------------------|-------|--------|
| 7035— | $\frac{3}{4} \times 1 \frac{3}{4}$ | ..... | \$2.94 |
| 7036— | $\frac{3}{4} \times 2 \frac{1}{4}$ | ..... | 4.20   |
| 7037— | $\frac{3}{4} \times 2 \frac{3}{4}$ | ..... | 5.17   |
| 7038— | $\frac{3}{4} \times 3 \frac{1}{4}$ | ..... | 5.97   |

### Bed Mould



|       |                                        |       |        |
|-------|----------------------------------------|-------|--------|
| 7047— | $\frac{3}{4} \times 1 \frac{1}{16}$    | ..... | \$1.92 |
| 7048— | $\frac{3}{4} \times 1 \frac{5}{16}$    | ..... | 2.07   |
| 7049— | $1 \frac{1}{16} \times 1 \frac{5}{16}$ | ..... | 3.96   |
| 7050— | $1 \frac{1}{16} \times 1 \frac{9}{16}$ | ..... | 4.41   |
| 8045— | $\frac{3}{4} \times 1 \frac{1}{2}$     | ..... | 2.40   |
| 8048— | $1 \frac{5}{8} \times 2$               | ..... | 8.73   |

### Sprung Bed Mould



|       |                                    |       |        |
|-------|------------------------------------|-------|--------|
| 7055— | $\frac{3}{4} \times 1 \frac{3}{4}$ | ..... | \$2.94 |
| 8030— | $\frac{3}{4} \times 2 \frac{1}{4}$ | ..... | 4.20   |
| 8032— | $\frac{3}{4} \times 2$             | ..... | 3.30   |

Prices per 100 Lin. Ft.—Assorted lengths 6 to 16 ft.

Specified lengths add 10%

For quantities under 100 Lin. Ft. add 20%

**FREIGHT ALLOWED 150 pounds or more**



# W. P. Pine Mouldings

## Cove Mould



|                                                |        |
|------------------------------------------------|--------|
| 7032A— $\frac{3}{4} \times \frac{3}{4}$ .....  | \$0.99 |
| 7032— $\frac{3}{4} \times \frac{7}{8}$ .....   | 1.20   |
| 7033— $\frac{3}{4} \times 1\frac{1}{16}$ ..... | 1.92   |

## Quarter Round



|                                                                 |        |
|-----------------------------------------------------------------|--------|
| 7082— $\frac{1}{4} \times \frac{1}{4}$ .....                    | \$0.75 |
| 7083— $\frac{1}{2} \times \frac{1}{2}$ .....                    | .90    |
| 7084— $\frac{3}{8} \times \frac{3}{8}$ .....                    | 1.14   |
| 7085— $\frac{3}{4} \times \frac{3}{4}$ .....                    | 1.20   |
| 8066 $\frac{1}{2}$ — $1\frac{1}{16} \times 1\frac{1}{16}$ ..... | 3.30   |

## Nosing Moulds



|                                                 |        |
|-------------------------------------------------|--------|
| 7511— $1\frac{1}{16} \times 1\frac{5}{8}$ ..... | \$5.40 |
| 7512— $1\frac{1}{16} \times 2\frac{1}{4}$ ..... | 5.94   |

## Band Mould



|                                               |        |
|-----------------------------------------------|--------|
| 8176— $\frac{3}{4} \times 1\frac{3}{4}$ ..... | \$2.94 |
|-----------------------------------------------|--------|



|                                    |        |
|------------------------------------|--------|
| 8177— $\frac{3}{4} \times 2$ ..... | \$3.30 |
|------------------------------------|--------|

## Fence Cap Mould



|                                               |        |
|-----------------------------------------------|--------|
| 8271— $\frac{3}{4} \times 1\frac{3}{4}$ ..... | \$2.94 |
| 8272— $1\frac{1}{16} \times 2$ .....          | 5.40   |

## Lattice



|                                                |        |
|------------------------------------------------|--------|
| 7501— $\frac{5}{16} \times 1\frac{1}{8}$ ..... | \$0.99 |
| 7502— $\frac{5}{16} \times 1\frac{3}{8}$ ..... | 1.14   |
| 7503— $\frac{5}{16} \times 1\frac{3}{4}$ ..... | 1.43   |
| 7504— $\frac{5}{16} \times 2\frac{1}{4}$ ..... | 2.25   |

## Blind Stop Parting Stop



|                                               |        |
|-----------------------------------------------|--------|
| 7461— $\frac{1}{2} \times \frac{3}{4}$ .....  | \$1.08 |
| 7463— $\frac{3}{4} \times 1\frac{1}{4}$ ..... | 2.07   |
| 7464— $\frac{3}{4} \times 1\frac{3}{8}$ ..... | 2.25   |

## Drip Cap



|                                                 |        |
|-------------------------------------------------|--------|
| 7481A— $\frac{3}{4} \times 1\frac{5}{8}$ .....  | \$2.67 |
| 7481— $1\frac{1}{16} \times 1\frac{5}{8}$ ..... | 4.41   |
| 7482— $1\frac{1}{16} \times 2$ .....            | 5.40   |
| 7483— $1\frac{1}{16} \times 2\frac{1}{2}$ ..... | 6.21   |

## Baluster Stock



|                                                  |        |
|--------------------------------------------------|--------|
| 7551— $\frac{3}{4} \times \frac{3}{4}$ .....     | \$1.32 |
| 7552— $1\frac{1}{16} \times 1\frac{1}{16}$ ..... | 3.30   |
| 7553— $1\frac{5}{16} \times 1\frac{5}{16}$ ..... | 4.62   |
| 7554— $1\frac{7}{8} \times 1\frac{7}{8}$ .....   | 7.47   |

## Brick Mould



|                                                 |        |
|-------------------------------------------------|--------|
| 7061— $1\frac{1}{16} \times 2$ Rabbeted.....    | \$5.40 |
| 8441— $1\frac{1}{16} \times 2$ Not Rabbeted ... | 5.40   |

Prices per 100 Lin. Ft.—Assorted lengths 6 to 16 ft.

Specified lengths add 10%

For quantities under 100 Lin. Ft. add 20%

**FREIGHT ALLOWED 150 pounds or more**

Columns  
Porch and  
Stair Parts

Kitchen  
Cabinets  
De Luxe

Ironing  
Boards  
Breakfast  
Nooks  
Med.-Cabs

Corner-  
Cases  
Mantels  
Dowels


**Window Frame Stock**

**Sill Course**



7463                      7461                      7465

| Design | Size                               | Y. P.  | W. P. Pine |
|--------|------------------------------------|--------|------------|
| 7461   | $\frac{1}{2} \times \frac{3}{4}$   | \$1.08 | \$1.08     |
| 7463   | $\frac{3}{4} \times 1 \frac{1}{4}$ | .....  | 2.07       |
| 7465   | $\frac{3}{4} \times 1 \frac{1}{2}$ | 7.20   | ....       |



7064

| Design | Size                                 | W. P. Pine |
|--------|--------------------------------------|------------|
| 7064   | $1 \frac{3}{8} \times 1 \frac{5}{8}$ | \$5.46     |

**W. P. Pine Mouldings**

**Water Drip**

**Shingle Mould**

**Stucco Mould**



8503



8502



8522

8503— $\frac{3}{4} \times 1 \frac{1}{2}$ .....\$2.40

8502— $\frac{3}{4} \times 1 \frac{1}{8}$ .....\$1.86

8522— $\frac{3}{4} \times 1 \frac{3}{8}$ ...\$2.25

**W. P. Pine Screen Material**



|      |                                    |        |
|------|------------------------------------|--------|
| 7092 | $\frac{5}{16} \times \frac{5}{16}$ | \$0.63 |
| 7093 | $\frac{3}{8} \times \frac{1}{16}$  | .90    |
| 7094 | $\frac{1}{2} \times 1$             | 1.44   |



|      |                                   |        |
|------|-----------------------------------|--------|
| 7103 | $\frac{5}{16} \times \frac{5}{8}$ | \$0.63 |
| 7104 | $\frac{3}{8} \times \frac{3}{4}$  | .78    |



7101



7102

|      |                                  |        |
|------|----------------------------------|--------|
| 7101 | $\frac{1}{4} \times \frac{3}{4}$ | \$0.72 |
| 7102 | $\frac{1}{4} \times \frac{3}{4}$ | .72    |




8612



8613

|      |                                  |        |
|------|----------------------------------|--------|
| 8612 | $\frac{1}{2} \times \frac{3}{4}$ | \$1.08 |
| 8613 | $\frac{3}{4} \times 1$           | 2.49   |



|                    |                                      |        |
|--------------------|--------------------------------------|--------|
| 8614               | $\frac{3}{4} \times 1 \frac{3}{4}$   | \$2.49 |
| 8615               | $\frac{3}{4} \times 2 \frac{3}{4}$   | 4.89   |
| 8616               | $1 \frac{1}{8} \times 2$             | 5.04   |
| 8616 $\frac{1}{2}$ | $1 \frac{1}{8} \times 1 \frac{3}{4}$ | 4.50   |
| 8617               | $1 \frac{1}{8} \times 3$             | 7.65   |
| 8619               | $1 \frac{1}{8} \times \frac{3}{4}$   | 1.83   |
| 8620               | $1 \frac{1}{8} \times 4$             | 9.90   |

**W. P. Pine Glass Beads**



|      |                                  |        |
|------|----------------------------------|--------|
| 7171 | $\frac{1}{4} \times \frac{1}{2}$ | \$0.72 |
| 8561 | $\frac{1}{4} \times \frac{3}{8}$ | .72    |



|       |                                   |        |
|-------|-----------------------------------|--------|
| 7174  | $\frac{3}{8} \times \frac{1}{2}$  | \$0.72 |
| 8562A | $\frac{3}{16} \times \frac{3}{8}$ | .75    |



|       |                                   |        |
|-------|-----------------------------------|--------|
| 7172  | $\frac{3}{8} \times \frac{7}{16}$ | \$0.75 |
| 8563C | $\frac{1}{2} \times \frac{3}{4}$  | 1.14   |



|       |                                   |        |
|-------|-----------------------------------|--------|
| 7175  | $\frac{1}{2} \times \frac{9}{16}$ | \$0.93 |
| 7175A | $\frac{3}{8} \times \frac{3}{8}$  | .72    |
| 8571  | $\frac{5}{8} \times \frac{3}{8}$  | 1.14   |

Prices per 100 Lin. Ft. - Assorted lengths 6 to 16 ft.

Specified lengths add 10%

For quantities under 100 Lin. Ft. add 20%

**FREIGHT ALLOWED 150 pounds or more**

Interior Trim




Cove Moulds

| Design | Size                               | Y. P.  | Gum    | Oak    | Birch  |
|--------|------------------------------------|--------|--------|--------|--------|
| 7032   | $\frac{3}{4} \times \frac{7}{8}$   | \$1.08 | \$1.80 | \$2.64 | \$2.64 |
| 7033   | $\frac{3}{4} \times 1\frac{1}{16}$ | 1.43   | .....  | .....  | .....  |




Quarter Round

| Design | Size                             | Y. P.  | Gum    | Oak    | Birch  |
|--------|----------------------------------|--------|--------|--------|--------|
| 7083   | $\frac{1}{2} \times \frac{1}{2}$ | \$1.08 | .....  | .....  | .....  |
| 7084   | $\frac{5}{8} \times \frac{5}{8}$ | 1.08   | .....  | .....  | .....  |
| 7085   | $\frac{3}{4} \times \frac{3}{4}$ | 1.08   | \$1.80 | \$2.64 | \$2.64 |




Closet Pole

| Design | Size                       | Y. P.  |
|--------|----------------------------|--------|
| 7542   | $1\frac{1}{16}$ Full Round | \$2.79 |
| 7543   | $1\frac{1}{16}$ Full Round | 4.88   |



Window  
and  
Door Stop



| Design | Size                               | Y. P.  | Gum    | Oak    | Birch  |
|--------|------------------------------------|--------|--------|--------|--------|
| 7241   | $\frac{1}{2} \times 1\frac{1}{16}$ | \$1.43 | .....  | .....  | .....  |
| 7242   | $\frac{1}{2} \times 1\frac{3}{8}$  | 1.70   | \$2.70 | \$3.96 | \$3.96 |
| 7243   | $\frac{1}{2} \times 1\frac{5}{8}$  | 2.64   | 3.60   | 5.28   | 5.28   |
| 7244   | $\frac{1}{2} \times 1\frac{7}{8}$  | 2.97   | 4.05   | 5.94   | 5.94   |
| 7245   | $\frac{1}{2} \times 2\frac{1}{4}$  | 3.32   | 4.50   | 6.60   | 6.60   |

| Design | Size                               | Y. P.  |
|--------|------------------------------------|--------|
| 7222   | $\frac{3}{8} \times 1\frac{1}{16}$ | \$1.13 |
| 7223   | $\frac{3}{8} \times 1\frac{3}{8}$  | 1.25   |
| 7224   | $\frac{3}{8} \times 1\frac{5}{8}$  | 1.58   |
| 7225   | $\frac{1}{2} \times 1\frac{1}{16}$ | 1.43   |
| 7226   | $\frac{1}{2} \times 1\frac{3}{8}$  | 1.70   |
| 7227   | $\frac{1}{2} \times 1\frac{5}{8}$  | 2.64   |
| 7228   | $\frac{1}{2} \times 1\frac{7}{8}$  | 2.97   |

Hook Strip



8234

Panel Strips



7120



7121

Shelf Cleat



7268

Wainscot Cap



7146

| Design | Size                               | Y. P.  |
|--------|------------------------------------|--------|
| 7120   | $\frac{5}{16} \times 1\frac{5}{8}$ | \$1.58 |
| 7121   | $\frac{5}{16} \times 1\frac{3}{8}$ | 1.58   |
| 7146   | $\frac{3}{4} \times 2\frac{3}{4}$  | 4.53   |
| 7268   | $\frac{3}{4} \times 1\frac{7}{8}$  | 3.32   |
| 8234   | $\frac{5}{8} \times 2\frac{1}{2}$  | 3.63   |

Prices per 100 Lin. Ft.—Assorted lengths 6 to 16 ft.  
Specified lengths add 10%  
For quantities under 100 Lin. Ft. add 20%

**FREIGHT ALLOWED 150 pounds or more**

Columns  
Porch and  
Stair Parts

Kitchen  
Cabinets  
De Luxe

Ironing  
Boards  
Breakfast  
Nooks  
Med.-Cabs

Corner-  
Cases  
Marble  
Dowels



## Interior Trim

Picture Mould



7261


Corner Bead



7265


| Design | Size                                  | Y. P.  | Gum    | Oak    | Birch  |
|--------|---------------------------------------|--------|--------|--------|--------|
| 7261   | $\frac{3}{4} \times 1 \frac{3}{4}$    | \$2.64 | \$3.60 | \$5.28 | \$5.28 |
| 7265   | $1 \frac{1}{2} \times 1 \frac{5}{16}$ | 6.44   | 6.75   | 9.90   | ....   |

Window Stool




7311 Rabt.  $1 \frac{1}{2}''$   
 7312 Rabt.  $1 \frac{1}{2}''$   
 7313 Rabt.  $2 \frac{1}{8}''$   
 7314 Rabt.  $3 \frac{3}{8}''$   
 8267B Rabt.  $1 \frac{1}{2}''$

Apron



5503  
 7306  
 7307

Sash Stool



8267C

Window and Sash Stool

| Design | Size                                  | Y. P.  | Gum    | Oak    | Birch  |
|--------|---------------------------------------|--------|--------|--------|--------|
| 7311   | $\frac{3}{4} \times 3 \frac{1}{4}$    | \$5.36 | \$6.30 | \$9.24 | \$9.24 |
| 7312   | $1 \frac{1}{16} \times 3 \frac{5}{8}$ | 7.52   | 11.88  | 17.42  | 17.42  |
| 7313   | $1 \frac{1}{16} \times 4 \frac{1}{4}$ | 10.60  | 14.13  | 20.72  | 20.72  |
| 7314   | $1 \frac{1}{16} \times 5 \frac{1}{4}$ | 12.00  | ....   | ....   | ....   |
| 8267B  | $1 \frac{1}{16} \times 7 \frac{1}{4}$ | 16.00  | 23.76  | 34.85  | ....   |
| 8267C  | $1 \frac{1}{16} \times 1 \frac{3}{4}$ | 4.59   | 5.49   | 8.71   | 8.71   |

Apron

|      |                                    |        |        |        |        |
|------|------------------------------------|--------|--------|--------|--------|
| 5503 | $\frac{1}{2} \times 3$             | \$4.53 | \$5.85 | \$8.58 | \$8.58 |
| 7306 | $\frac{5}{8} \times 3 \frac{5}{8}$ | 5.04   | 7.56   | 11.09  | 11.09  |
| 7307 | $\frac{3}{4} \times 3 \frac{5}{8}$ | 5.36   | 7.56   | 11.09  | 11.09  |


Prices per 100 Lin. Ft.—Assorted lengths 6 to 16 ft.

Specified lengths add 10%

For quantities under 100 Lin. Ft. add 20%

**FREIGHT ALLOWED 150 pounds or more**

## Interior Trim



### Cap Trim

| Design |                       | Size        | Y. P.  | Gum    | Oak    | Birch   |
|--------|-----------------------|-------------|--------|--------|--------|---------|
| 7162   | Cap mould . . . . .   | 1 1/16x2    | \$5.24 | \$6.75 | \$9.90 |         |
| 7335   | Head casing . . . . . | 3/4x4 1/2   | 7.20   | 9.45   | 13.86  | \$13.86 |
| 7186   | Fillet . . . . .      | 7/16x1 1/16 | 1.25   | 1.98   | 2.90   |         |

### Back Band

|          |                               |               |        |        |        |        |
|----------|-------------------------------|---------------|--------|--------|--------|--------|
| 7149     | Rab. for 5/8 casing . . . . . | 3/4x1 1/16    | \$1.70 |        |        |        |
| 7150     | Rab. for 3/4 casing . . . . . | 3/4x1 1/16    | 1.70   | \$2.70 | \$3.96 | \$3.96 |
| 7151     | Rab. for 3/4 casing . . . . . | 1 1/16x1 1/16 | 3.09   | 4.23   | 6.20   | 6.20   |
| 8378 1/2 | Rab. for 5/8 casing . . . . . | 13/16x1 1/8   | 1.70   | 2.70   | 3.96   | 3.96   |
| 8703     | Rab. for 5/8 casing . . . . . | 13/16x1 1/16  | 1.70   | 2.70   | 3.96   | 3.96   |
| 5505     | Rab. for 1/2 casing . . . . . | 3/4x 7/8      | 1.43   | 2.25   | 3.30   | 3.30   |

### Casing

|      |  |           |        |        |         |         |
|------|--|-----------|--------|--------|---------|---------|
| 7345 |  | 5/8x3 5/8 | \$5.04 | \$7.56 | \$11.09 | \$11.09 |
| 7346 |  | 3/4x3 5/8 | 5.36   | 7.56   | 11.09   | 11.09   |
| 7347 |  | 3/4x4 1/4 | 7.20   |        |         |         |
| 8704 |  | 5/8x3 5/8 | 5.04   | 7.56   | 11.09   | 11.09   |
| 5501 |  | 1/2x3     | 4.53   | 5.85   | 8.58    | 8.58    |

### Short Length Casing

|      |                         |           |        |  |  |  |
|------|-------------------------|-----------|--------|--|--|--|
| 7345 | 4-0, 5-0, 6-0 . . . . . | 5/8x3 5/8 | \$3.84 |  |  |  |
| 7345 | 7-0 . . . . .           | 5/8x3 5/8 | 4.49   |  |  |  |
| 7345 | 8-0 . . . . .           | 5/8x3 5/8 | 4.32   |  |  |  |

### Mullion Casing

May also be used as base

|          |  |           |        |         |         |         |
|----------|--|-----------|--------|---------|---------|---------|
| 7349     |  | 3/4x5 1/2 | \$8.04 | \$11.70 | \$17.16 |         |
| 8640 1/2 |  | 5/8x5 1/2 | 7.56   | 11.70   | 17.16   | \$17.16 |

### Chair Rail

|      |  |             |        |        |        |        |
|------|--|-------------|--------|--------|--------|--------|
| 8627 |  | 1 1/2x2 1/2 | \$3.63 |        |        |        |
| 8639 |  | 1 1/2x3     | 4.53   | \$5.85 | \$8.58 | \$8.58 |

### Panel Strips

|      |  |           |        |        |        |  |
|------|--|-----------|--------|--------|--------|--|
| 8499 |  | 3/8x2 1/4 | \$1.98 | \$3.60 | \$5.28 |  |
|------|--|-----------|--------|--------|--------|--|

Prices per 100 Lin. Ft.—Assorted lengths 6 to 16 ft.

Specified lengths add 10%

For quantities under 100 Lin. Ft. add 20%

**FREIGHT ALLOWED 150 pounds or more**


Columns  
Porch and  
Stair Parts

Kitchen  
Cabinets  
De Luxe

Ironing  
Boards  
Breakfast  
Nooks  
Med.-Cabs

Corner-  
Cases  
Mantels  
Dowels

## Interior Trim



### Casing, Base Mould, Base and Shoe

| Design | Size                               | Y. P.  | Gum    | Oak    | Birch  |
|--------|------------------------------------|--------|--------|--------|--------|
| 7073   | $\frac{1}{2} \times \frac{3}{4}$   | \$1.08 | \$1.80 | \$2.64 | \$2.64 |
| 7141   | $\frac{3}{8} \times 1 \frac{3}{4}$ | 2.97   | 4.05   | 5.94   | 5.94   |
| 7142   | $\frac{3}{8} \times 1 \frac{3}{4}$ | 2.97   | .....  | .....  | .....  |
| 7143   | $\frac{3}{4} \times 2 \frac{1}{4}$ | 3.63   | .....  | .....  | .....  |
| 7385   | $\frac{3}{4} \times 4 \frac{1}{4}$ | 7.20   | .....  | .....  | .....  |
| 7386   | $\frac{3}{4} \times 5 \frac{1}{2}$ | 8.04   | .....  | .....  | .....  |
| 7387   | $\frac{3}{4} \times 7 \frac{1}{4}$ | 10.72  | .....  | .....  | .....  |
| 7391   | $\frac{3}{8} \times 5 \frac{1}{2}$ | 7.56   | 11.70  | 17.16  | 17.16  |
| 7393   | $\frac{3}{4} \times 5 \frac{1}{2}$ | 8.04   | .....  | .....  | .....  |
| 7398   | $\frac{3}{4} \times 7 \frac{1}{4}$ | 10.72  | .....  | .....  | .....  |
| 7431   | $\frac{3}{8} \times 5 \frac{1}{2}$ | 7.56   | 11.70  | .....  | .....  |
| 7432   | $\frac{3}{8} \times 7 \frac{1}{4}$ | 10.08  | 14.40  | 21.12  | 21.12  |
| 7435   | $\frac{3}{4} \times 7 \frac{1}{4}$ | 10.72  | 14.40  | 21.12  | 21.12  |
| 8421   | $\frac{3}{4} \times 7 \frac{1}{4}$ | 10.72  | .....  | .....  | .....  |

### Panel Mould

#### Panel Mould

R-4611




R-4611

| Size                                                       | Y. P.  | Gum    | Oak    | Birch  |
|------------------------------------------------------------|--------|--------|--------|--------|
| R-4611 $\frac{1}{2} \times 1 \frac{3}{8}$ ..... Per C Feet | \$1.98 | \$3.15 | \$4.62 | \$4.62 |

### Cornice Mould

R-4615



R-4614

Cove Members R-4614— $\frac{3}{4} \times 4 \frac{1}{8}$   
Other Members R-4613— $\frac{3}{8} \times 2 \frac{1}{2}$

|                    | Y. P.  | Gum    | Oak    | Birch  |
|--------------------|--------|--------|--------|--------|
| R-4613 Only.....   | \$3.63 | \$4.95 | \$7.26 | \$7.26 |
| R-4614 Only.....   | 7.20   | 9.00   | 13.20  | 13.20  |
| R-4615 Complete... | 14.46  | 18.90  | 27.72  | 27.72  |

Prices per 100 Lin. Ft.—Assorted lengths 6 to 16 ft.  
Specified lengths add 10%  
For quantities under 100 Lin. Ft. add 20%

**FREIGHT ALLOWED 150 pounds or more**



Inside Door Jamb



3/4x5 3/8—K. D.

No Stops

|                  | 2-8x6-8 | 3-0x7-0 |
|------------------|---------|---------|
| Yellow Pine..... | \$1.28  | \$1.40  |
| W. P. Pine.....  | 1.80    | 1.95    |
| Gum.....         | 2.16    | 2.40    |
| Plain Oak.....   | 3.60    | 3.93    |
| Birch.....       | 3.60    | 3.93    |

Circle Head No Stops Add \$8.75

With Stops No. 7243

|                  | 2-8x6-8 | 3-0x7-0 |
|------------------|---------|---------|
| Yellow Pine..... | \$1.82  | \$1.97  |
| W. P. Pine.....  | 2.25    | 2.43    |
| Gum.....         | 2.91    | 3.20    |
| Plain Oak.....   | 4.68    | 5.10    |
| Birch.....       | 4.68    | 5.10    |

Circle Head with Stops Add \$11.25

Lineal Jamb Stock




8397 1/2

| Size                    | Y. P.  | Gum     | Oak     | Birch   |
|-------------------------|--------|---------|---------|---------|
| 8397 1/2—3/4x5 3/8..... | \$8.04 | \$11.70 | \$17.16 | \$17.16 |

Base Blocks

R-3200



| Size            | Y. P.  | Gum    | Oak    | Birch  |
|-----------------|--------|--------|--------|--------|
| 7/8x3 5/8x 9"   | \$0.10 | \$0.15 | \$0.22 | \$0.27 |
| 1 1/8x3 3/4x10" | .12    | .18    | .27    | .30    |
| 1 1/8x4 1/4x10" | .13    | .22    | .36    | .....  |

Corner Beads



R-3200

| Size                          | Each | Y. P.  | Gum    | Oak    |
|-------------------------------|------|--------|--------|--------|
| R-3216—1 5/16x1 5/16-4-0..... | Each | \$0.30 | \$0.34 | \$0.45 |

Oak Inside Thresholds

Oak Outside Thresholds



R-7286



R-7287

|                                |       |         |                                |       |         |
|--------------------------------|-------|---------|--------------------------------|-------|---------|
| R-7286 5/8x3 5/8x3-1.....      | Each  | \$ 0.21 | R-7287 5/8x3 5/8x3-1.....      | Each  | \$ 0.21 |
| R-7286 Long lengths. Per C ft. | 10.80 |         | R-7287 Long lengths. Per C ft. | 10.80 |         |

FREIGHT ALLOWED 150 pounds or more

Columns  
Porch and  
Stair Parts

Kitchen  
Cabinets  
De Luxe

Ironing  
Boards  
Breakfast  
Nooks  
Med.-Cabs

Corner-  
Cases  
Mirrors  
Dowels

## Window and Door Trim

Priced Per Side—Cut to Lengths


All Tied in Bundles—Ready for Use on Job

Casing Not Figured to Mitre

Paper Wrapped for L. C. L. Shipment

Back Band— $\frac{3}{4}$ " Casing

**R-3501**



Trim R-3501



7346



7151



7242



7317


7307

|             |                                    |          |
|-------------|------------------------------------|----------|
| Side Casing | $\frac{3}{4}$ x3 $\frac{5}{8}$     | No. 7346 |
| Head Casing | $\frac{3}{4}$ x3 $\frac{5}{8}$     | No. 7307 |
| Back Band   | 1 $\frac{1}{16}$ x1 $\frac{1}{16}$ | No. 7151 |
| Stool       | 1 $\frac{1}{16}$ x3 $\frac{5}{8}$  | No. 7312 |
| Window Stop | $\frac{1}{2}$ x1 $\frac{1}{8}$     | No. 7242 |
| Apron       | $\frac{3}{4}$ x3 $\frac{5}{8}$     | No. 7307 |

| Window Openings<br>Two Light            | Y. P.  | Gum    | Oak    | Birch  |
|-----------------------------------------|--------|--------|--------|--------|
| 20x20 and under . . . .                 | \$2.01 | \$2.91 | \$3.87 | \$4.86 |
| 22x22 to 26x26 . . . . .                | 2.43   | 3.51   | 4.65   | 5.85   |
| 28x28 to 30x30 . . . . .                | 2.64   | 3.78   | 5.04   | 6.30   |
| Each foot wider, add . . .              | .30    | .42    | .57    | .72    |
| Each foot higher, add . . .             | .27    | .36    | .51    | .63    |
| Door Openings<br>No Stops               |        |        |        |        |
| 2-8x6-8 and under . . . .               | 1.95   | 2.73   | 3.60   | 4.53   |
| 2-10x6-8 to 3-0x7-0 . . .               | 2.01   | 2.79   | 3.72   | 4.65   |
| Each foot wider, add . . .              | .12    | .15    | .21    | .24    |
| Each foot higher, add . . .             | .21    | .30    | .42    | .51    |
| Circle Head Door<br>Trim, add . . . . . | 7.20   | 8.10   | 9.30   | 9.30   |

Back Band— $\frac{5}{8}$ " Casing

**R-3502**



Trim R-3502



7345



8378  $\frac{1}{2}$



7242



7312

7306

|             |                                   |                        |
|-------------|-----------------------------------|------------------------|
| Side Casing | $\frac{5}{8}$ x3 $\frac{5}{8}$    | No. 7345               |
| Head Casing | $\frac{5}{8}$ x3 $\frac{5}{8}$    | No. 7306               |
| Back Band   | $\frac{5}{8}$ x1 $\frac{1}{16}$   | No. 8378 $\frac{1}{2}$ |
| Stool       | 1 $\frac{1}{16}$ x3 $\frac{5}{8}$ | No. 7312               |
| Window Stop | $\frac{1}{2}$ x1 $\frac{1}{8}$    | No. 7242               |
| Apron       | $\frac{5}{8}$ x3 $\frac{5}{8}$    | No. 7306               |

| Window Openings<br>Two Light            | Y. P.  | Gum    | Oak    | Birch  |
|-----------------------------------------|--------|--------|--------|--------|
| 20x20 and under . . . .                 | \$1.74 | \$2.67 | \$3.54 | \$4.44 |
| 22x22 to 26x26 . . . . .                | 2.10   | 3.21   | 4.26   | 5.37   |
| 28x28 to 30x30 . . . . .                | 2.28   | 3.45   | 4.62   | 5.76   |
| Each foot wider, add . . .              | .27    | .42    | .57    | .69    |
| Each foot higher, add . . .             | .21    | .33    | .45    | .57    |
| Door Openings<br>No Stops               |        |        |        |        |
| 2-8x6-8 and under . . . .               | 1.56   | 2.34   | 3.12   | 3.93   |
| 2-10x6-8 to 3-0x7-0 . . .               | 1.59   | 2.43   | 3.21   | 4.02   |
| Each foot wider, add . . .              | .09    | .12    | .18    | .21    |
| Each foot higher, add . . .             | .18    | .27    | .36    | .45    |
| Circle Head Door<br>Trim, add . . . . . | 7.20   | 8.10   | 9.30   | 9.30   |

For this same trim in W. P. Pine see page 94

**FREIGHT ALLOWED 150 pounds or more**

## Window and Door Trim

Priced Per Side—Cut to Lengths  
All Tied in Bundles—Ready for Use on Job  
Casing Not Figured to Mitre

*Paper Wrapped for L. C. L. Shipment*

### Back Band— $\frac{1}{2}$ " Casing R-3506

|             |                                    |          |
|-------------|------------------------------------|----------|
| Side Casing | $\frac{1}{2} \times 3$             | No. 5501 |
| Head Casing | $\frac{1}{2} \times 3$             | No. 5503 |
| Back Band   | $\frac{3}{4} \times \frac{1}{8}$   | No. 5505 |
| Stool       | $\frac{3}{4} \times 3 \frac{1}{4}$ | No. 7311 |
| Window Stop | $\frac{1}{2} \times 1 \frac{3}{8}$ | No. 7242 |
| Apron       | $\frac{1}{2} \times 3$             | No. 5503 |



5501



5505




7242



7311

5503



Trim R-3506

| Window Openings<br>Two Light            | Y. P.  | Gum    | Oak    | Birch  |
|-----------------------------------------|--------|--------|--------|--------|
| 20x20 and under . . . .                 | \$1.53 | \$2.04 | \$2.70 | \$3.39 |
| 22x22 to 26x26 . . . . .                | 1.83   | 2.46   | 3.27   | 4.11   |
| 28x28 to 30x30 . . . . .                | 1.98   | 2.67   | 3.54   | 4.44   |
| Each foot wider, add                    | .24    | .30    | .39    | .51    |
| Each foot higher, add                   | .21    | .27    | .36    | .48    |
| Door Openings<br>No Stops               |        |        |        |        |
| 2-8x6-8 and under . . .                 | 1.38   | 1.86   | 2.49   | 3.09   |
| 2-10x6-8 to 3-0x7-0 . .                 | 1.41   | 1.92   | 2.55   | 3.18   |
| Each foot wider, add                    | .09    | .12    | .15    | .18    |
| Each foot higher, add                   | .15    | .21    | .27    | .36    |
| Circle Head Door<br>Trim, add . . . . . | 6.90   | 7.20   | 8.10   | 8.10   |

### Economy— $\frac{5}{8}$ " Casing R-3504

|             |                                             |          |
|-------------|---------------------------------------------|----------|
| Side Casing | $\frac{5}{8} \times 3 \frac{3}{8}$          | No. 7345 |
| Head Casing | $\frac{3}{4} \times 3 \frac{3}{8}$          | No. 7307 |
| Stool       | $\frac{3}{4} \times 3 \frac{1}{4}$          | No. 7311 |
| Apron       | $\frac{5}{8} \times 3 \frac{3}{8}$          | No. 7306 |
| Window Stop | $\frac{1}{2} \times 1 \frac{3}{8}$          | No. 7242 |
| Base Blocks | $\frac{5}{8} \times 3 \frac{3}{8} \times 9$ | R-3200   |



7307



7345



7242



7311

7306



Trim R-3504

| Window Openings<br>Two Light | Y. P.  | Gum    | Oak    | Birch  |
|------------------------------|--------|--------|--------|--------|
| 20x20 and under . . . .      | \$1.38 | \$1.98 | \$2.67 | \$3.33 |
| 22x22 to 26x26 . . . . .     | 1.68   | 2.43   | 3.21   | 4.05   |
| 28x28 to 30x30 . . . . .     | 1.80   | 2.61   | 3.48   | 4.35   |
| Each foot wider, add         | .24    | .30    | .42    | .54    |
| Each foot higher, add        | .18    | .27    | .36    | .45    |
| Door Openings<br>No Stops    |        |        |        |        |
| 2-8x6-8 and under . . .      | 1.41   | 2.01   | 2.70   | 3.39   |
| 2-10x6-8 to 3-0x7-0 . .      | 1.44   | 2.07   | 2.76   | 3.48   |
| Each foot wider, add         | .07    | .09    | .12    | .15    |
| Each foot higher, add        | .13    | .21    | .27    | .30    |

### Peak Head R-3503

$\frac{3}{4} \times 4 \frac{5}{8}$  Peak Head

Use R-3504 Prices for Openings of Corresponding Sizes and Add 75 Cents List

**FREIGHT ALLOWED 150 pounds or more**

Columns  
Porch and  
Stair Parts


Kitchen  
Cabinets  
De Luxe

Ironing  
Boards  
Breakfast  
Nooks  
Med.-Cabs

Corner  
Cases  
Mantels  
Dowels



## W. P. Pine Trim



Colonial Trim may be varied by substituting any of the above designs of casing. Other members will be the same as shown on opposite page. Type R is also shown in Y. P. on this page.

## Per 100 Lineal Feet

|                                                                             |        |
|-----------------------------------------------------------------------------|--------|
| Type "A, B, C, D, E, H, L" $\frac{3}{4}$ x $2\frac{1}{4}$ " W. P. Pine..... | \$3.60 |
| Type "R" $\frac{3}{4}$ x $2\frac{3}{4}$ " W. P. Pine.....                   | 4.35   |
| Type "R" $\frac{3}{4}$ x $2\frac{3}{4}$ " Y. Pine.....                      | 3.75   |

Price per 100 Lin. Ft. -Assorted lengths 6 to 16 ft.


Specified lengths add 10%

For quantities under 100 Lin. Ft. add 20%

| W. P. Pine                                | PRICED PER SIDE | "A, B, C, D,<br>E, H, L" | "R"    |
|-------------------------------------------|-----------------|--------------------------|--------|
| 2 lt. Wd. Trim up to 32 x 32 W. P. Pine.. |                 | \$1.44                   | \$1.56 |
| Circle or Tudor Head, add.....            |                 | 5.20                     | 5.20   |
| Each foot wider or higher, add.....       |                 | .21                      | .21    |
| Door Trim up to 3'-0" x 7'-0".....        |                 | 1.29                     | 1.41   |
| Circle or Tudor Head, add.....            |                 | 4.40                     | 4.40   |
| Yellow Pine Design "R":                   |                 |                          |        |
| Deduct per side window trim.....          |                 |                          | \$0.09 |
| Deduct per side door trim.....            |                 |                          | .06    |

**FREIGHT ALLOWED 150 pounds or more—No crating charges**

“Colonial” Trim



| Design                          | Size        | Unselected Gum | W. P. Pine |
|---------------------------------|-------------|----------------|------------|
| 1. Casing to Mitre.....         | 3/4x3 1/4   | \$ 6.30        | \$5.04     |
| 2. Stop.....                    | 1 1/2x1 3/8 | 2.70           | 1.89       |
| 4. Stop.....                    | 1 1/2x2 1/4 | 4.50           | 2.94       |
| 5. Mullion Casing.....          | 1 1/2x5 1/2 | 10.80          | 8.01       |
| 6. Stool.....                   | 3/4x3 5/8   | 7.20           | 5.76       |
| 7. Apron.....                   | 5/8x3       | 5.85           | 4.65       |
| 8. Base and Ceiling Moulds..... | 3/4x1 5/8   | 3.60           | 2.64       |
| 9. Base.....                    | 1 1/2x4 1/2 | 9.45           | 7.20       |
| 10. Picture Mould.....          | 3/4x1 3/4   | 3.60           | 2.64       |
| 11. Cove Mould.....             | 3/4x3 1/2   | 6.75           | 5.40       |
| 12. Base Shoe.....              | 1 1/2x 3/4  | 1.80           | 1.08       |

Priced per Side

|                                                    | Unselected Gum | W. P. Pine |
|----------------------------------------------------|----------------|------------|
| Casing No. 1, Stop No. 2, Stool No. 6, Apron No. 7 |                |            |
| Two Light Window Trim up to 32x32.....             | \$2.13         | \$1.68     |
| Circle or Tudor Head—add.....                      | 5.20           | 5.20       |
| For Each Foot Wider or Higher—add.....             | .27            | .21        |
| Dr. Trim up to 3-0x7-0.....                        | 2.25           | 1.56       |
| Circle or Tudor Head—add.....                      | 4.40           | 4.40       |

Inside Door Jambs

3/4x5 3/8 K. D. Sanded

|                      |                               |        |        |
|----------------------|-------------------------------|--------|--------|
| Without Stops.....   | 2-8x6-8.....                  | \$2.16 | \$1.80 |
| Without Stops.....   | 3-0x7-0.....                  | 2.40   | 1.95   |
| Without Stops.....   | Circle or Tudor Head—add..... | 8.75   | 8.75   |
| With Stop No. 2..... | 2-8x6-8.....                  | 2.91   | 2.25   |
| With Stop No. 2..... | 3-0x7-0.....                  | 3.20   | 2.43   |
| With Stop No. 2..... | Circle or Tudor Head—add..... | 11.25  | 11.25  |

Moulding Price per 100 Lin. Ft.—Random Lengths 6 to 16 Ft.

Specified Lengths add 10%

For Quantities under 100 Lin. Ft.—add 20%

FREIGHT ALLOWED 150 pounds or more

Columns  
Porch and  
Stair Parts

Kitchen  
Cabinets  
De Luxe

Ironing  
Boards  
Breakfast  
Nooks  
Med.-Cabs

Corner  
Cases  
Mantels  
Dowels

## W. P. Pine Window and Door Trim


Priced Per Side—Cut to Lengths  
All Tied in Bundles—Ready for Use on Job  
Casing Not Figured to Mitre

W. P. Pine

Paper Wrapped  
for L. C. L. Shipment

Back Band— $\frac{5}{8}$ " Casing

R-3502




TRIM R-3502

|             |                                       |                        |
|-------------|---------------------------------------|------------------------|
| Side Casing | $\frac{5}{8} \times 3 \frac{5}{8}$    | No. 7345               |
| Head Casing | $\frac{5}{8} \times 3 \frac{5}{8}$    | No. 7306               |
| Back Band   | $\frac{3}{4} \times 1 \frac{1}{16}$   | No. 8378 $\frac{1}{2}$ |
| Stool       | $1 \frac{1}{16} \times 3 \frac{5}{8}$ | No. 7312               |
| Window Stop | $1 \frac{1}{2} \times 1 \frac{3}{8}$  | No. 7242               |
| Apron       | $\frac{5}{8} \times 3 \frac{5}{8}$    | No. 7306               |

| Window Openings<br>Two Light | W. P. Pine |
|------------------------------|------------|
| 20x20 and under              | \$2.01     |
| 22x22 to 26x26               | 2.43       |
| 28x28 to 30x30               | 2.58       |
| Each foot wider, add         | .30        |
| Each foot higher, add        | .24        |
| Door Openings<br>No Stops    |            |
| 2-8x6-8 and under            | 1.77       |
| 2-10x6-8 to 3-0x7-0          | 1.80       |
| Each foot wider, add         | .09        |
| Each foot higher, add        | .21        |
| Circle Head Door Trim, add   | 7.20       |

## W. P. Pine Interior Trim



| Design                       | Size                                  | W. P. Pine |
|------------------------------|---------------------------------------|------------|
| 7345 Casing                  | $\frac{5}{8} \times 3 \frac{5}{8}$    | \$5.64     |
| 8378 $\frac{1}{2}$ Back Band | $\frac{3}{4} \times 1 \frac{1}{16}$   | 1.92       |
| 7306 Apron                   | $\frac{5}{8} \times 3 \frac{5}{8}$    | 5.64       |
| 7311 Stool                   | $\frac{3}{4} \times 3 \frac{1}{4}$    | 5.97       |
| 7312 Stool                   | $1 \frac{1}{16} \times 3 \frac{5}{8}$ | 9.90       |
| 7431 Base                    | $\frac{5}{8} \times 5 \frac{1}{2}$    | 8.01       |
| 7242 Window Stop             | $1 \frac{1}{2} \times 1 \frac{3}{8}$  | 1.89       |
| 7243 Door Stop               | $1 \frac{1}{2} \times 1 \frac{5}{8}$  | 2.25       |
| 7430 Base Mould              | $\frac{9}{16} \times \frac{3}{4}$     | 1.29       |

Prices per 100 Lin. Ft.—Assorted lengths 6 to 16 ft.

Specified lengths add 10%

For quantities under 100 Lin. Ft. add 20%



W. P. Pine Frame Stock

Prices Per 100 Lineal Feet

| Design                                       | Size        | W. P. Pine |
|----------------------------------------------|-------------|------------|
| Sill A-601-651-671-701                       | 1 3/4x7 1/4 | \$32.90    |
| Sill R-411                                   | 1 3/4x7 1/4 | 32.90      |
| Door Sill R-302-A-802-852                    | 1 3/4x7 1/4 | 32.90      |
| O. S. Casing                                 | 1 1/8x3 3/4 | 9.75       |
| O. S. Casing                                 | 1 1/8x4 1/2 | 11.90      |
| O. S. Casing                                 | 1 1/8x5 1/2 | 14.00      |
| Jamb Stock—Rabbeted 1 3/8 or 1 3/4 to Order. | 1 3/8x5 3/8 | 17.55      |
| Jamb Stock—Rabbeted 1 3/8 or 1 3/4 to Order. | 1 5/8x7 1/2 | 32.90      |
| Jamb Stock—Rabbeted 1 3/8 or 1 3/4 to Order. | 1 5/8x9 1/2 | 39.50      |
| Jamb Stock—Rabbeted 1 3/8 or 1 3/4 to Order. | 1 3/8x6     | 23.00      |
| Sash Sill                                    | 1 3/4x5 3/8 | 27.30      |
| Pulley Stile #7465                           | 3/4x4 1/2   | 7.65       |
| Brick Mould #7061                            | 1 1/16x2    | 5.40       |
| Blind Stop #7463                             | 3/4x1 1/4   | 2.07       |
| Parting Stop #7461                           | 1/2x 3/4    | 1.08       |
| Oak Door Sill                                | Size        | Price      |
| For Frames R-302-A-802-A-852                 | 1 3/4x7 1/4 | \$65.80    |

“T” ASTRAGALS

| Size           | Pine   | R. Oak | Birch  |
|----------------|--------|--------|--------|
| 1 3/8x7/0—Door | \$0.75 |        |        |
| 1 3/4x7/0—Door | .90    | \$2.25 | \$2.25 |
| 1 3/4x8/0—Door | 1.20   |        |        |
| 2 1/4x8/0—Door | 1.90   | 2.80   | 2.80   |



Sink Trim



|                                       | Price  |
|---------------------------------------|--------|
| Oak Drip Board, Fluted Top, 24x24     | \$2.00 |
| Oak Drip Board, Fluted Top, 24x30     | 2.50   |
| Oak Drip Board, Fluted Top, 24x36     | 3.00   |
| Oak Sink Legs, Turned, 1 3/4x30, Each | .60    |
| Oak Sink Capping, 3/4x3 1/4, per Foot | .10    |

FREIGHT ALLOWED 150 pounds or more

Columns  
Porch and  
Stair Parts

Kitchen  
Cabinets  
De Luxe

Ironing  
Boards  
Breakfast  
Nooks  
Med.-Cabs

Corner-  
Cases  
Mantels  
Dowels

## Fir Columns



R-2200



R-2216



R-2215



R-2213


| Size    | Price  |
|---------|--------|
| 4x4 8'  | \$2.10 |
| 5x5 8'  | 3.27   |
| 5x5 9'  | 3.69   |
| 5x5 10' | 4.11   |
| 6x6 8'  | 4.71   |
| 6x6 9'  | 5.31   |
| 6x6 10' | 5.91   |

Extra Caps and Bases for  
Columns R-2215 or R-2216

|                 | Caps   | Bases  |
|-----------------|--------|--------|
| For 6" Columns  | \$0.42 | \$0.81 |
| For 8" Columns  | .54    | 1.05   |
| For 10" Columns | .81    | 1.59   |
| For 12" Columns | .99    | 1.89   |

| Size      | R-2216 | R-2215 | R-2213 |
|-----------|--------|--------|--------|
| 6x 6 6'   | \$3.90 |        |        |
| 6x 6 8'   | 4.80   |        |        |
| 6x 6 9'   | 5.31   |        |        |
| 8x 8 6'   | 5.46   | \$5.34 |        |
| 8x 8 8'   | 6.00   | 6.63   | \$4.26 |
| 8x 8 9'   | 7.02   | 7.26   | 4.77   |
| 8x 8 10'  | 7.86   | 7.89   |        |
| 10x10 6'  | 6.72   | 6.75   |        |
| 10x10 8'  | 8.10   | 8.37   | 5.82   |
| 10x10 9'  | 9.21   | 9.27   | 6.51   |
| 10x10 10' | 10.02  | 10.08  |        |
| 12x12 6'  | 9.15   | 8.10   |        |
| 12x12 8'  | 11.13  | 9.96   |        |
| 12x12 9'  | 12.15  | 10.95  |        |

Note R-2213 Shipped Knock Down.



R-3204

## Fir Roof Brackets




R-3207

| Size    | Thickness | R-3204  | R-3207  |
|---------|-----------|---------|---------|
| 3-0x3-0 | 3 1/2"    | \$ 9.24 | \$ 7.56 |
| 3-0x3-0 | 5 1/2"    | 12.21   | 10.89   |

FREIGHT ALLOWED 150 pounds or more—No crating charges

Clear Fir Porch Rail

Top Rail




R-1626

Bottom Rail




R-1625

Top Rail



R-1627

Bottom Rail



R-1630

| Design | Per 100 Lin. Feet | Size        | Price  |
|--------|-------------------|-------------|--------|
| R-1625 | .....             | 1 5/8x3 5/8 | \$9.15 |
| R-1626 | .....             | 1 5/8x3 5/8 | 9.15   |
| R-1627 | .....             | 1 5/8x2 5/8 | 6.87   |
| R-1630 | .....             | 1 5/8x2 5/8 | 6.87   |

Colonial Design



R-1629

| Design | Shaped to the hand | Size        | Price   |
|--------|--------------------|-------------|---------|
| R-1629 | .....              | 2 5/8x2 5/8 | \$12.15 |

Fir Baluster Stock  
Long Lengths, Round Edge

Per 100 Lineal Feet

| Design | Size        | Price  |
|--------|-------------|--------|
| R-1635 | 3/4x 3/4    | \$1.14 |
| R-1636 | 1 1/8x1 1/8 | 1.80   |
| R-1637 | 1 3/8x1 3/8 | 2.61   |
| R-1638 | 1 5/8x1 5/8 | 4.59   |



For specified lengths of Baluster Stock and Porch Rail, add 10%



Fir—R-2221



Fir—R-2222

| Size   | Price  |
|--------|--------|
| 4x4 4' | \$1.05 |
| 5x5 4' | 1.65   |
| 6x6 4' | 2.34   |



Fir—R-2224



Fir—R-2225

| Size   | Price  |
|--------|--------|
| 6x6 4' | \$2.67 |
| 8x8 4' | 3.63   |

FREIGHT ALLOWED 150 pounds or more—No crating charges

Columns  
Perch and  
Stair Parts



Kitchen  
Cabinets  
De Luxe

Ironing  
Boards  
Breakfast  
Nooks  
Med.-Cabs


Corner-  
Cases  
Mantels  
Downs



## Qualitybilt Colonial and Standard Stair Parts




Cross section showing simple and exclusive Qualitybilt method of anchoring pin Newels R1632 and R1633 to Bullnose or Scroll End Treads. A most rigid construction which eliminates any possibility of newel loosening or becoming wobbly. Starting Riser is installed last so that newel can be properly plumbed and cleats nailed to floor after crook and balusters are attached. Wedges and Floor Cleats are included with these newels.




All Quality Colonial Stair Parts are packed in substantial Fibre containers. Each carton is labeled to show contents both as to design number, kind of wood and an illustration of the part. This makes it convenient to stock them and insures parts being kept clean and bright until ready for installation. Lineal lengths are paper wrapped unless otherwise specified.




## Stock Stair Parts




A very popular installation using Volute R1665R with Newel R1632, Balusters R1657, and Colonial Bullnose R1944.



Here is a simple, practical arrangement with Newel R1632, Balusters R1662, Turnout Easing R1666R and Scroll End Tread and Riser R1945.



An economical installation for limited space. Newel is R1645, cut off to fit two risers. Can also be used for three risers, Balusters R1657 and Starting Tread R1940.



A very simple installation with Newel R1635 and Starting Easing R1667. For similar combinations use Newel R1638 with easing or straight rail.

For prices see pages 100-103


**FREIGHT ALLOWED 150 pounds or more—No crating charges**

Kitchen  
Cabinets  
De Luxe

Ironing  
Boards  
Breakfast  
Nooks  
Med.-Cabs

Corner-  
Cases  
Mantels  
Dowels


# Gooseneck Combinations


R-1681  
R-1682

R-1683  
R-1684


R-1693-L

R-1693-R


R-1687-L  
R-1688-L

R-1687-R  
R-1688-R

R-1691-L  
R-1692-L

R-1691-R  
R-1692-R


R-1694-L

R-1694-R

R-1695-L

R-1695-R

| Design   | Description                                                 | Birch   |
|----------|-------------------------------------------------------------|---------|
| R-1681   | Gooseneck—No cap—1 riser.....                               | \$ 5.00 |
| R-1682   | Gooseneck—No cap—2 risers.....                              | 6.00    |
| R-1683   | Gooseneck—with Cap—1 riser.....                             | 5.80    |
| R-1684   | Gooseneck—with Cap—2 risers.....                            | 6.80    |
| R-1693-L | Gooseneck—with half-turn, 1 riser—left.....                 | 11.00   |
| R-1693-R | Gooseneck—with half-turn, 1 riser—right.....                | 11.00   |
| R-1687-L | Gooseneck—with quarter turn, 1 riser—left.....              | 7.00    |
| R-1688-L | Gooseneck—with quarter turn, 2 risers—left.....             | 8.00    |
| R-1687-R | Gooseneck—with quarter turn, 1 riser—right.....             | 7.00    |
| R-1688-R | Gooseneck—with quarter turn, 2 risers—right.....            | 8.00    |
| R-1691-L | Gooseneck—with 1/4 turn cap, 1 riser—left.....              | 7.40    |
| R-1692-L | Gooseneck—with 1/4 turn cap, 2 risers—left.....             | 8.40    |
| R-1691-R | Gooseneck—with 1/4 turn cap, 1 riser—right.....             | 7.40    |
| R-1692-R | Gooseneck—with 1/4 turn cap, 2 risers—right.....            | 8.40    |
| R-1694-L | Gooseneck—with 1/4 turn and Up Eas, 2 risers—left.....      | 10.70   |
| R-1694-R | Gooseneck—with 1/4 turn and Up Eas, 2 risers—right.....     | 10.70   |
| R-1695-L | Gooseneck—with 1/4 turn cap and Up Eas, 2 risers—left.....  | 11.40   |
| R-1695-R | Gooseneck—with 1/4 turn cap and Up Eas, 2 risers—right..... | 11.40   |

Rail R-1863 shown on page 101 used with these parts.  
Carton packed, rail bolts included.

**FREIGHT ALLOWED 150 pounds or more—No crating charges**



# Volutes—Easings—Crooks



R-1665-L



R-1665-R



R-1666-L



R-1666-R



R-1671



R-1676



R-1669



R-1863



R-1667



R-1668




R-1670



R-1678



R-1674



R-1675



R-1677



R-1679

|                                                          | Birch        |
|----------------------------------------------------------|--------------|
| R-1665-L Volute, with Easing—left hand.....              | \$9.80 Each  |
| R-1665-R Volute, with Easing—right hand.....             | 9.80 "       |
| R-1666-L Turnout Easing—left hand—5 1/4" flare.....      | 5.40 "       |
| R-1666-R Turnout Easing—right hand—5 1/8" flare.....     | 5.40 "       |
| R-1671 Overhand Easing, with returned end.....           | 3.80 "       |
| R-1676 Newel Cap, Plain.....                             | 1.50 "       |
| R-1669 Up Easing, with returned end.....                 | 3.80 "       |
| *R-1863 Stair Rail, 2 1/4 x 2 3/8".....                  | .34 Lin. ft. |
| R-1667 Starting Easing.....                              | 4.60 Each    |
| R-1668 Up Easing.....                                    | 3.20 "       |
| R-1670 Overhand Easing.....                              | 3.20 "       |
| R-1678 Newel Cap—2 rail opgs.....                        | 2.40 "       |
| R-1674 Quarter Turn—on level.....                        | 3.00 "       |
| R-1675 Half Turn—on level, 5 1/2", center to center..... | 6.00 "       |
| R-1677 Newel Cap, 1 rail opening.....                    | 2.00 "       |
| R-1679 Newel Cap, 2 rail openings, quarter turn.....     | 3.20 "       |

\*R-1863 Use with all crooks, easings and volutes shown on this page and page 100. Stair rail shipped wrapped in paper, other items carton packed, rail bolts included;


**FREIGHT ALLOWED 150 pounds or more—No crating charges**

Kitchen  
Cabinets  
De Luxe

Ironing  
Boards  
Breakfast  
Nooks  
Med.-Cabs

Corner  
Cases  
Mantels  
Dowels

## Turned Starting Newels




| Newel  | Size                                          | Birch  |
|--------|-----------------------------------------------|--------|
| R-1632 | $2\frac{1}{4} \times 2\frac{1}{4} \times 3-6$ | \$3.00 |
| R-1633 | $2\frac{3}{4} \times 2\frac{3}{4} \times 3-6$ | 3.40   |
| R-1635 | $3\frac{1}{4} \times 3\frac{1}{4} \times 3-5$ | 3.80   |
| R-1636 | $3\frac{1}{2} \times 3\frac{1}{2} \times 3-5$ | 4.00   |
| R-1637 | $3\frac{1}{4} \times 3\frac{1}{4} \times 3-5$ | 3.80   |
| R-1638 | $3 \times 3 \times 3-8$                       | 3.80   |

Lengths given do not include Pin on Top.

These Starting Newels are combined with Angle or Landing Newels shown below, for various types of installations. There is a corresponding newel for both landing and starting. R-1632 and R-1633 are used with Bullnose or Scroll End Treads and Risers. Note slot in pin for anchoring these newels to tread. See installation details page 98. Packed individually in dust proof cartons.

## Turned Landing Newels



| Newel  | Size                                           | Birch  |
|--------|------------------------------------------------|--------|
| R-1640 | $3\frac{1}{4} \times 3\frac{1}{4} \times 4-10$ | \$5.20 |
| R-1641 | $3\frac{1}{2} \times 3\frac{1}{2} \times 4-10$ | 5.40   |
| R-1642 | $3\frac{1}{4} \times 3\frac{1}{4} \times 4-10$ | 5.20   |
| R-1644 | $3 \times 3 \times 5-2$                        | 5.40   |
| R-1645 | $3 \times 3 \times 5-9$                        | 5.80   |

Lengths given do not include Pin on Top.

These newels are used on landings and platforms. The pin tops are for continuous rail with gooseneck combinations; the square tops used with either straight rail or with easings. Very accurately and uniformly turned to true Colonial profiles. Smoothly sanded, ready for finishing. Packed individually in dust proof cartons.


# Turned Balusters



R-1650 R-1651 R-1653 R-1656 R-1657 R-1659 R-1660 R-1662


| Size                   |                  | Birch       |
|------------------------|------------------|-------------|
| 1 5/16 x 1 5/16 x 2-10 | All Designs..... | \$0.37 Each |
| 1 5/16 x 1 5/16 x 3-0  | All Designs..... | .38 "       |
| 1 5/16 x 1 5/16 x 3-3  | All Designs..... | .39 "       |

Balusters are accurately turned to uniform patterns and smoothly sanded. The turned tops save on installation costs and eliminate plowing of rail and crooks. The pin on bottom is desirable as it permits firm anchorage to the tread and eliminates unsightly nail holes.




R-1835

## Colonial Starting Steps and Bracket



R-1944



R-1945

| Design | Description                          | Y. P.  | Oak    | Birch   |
|--------|--------------------------------------|--------|--------|---------|
| R-1835 | Stair Bracket 7 1/2 x 12 x 3/8"..... | \$0.28 | \$0.32 | \$0.32  |
| R-1944 | For 3-6 Stairs.....                  |        | Birch  | \$ 8.95 |
| R-1945 | For 3-6 Stairs.....                  |        | Birch  | 10.55   |

Includes cove and shoe. If Oak tread and Birch Riser is wanted in place of Birch Tread, same price.

Treads 1 1/16 x 11 1/2" Risers 3/4 x 7".

Rise overall 8". Length overall 4'-6".

These Treads and Risers are designed for Volutes and Turnouts. Treads are sanded two sides, making them reversible. Risers have staved core on curved end. Template for locating newel and balusters included with each volute. Bracket R-1835 is designed so that these can be cut off to fit various rises and runs and still retain their graceful lines.

**FREIGHT ALLOWED 150 pounds or more—No crating charges**


Kitchen  
Cabinets  
De Luxe

Ironing  
Boards  
Breakfast  
Nooks  
Med.-Cabs

Corner  
Cases  
Mantels  
Dowels



## Treads and Risers



### Treads and Risers

| Design | Description                                                 | Y. P.  | Oak    | Birch  |
|--------|-------------------------------------------------------------|--------|--------|--------|
| R-1925 | Tread, $1\frac{1}{16} \times 11\frac{1}{2}$ " 3-6 long..... | \$1.52 | \$1.71 | \$1.95 |
| R-1925 | Tread, $1\frac{1}{16} \times 11\frac{1}{2}$ " 4-0 long..... | 1.68   | 1.93   | 2.16   |
| R-1926 | Riser, $\frac{3}{4} \times 7\frac{1}{2}$ " 3-6 long.....    | .51    | .77    | .81    |
| R-1926 | Riser, $\frac{3}{4} \times 7\frac{1}{2}$ " 4-0 long.....    | .58    | .86    | .90    |

### Stair Stringers

|                                                           | Y. P.  | Oak    | Birch  |
|-----------------------------------------------------------|--------|--------|--------|
| R-1924— $\frac{3}{4} \times 11$ , not housed, per ft..... | \$0.28 | \$0.44 | \$0.48 |

### Landing Tread or Nosing

|        |                                                               |        |        |        |
|--------|---------------------------------------------------------------|--------|--------|--------|
| R-1930 | Landing Tread, $1\frac{1}{16} \times 3\frac{5}{8}$ " 4-0..... | \$0.60 | \$0.65 | \$0.70 |
|--------|---------------------------------------------------------------|--------|--------|--------|

## Balusters and Box Newels




Lock Joint, Miter  
Corner Used on All  
Qualitybilt Box Newels



R-1760



R-1764



R-1766



R-1790

| Design | Description                                                  | Y. P.  | Oak    | Birch  |
|--------|--------------------------------------------------------------|--------|--------|--------|
| R-1760 | Starting Newel $5\frac{1}{2} \times 5\frac{1}{2}$ " 4-0..... | \$5.40 | \$6.10 | \$6.30 |
| R-1764 | Starting Newel $5\frac{1}{2} \times 5\frac{1}{2}$ " 4-0..... | 5.70   | 6.40   | 6.60   |
| R-1766 | Starting Newel $5\frac{1}{2} \times 5\frac{1}{2}$ " 4-0..... | 3.70   |        |        |
| R-1790 | Landing Newel $4\frac{1}{2} \times 4\frac{1}{2}$ " 5-6.....  | 4.30   | 5.40   | 5.70   |

### Square Baluster Stock Per 100 Lin. Ft.

|                                                    | Y. P.  | Oak    | Birch  |
|----------------------------------------------------|--------|--------|--------|
| R-1806 $1\frac{1}{16} \times 1\frac{1}{16}$ "..... | \$4.42 | \$5.75 | \$6.00 |
| R-1806 $1\frac{3}{16} \times 1\frac{3}{16}$ "..... | 6.63   | 8.22   |        |

R-1806

**FREIGHT ALLOWED 150 pounds or more—No crating charges**


# Stair Rails



R-1864




R-1867




R-1870



R-1830



R-1833



R-1832



R-1828




R-1829

| Design | Description                                  | Y. P.  | Oak    | Birch  |
|--------|----------------------------------------------|--------|--------|--------|
| R-1864 | Stair Rail 2 5/8 x 3 1/4", per lin. ft.      | \$0.40 | \$0.48 |        |
| R-1867 | Wall Rail 1 5/8" diameter, per lin. ft.      | .13    | .16    | \$0.17 |
| R-1870 | Stair Rail 2 5/8 x 3", per lin. ft.          | .32    | .39    | .43    |
| R-1830 | Rosette for Rails up to 2 1/4 x 2 3/4"       | .42    | .45    | .45    |
| R-1833 | Quarter Turn for Wall Rail 1 5/8" Dia., each | 2.00   | 2.10   | 2.20   |
| R-1832 | Acorn Ends for 1 5/8" Diameter, rail, each   | .45    | .45    | .45    |
| R-1828 | Shoe 3/4 x 2 1/2", per lin. ft.              | .05    | .07    | .08    |
| R-1829 | Fillet 1/4 x 1 3/8", per lin. ft.            | .02    | .04    | .04    |
| R-1829 | Fillet 1/4 x 1 3/8", per lin. ft.            | .02    | .04    | .04    |

In ordering Rail R-1864 and R-1870 specify size of Balusters, if wanted Rabbeted.


For selecting lengths add 10 per cent to above prices.

## Standard Starting Steps



R-1948

|                                         | Y. P.  | Oak    | Birch  |
|-----------------------------------------|--------|--------|--------|
| R-1948 Circle End Tread for 3-6 Stairs. | \$8.15 | \$9.55 | \$9.55 |



R-1940

|                                       | Y. P.  | Oak    | Birch  |
|---------------------------------------|--------|--------|--------|
| R-1940 Quarter Circle for 3-6 Stairs. | \$7.05 | \$8.05 | \$8.05 |

Made with 1 1/2" reversible treads, good two sides, for right or left hand turn. Not grooved for riser. Risers are 7" high, 8" overall, including cove and shoe. Carton packed.

R-1948 made 4-6 wide overall.

R-1940 made 3-7 wide overall.

**FREIGHT ALLOWED 150 pounds or more—No crating charges**



FINE STAIR BUILDING is now greatly simplified by the use of Qualitybilt Standardized Stair Parts shown on the following pages. These have been designed to fit practically any stair arrangement desired. They are the result of many years experience in the production of high grade stairwork and meet present day high standards of building. Each piece is carefully manufactured of well-seasoned, selected wood and the accurate machining insures uniformity and perfect fitting of all parts.

The economies effected in standardized production not only result in lower prices for the parts themselves but also mean a big savings on installation costs. Use Qualitybilt Standardized Stair Parts when the finest quality is essential and low cost a necessity.

We also manufacture special wood stair designs and parts from the simplest to the most intricate nature, in accordance with architect's details and are prepared to furnish these completely fitted, ready to assemble. Prices on such installations will be quoted on request. All necessary measurements must be furnished us.



# Disappearing Stairway

Concealed When Not in Use




The Victor—R-1756

**Operation**—Stair slides through ceiling on rollers attached to ceiling door. Weight is counterbalanced by two long coil springs—sliding action is controlled by a heavy cord on a friction brake. Stair cannot slide down accidentally.

**Measurements**—See key.

A—Opening in ceiling: rough opening, 2'-6" x 4'-8"; finished opening, 2'-4" x 4'-6".



| C<br>Ceiling<br>Heights | D<br>Projection<br>Into Room | B<br>Projection<br>Into Attic |
|-------------------------|------------------------------|-------------------------------|
| 7'-4"                   | 5'- 0"                       | 4'-6"                         |
| 7'-6"                   | 5'- 3"                       | 5'-3"                         |
| 8'-0"                   | 5'- 7"                       | 5'-9"                         |
| 8'-6"                   | 5'-10"                       | 6'-6"                         |
| 9'-0"                   | 5'-10"                       | 6'-6"                         |

All Victors are shipped for 9'-0" ceilings.

For lower ceilings reduce by cutting off bottom of stairs.

**Specifications**—Complete stairway includes 1 1/8" ceiling door with W. P. Pine S. & R. 3-ply panels, fir one side, birch one side 3/4 x 4" Y. P. stringers housed to receive 3/4 x 5" W. P. Pine treads. Rigid hand rail with supports. No jams or trim included.

**Hardware**—Complete hardware including brackets, coil springs, hinges, screws, etc., furnished. All black japanned.

**Finishing**—Stair stained a serviceable brown. Ceiling door not stained as this is usually painted to match ceiling.

**Packing**—Shipped K. D. in dustproof cartons. Complete instructions for installing included. Shipping weight 110 lbs.

R-1756—Victor—For 7'-6" to 9'-0" ceiling.....\$42.00

Kitchen  
Cabinets  
De Luxe

Ironing  
Boards  
Breakfast  
Nooks  
Med.-Cabs

Corner  
Cases  
Mantels  
Dowels

## “De Luxe” Kitchen Cabinets

In order to meet the present day demand for better kitchens, we offer these high grade “DE LUXE” Units as shown on the pages directly following—really custom-built cabinets at quantity production prices.

### “De Luxe” Features You Will Like

Shipped semi-assembled—carton packed from our stock; can also be furnished on order; set-up, not painted; set-up, primed one coat; set-up completely enameled in a choice of attractive colors.

Units are made from thoroughly kiln dried and seasoned clear W.P. Pine, selected for grain and color; except laminated hardwood door panels, hardwood drawer glides and laminated drawer bottoms. Three-ply Fir backs furnished when ordered.

Flush-type doors furnished,  $1\frac{1}{8}$ " thick (net) and made with lipped construction.


Plain ends,  $\frac{3}{4}$ " thick are made from narrow pieces glued together to resist warping. Ends are grooved to receive tops (except counter top), bottoms and framed drawer slides. Holes are punched for adjustable shelves. Paneled ends made to order.

Shelves are  $\frac{3}{4}$ " thick, glued-up, full width and adjustable. Front edge is slightly rounded. Number of shelves furnished is indicated under designs.

Drawers are dove-tailed, ready for assembling. Fronts are lipped. Fronts, sides and back are grooved to receive 3 ply bottom. Two-piece hardwood center glides are furnished to insure easy operation.

Wide counter tops provide ample working space. W.P. Pine furnished unless otherwise specified. Birch tops are optional. Porcelain enamel, linoleum, stainless steel, monel metal or Formica tops, with or without sinks or splashers, made to order.

Beautiful chromium plated, rust-resisting hardware furnished with all units. Not attached on semi-assembled units, but all necessary parts are machined for the hardware. Exterior hardware shown here.



Catch No. R3659  
Price, Each \$0.84




Drawer Pull  
No. R258  
Price, Each \$0.52



Hinge No. R2967  
Price, Each \$0.27


Interior hardware Cadmium plated. Elbow catch No. 3659 furnished for each pair of doors. Four brass-plated shelf supports No. 3501 furnished for each shelf.

## Suggested De Luxe Installations



"De Luxe" Installation No. F5000

Two of the most popular of De Luxe ensembles, one built around the window and the other on a wall where it was impossible to put a window in the wall and impractical to move the plumbing connections. Ceiling cabinets can be substituted for the ceiling arches if more storage space is desired. De Luxe units are equally adaptable to old kitchens as well as new.



"De Luxe" Installation No. F5003

*A Well Planned Kitchen Means A Big Saving in Time.*

*Attractive catalog showing additional sizes, designs and layouts furnished upon request.*


Kitchen  
Cabinets  
De Luxe

Ironing  
Boards  
Breakfast  
Nooks  
Med.-Cabs

Corner  
Cases  
Mantels  
Dowels




## Suggested De Luxe Installations



**"De Luxe" Installation No. F5110**

Here are shown two actual installations made up of separate stock units economically joined together. The units are made in various sizes so that practically any wall space, either straight across as in 5110 or around the corner as in 5101 can be filled.

Our stock designs can be furnished promptly, but additional designs and sizes can be furnished when a longer time is given. Ceiling units are often used in place of running wall down to meet the cabinets.



**"De Luxe" Installation No. F5101**

Our Kitchen Planning Department will gladly help you with your kitchen installations.

*Attractive catalog showing additional sizes, designs and layouts furnished upon request.*

## Suggested De Luxe Installation



"De Luxe" Installation No. F5001

A suggested kitchen of unusual merit, suggesting a treatment around the corner where two walls can be used and showing how "DE LUXE" cabinets completely harmonize with the stove and refrigerator when built around these items. The flush-type doors are shown in cut below.



Flush Type  
Door

"DE LUXE" Flush-Type Doors used in our De Luxe Cabinets are 5 ply, with built-up solid core, cross-banded with hardwood face veneers. The edges are banded.

*Attractive catalog showing additional sizes, designs and layouts furnished upon request.*

## “De Luxe” Kitchen Cabinets



F-5170



F-5175

### Specifications

Clear W.P. Pine—Semi-Assembled—Carton Packed,  
top and bottom separately.

**Includes**— $\frac{3}{4}$ " front frame put together;  $1\frac{1}{8}$ " lipped flush doors; dovetail drawers, machined ready for assembling; draw slides and hardwood center glides; two finished ends; top, bottom and two adjustable shelves for upper section; bottom, one shelf and  $1\frac{1}{8}$ " counter top for lower section; scribing strips and top mould (not mitred) for top sections. No backs included. Not painted. **Hardware is furnished** chromium plated, not attached. All necessary parts are machined for hardware.

For 8'-6" high cabinet add ceiling sections. See page 120.

Top section 13" deep, 49" high, recess opening 14".

Bottom section 22" deep, 35" high, counter tops 24" wide.

| Design | Sizes   | Complete Cabinet | Upper Section | Lower Section | Approximate Weight |         |
|--------|---------|------------------|---------------|---------------|--------------------|---------|
|        |         |                  |               |               | Upper              | Lower   |
| F-5170 | 2-0x7-0 | \$25.70          | \$11.60       | \$14.10       | 60 Lbs.            | 65 Lbs. |
| F-5175 | 2-0x7-0 | 28.10            | 11.60         | 16.50         | 60 Lbs.            | 65 Lbs. |

MAPLE TOPS—add to above prices per lineal ft. . . . . \$0.50

BIRCH TOPS—add to above prices per lineal ft. . . . . .50

W. P. PINE TOPS—if omitted deduct from above prices per lineal ft. . . . . 1.00

BACKS (3-ply) add per sq. ft. . . . . .14

**FREIGHT ALLOWED 150 pounds or more—No crating charges**



## "De Luxe" Kitchen Cabinets


**F-5180**

**F-5185**

### Specifications

Clear W.P. Pine—Semi-Assembled—Carton Packed,  
top and bottom separately.

**Includes**— $\frac{3}{4}$ " front frame put together;  $1\frac{1}{8}$ " lipped flush doors; dovetail drawers, machined ready for assembling; draw slides and hardwood center glides; two finished ends; top, bottom and two adjustable shelves for upper section; bottom, one shelf and  $1\frac{1}{8}$ " counter top for lower section; scribing strips and top mould (not mitred) for top sections. No backs included. Not painted. **Hardware is furnished** chromium plated, not attached. All necessary parts are machined for hardware.

For 8'-6" high cabinets add ceiling sections. See page 120.

Top section 13" deep, 49" high, recess opening 14".

Bottom section 22" deep, 35" high, counter tops 24" wide.

| Design | Sizes   | Complete Cabinet | Upper Section | Lower Section | Approximate Weight |         |
|--------|---------|------------------|---------------|---------------|--------------------|---------|
|        |         |                  |               |               | Upper              | Lower   |
| F-5180 | 2-3x7-0 | \$29.15          | \$12.30       | \$16.85       | 65 Lbs.            | 70 Lbs. |
| F-5180 | 2-6x7-0 | 30.90            | 13.00         | 17.90         | 70 Lbs.            | 75 Lbs. |
| F-5180 | 2-9x7-0 | 32.65            | 13.70         | 18.95         | 75 Lbs.            | 80 Lbs. |
| F-5180 | 3-0x7-0 | 34.40            | 14.40         | 20.00         | 80 Lbs.            | 85 Lbs. |
| F-5180 | 3-6x7-0 | 37.90            | 15.80         | 22.10         | 90 Lbs.            | 95 Lbs. |
| F-5185 | 2-3x7-0 | 30.65            | 12.30         | 18.35         | 65 Lbs.            | 70 Lbs. |
| F-5185 | 2-6x7-0 | 32.40            | 13.00         | 19.40         | 70 Lbs.            | 75 Lbs. |
| F-5185 | 2-9x7-0 | 34.15            | 13.70         | 20.45         | 75 Lbs.            | 80 Lbs. |
| F-5185 | 3-0x7-0 | 35.90            | 14.40         | 21.50         | 80 Lbs.            | 85 Lbs. |
| F-5185 | 3-6x7-0 | 39.40            | 15.80         | 23.60         | 90 Lbs.            | 95 Lbs. |

MAPLE TOPS—add to above price per lineal ft. .... \$0.50  
 BIRCH TOPS—add to above price per lineal ft. .... .50  
 W. P. PINE TOPS—if omitted, deduct from above prices per lineal ft. .... 1.00  
 BACKS (3-ply) add per sq. ft. .... .14

**FREIGHT ALLOWED 150 pounds or more—No crating charges**

## “De Luxe” Kitchen Cabinets



F-5194



F-5198

### Specifications

Clear W.P. Pine—Semi-Assembled—Carton Packed,  
top and bottom separately.

**Includes**— $\frac{3}{4}$ " front frame put together;  $1\frac{1}{8}$ " lipped flush doors; dovetail drawers, machined ready for assembling; draw slides and hardwood center glides; two finished ends; top, bottom and two adjustable shelves for upper section; bottom, one shelf and  $1\frac{1}{8}$ " counter top for lower section; scribing strips and top mould (not mitred) for top sections. No backs included. Not painted. **Hardware is furnished** chromium plated, not attached. All necessary parts are machined for hardware.

For 8'—6" high cabinets add ceiling sections. See page 120.

Top section 13" deep, 49" high, recess opening 14".

Bottom section 22" deep, 35" high, counter tops 24" wide.

| Design | Sizes   | Complete Cabinet | Upper Section | Lower Section | Approximate Weight |          |
|--------|---------|------------------|---------------|---------------|--------------------|----------|
|        |         |                  |               |               | Upper              | Lower    |
| F-5194 | 4-0x7-0 | \$45.90          | \$18.60       | \$27.30       | 100 Lbs.           | 110 Lbs. |
| F-5198 | 4-0x7-0 | 47.40            | 18.60         | 28.80         | 100 Lbs.           | 115 Lbs. |

|                                                                     |        |
|---------------------------------------------------------------------|--------|
| MAPLE TOPS—add to above price per lineal ft.                        | \$0.50 |
| BIRCH TOPS—add to above price per lineal ft.                        | .50    |
| W. P. PINE TOPS—if omitted, deduct from above prices per lineal ft. | 1.00   |
| BACKS (3-ply) add per sq. ft.                                       | .14    |

**FREIGHT ALLOWED 150 pounds or more—No crating charges**

“De Luxe” Side Sections



BROOM CABINET

Specifications

Clear W. P. Pine—Semi-Assembled—  
Carton Packed.

**Includes**— $\frac{3}{4}$ " front frame;  $1\frac{1}{8}$ " lipped flush doors; two finished ends; top, bottom and one stationary shelf; top mould (not mitred). No backs. Not painted. **Hardware is furnished** chromium plated. All necessary parts machined for hardware.

For 8'-6" height use ceiling units No. F-5215, F-5218, F-5221 shown on page 120.

| Design | Width | Height | Depth | Weight   | Price   |
|--------|-------|--------|-------|----------|---------|
| F-6315 | 1-3   | 7-0    | 1-10  | 85 lbs.  | \$19.50 |
| F-6318 | 1-6   | 7-0    | 1-10  | 95 lbs.  | 21.00   |
| F-6321 | 1-9   | 7-0    | 1-10  | 105 lbs. | 22.50   |

Backs (3-ply) add per sq. ft. . . . . \$0.14

F-6315 F-6318  
F-6321

UTILITY CABINET

Specifications

Clear W. P. Pine—Semi-Assembled—  
Carton Packed.

**Includes**— $\frac{3}{4}$ " front frame;  $1\frac{1}{8}$ " lipped flush door; dovetailed drawers, machined ready for assembling; draw slides and hardwood center glides; two finished ends; top, bottom and three adjustable shelves; top mould (not mitred). No back. Not painted. **Hardware is furnished** chromium plated. All necessary parts machined for hardware.

For 8'-6" height use ceiling units. F-5215, F-5218, F-5221 shown on page 120.

| Design | Width | Height | Depth | Weight   | Price   |
|--------|-------|--------|-------|----------|---------|
| F-6715 | 1-3   | 7-0    | 1-10  | 90 lbs.  | \$25.50 |
| F-6718 | 1-6   | 7-0    | 1-10  | 100 lbs. | 27.30   |
| F-6721 | 1-9   | 7-0    | 1-10  | 110 lbs. | 29.10   |

Backs (3-ply) add per sq. ft. . . . . \$0.14



F-6715 F-6718  
F-6721

**FREIGHT ALLOWED 150 pounds or more—No crating charges**

Ironing  
Boards  
Breakfast  
Nooks  
Med.-Cabs  
  
Corner  
Cases  
Mantels  
Dowels



## “De Luxe” Lower Sections



F-6015      F-6018  
F-6021      F-6024



F-6027, F-6030, F-6033,  
F-6036, F-6042



F-6048

### Specifications

Clear W.P. Pine—Semi-Assembled—Carton Packed.

Includes— $\frac{3}{4}$ " front frames, put together;  $1\frac{1}{16}$ " lipped flush doors; dove tail drawers, machined ready for assembling; framed drawer slides and hardwood center glides; two finished ends,  $\frac{3}{4}$ " thick;  $\frac{3}{4}$ " bottom and one adjustable shelf; No Counter Top; **chromium plated hardware** (not attached), but with all necessary parts machined for hardware. No backs. Not painted.

22" deep—34" high

| Design | Size     | Weight   | Price          |
|--------|----------|----------|----------------|
| F-6015 | 1-3x2-10 | 50 lbs.  | <b>\$10.00</b> |
| F-6018 | 1-6x2-10 | 55 lbs.  | <b>10.70</b>   |
| F-6021 | 1-9x2-10 | 60 lbs.  | <b>11.40</b>   |
| F-6024 | 2-0x2-10 | 65 lbs.  | <b>12.10</b>   |
| F-6027 | 2-3x2-10 | 70 lbs.  | <b>14.60</b>   |
| F-6030 | 2-6x2-10 | 75 lbs.  | <b>15.40</b>   |
| F-6033 | 2-9x2-10 | 80 lbs.  | <b>16.20</b>   |
| F-6036 | 3-0x2-10 | 85 lbs.  | <b>17.00</b>   |
| F-6042 | 3-6x2-10 | 95 lbs.  | <b>18.60</b>   |
| F-6048 | 4-0x2-10 | 110 lbs. | <b>23.20</b>   |

W. P. Pine Counter Tops  $1\frac{1}{16}$ "x24, add to above price per lineal foot..... **\$1.00**

Birch Counter Tops  $1\frac{1}{16}$ "x24, add to above price per lineal foot..... **1.50**

Maple Counter Tops  $1\frac{1}{16}$ "x24, add to above price per lineal foot..... **1.50**

Backs—3 ply, add per square foot..... **.14**

*Attractive catalog showing additional sizes, designs and lay-outs furnished upon request.*

# "De Luxe" Lower Sections



F-6121 F-6124



F-6127 F-6130 F-6133  
F-6136 F-6142



F-6148

## SPECIFICATIONS

Clear W.P. Pine—Semi-Assembled—Carton Packed.

Includes— $\frac{3}{4}$ " front frames, put together;  $1\frac{1}{16}$ " lipped flush doors; dovetail drawers, machined ready for assembling framed drawer slides and hardwood center glides; two finished ends,  $\frac{3}{4}$ " thick;  $\frac{3}{4}$ " bottom and one adjustable shelf; No Counter Top; chromium plated hardware (not attached), but with all necessary parts machined for hardware. No backs. Not painted.

22" deep—34" high

| Design | Size     | Approximate Weight | Price   |
|--------|----------|--------------------|---------|
| F-6121 | 1-9x2-10 | 60 lbs.            | \$13.70 |
| F-6124 | 2-0x2-10 | 65 lbs.            | 14.50   |
| F-6127 | 2-3x2-10 | 70 lbs.            | 16.10   |
| F-6130 | 2-6x2-10 | 75 lbs.            | 16.90   |
| F-6133 | 2-9x2-10 | 80 lbs.            | 17.70   |
| F-6136 | 3-0x2-10 | 85 lbs.            | 18.50   |
| F-6142 | 3-6x2-10 | 95 lbs.            | 20.10   |
| F-6148 | 4-0x2-10 | 115 lbs.           | 24.80   |

W. P. Pine Counter Tops  $1\frac{1}{16}$ x24, add to above price per lineal foot.....\$1.00

Birch Counter Tops  $1\frac{1}{16}$ x24, add to above price per lineal foot..... 1.50

Maple Counter Tops  $1\frac{1}{16}$ x24, add to above price per lineal foot..... 1.50

Backs—3 ply, add per square foot..... .14

Attractive catalog showing additional sizes, designs and layouts furnished upon request.

# "DeLuxe" Lower Sections



R-6215  
R-6218  
R-6221  
R-6227  
R-6230  
R-6236

F-6330 F-6333 F-6336

R-6215 and R-6218 made with 4 drawers high only, Same as Drawers F-6330.



F-6342

F-6348

F-6342 made with single drawer above doors.

## Specifications

Clear W. P. Pine—Semi-Assembled—Carton Packed.  
Includes— $\frac{3}{4}$ " front frames, put together;  $1\frac{1}{16}$ " lipped flush doors; dovetail drawers, machined ready for assembling framed drawer slides and hardwood center glides; two finished ends,  $\frac{3}{4}$ " thick;  $\frac{3}{4}$ " bottom and one adjustable shelf; No Counter Top; chromium plated hardware (not attached), but with all necessary parts machined for hardware. No Backs, not painted.  
22" deep—34" high.

| Design | Size     | Approx. Weight | Price   |
|--------|----------|----------------|---------|
| R-6215 | 1-3x2-10 | 55 lbs.        | \$11.70 |
| R-6218 | 1-6x2-10 | 60 lbs.        | 12.60   |
| R-6221 | 1-9x2-10 | 65 lbs.        | 14.30   |
| R-6224 | 2-0x2-10 | 70 lbs.        | 15.30   |
| R-6227 | 2-3x2-10 | 75 lbs.        | 16.30   |
| R-6230 | 2-6x2-10 | 80 lbs.        | 18.20   |
| R-6236 | 3-0x2-10 | 90 lbs.        | 20.20   |
| F-6330 | 2-6x2-10 | 80 lbs.        | 19.00   |
| F-6333 | 2-9x2-10 | 85 lbs.        | 20.00   |
| F-6336 | 3-0x2-10 | 90 lbs.        | 21.00   |
| F-6342 | 3-6x2-10 | 110 lbs.       | 24.00   |
| F-6348 | 4-0x2-10 | 115 lbs.       | 25.50   |

W. P. Pine Counter Tops  $1\frac{1}{16}$ x24, add to above price per lineal foot.....\$1.00  
Birch Counter Tops  $1\frac{1}{16}$ x24, add to above price per lineal foot.....1.50  
Maple Counter Tops  $1\frac{1}{16}$ x24, add to above price per lineal foot.....1.50  
Backs—3 ply, add per square foot......14

Hardware is furnished, chromium plated, not attached.  
All necessary parts are machined for hardware.



## "De Luxe" Wall Sections

| Design | Wide  | High   | Deep  |
|--------|-------|--------|-------|
| F-5515 | 1'-3" | 2'-11" | 1'-1" |
| F-5518 | 1'-6" | 2'-11" | 1'-1" |



F-5515      F-5518




F-5521      F-5530  
F-5524      F-5533  
F-5527      F-5536  
F-5542

| Design | Wide  | High   | Deep  |
|--------|-------|--------|-------|
| F-5521 | 1'-9" | 2'-11" | 1'-1" |
| F-5524 | 2'-0" | 2'-11" | 1'-1" |
| F-5527 | 2'-3" | 2'-11" | 1'-1" |
| F-5530 | 2'-6" | 2'-11" | 1'-1" |
| F-5533 | 2'-9" | 2'-11" | 1'-1" |
| F-5536 | 3'-0" | 2'-11" | 1'-1" |
| F-5542 | 3'-6" | 2'-11" | 1'-1" |

**F-5548**

Width—4'-0"  
Height—2'-11"  
Depth—1'-1"



**F-5548**

### Specifications

Clear W.P. Pine—Semi-Assembled—Carton Packed.

**Includes**— $\frac{3}{4}$ " front frame put together;  $1\frac{1}{8}$ " lipped flush doors; two finished ends; top, bottom and two adjustable shelves; scribing strip and top mould (not mitred). No backs. Not painted. **Hardware** is furnished, chromium plated, not attached. All necessary parts are machined for hardware.

| Design | Width | Height | Depth | Weight  | Price  |
|--------|-------|--------|-------|---------|--------|
| F-5515 | 1'-3" | 2'-11" | 1'-1" | 40 lbs. | \$7.80 |
| F-5518 | 1'-6" | 2'-11" | 1'-1" | 45 lbs. | 8.40   |
| F-5521 | 1'-9" | 2'-11" | 1'-1" | 50 lbs. | 9.00   |
| F-5524 | 2'-0" | 2'-11" | 1'-1" | 55 lbs. | 10.90  |
| F-5527 | 2'-3" | 2'-11" | 1'-1" | 60 lbs. | 11.60  |
| F-5530 | 2'-6" | 2'-11" | 1'-1" | 65 lbs. | 12.30  |
| F-5533 | 2'-9" | 2'-11" | 1'-1" | 70 lbs. | 13.00  |
| F-5536 | 3'-0" | 2'-11" | 1'-1" | 75 lbs. | 13.70  |
| F-5542 | 3'-6" | 2'-11" | 1'-1" | 85 lbs. | 15.10  |
| F-5548 | 4'-0" | 2'-11" | 1'-1" | 95 lbs. | 17.90  |

Backs (3-ply) add per sq. ft. . . . . \$0.14

**FREIGHT ALLOWED 150 pounds or more—No crating charges**

Ironing  
Boards  
Breakfast  
Nooks  
Med.-Cabs

Corner-  
Cases  
Moulds  
Dowels

## “DeLuxe” Auxiliary Parts

Wood Ceiling Arch  
Clear W.P. Pine  
Set up. Carton packed  
Size 18" high—13" deep  
Can be cut down 2"  
in length



R-5761

| Size       | Weight  | Price  |
|------------|---------|--------|
| 2'-0" Wide | 40 lbs. | \$6.40 |
| 2'-3" Wide | 44 lbs. | 6.85   |
| 2'-6" Wide | 48 lbs. | 7.30   |
| 2'-9" Wide | 52 lbs. | 7.75   |
| 3'-0" Wide | 56 lbs. | 8.20   |
| 3'-6" Wide | 64 lbs. | 9.10   |
| 4'-0" Wide | 72 lbs. | 10.00  |

## Over-Sink Section



R-5624  
R-5627

R-5630  
R-5633

## Specifications

Clear W. P. Pine—Semi-Assembled—Carton Packed

Includes— $\frac{3}{4}$ " front frame put together;  $1\frac{1}{16}$ " lipped doors, glazed with wood stops, including top mould (not mitred), two finished ends, top and bottom, two adjustable shelves. No backs included. Not painted. Hardware is furnished chromium plated, not attached. All necessary parts are machined for hardware.


| Design | Width | Height | Depth | Weight  | Price   |
|--------|-------|--------|-------|---------|---------|
| R-5624 | 2-0   | 2-6    | 9"    | 40 lbs. | \$ 8.50 |
| R-5627 | 2-3   | 2-6    | 9"    | 45 lbs. | 9.00    |
| R-5630 | 2-6   | 2-6    | 9"    | 50 lbs. | 9.50    |
| R-5633 | 2-9   | 2-6    | 9"    | 55 lbs. | 10.00   |

Backs (3-ply) add per sq. ft. .... \$0.14

**FREIGHT ALLOWED 150 pounds or more—No crating charges**

## "De Luxe" Auxiliary Parts

Flour Bin




R-6971

R-6975

Used under wall sections. Flour Bin R-6975 used inside wall sections. Lowering arms included.

Sugar Bin



R-6973

R-6977

Used under wall sections. Sugar Bin R-6977 used inside wall sections. Lowering arms included.

| Design | Deep    | Wide   | High Overall | Capacity | Price  |
|--------|---------|--------|--------------|----------|--------|
| R-6971 | 10 1/2" | 9 3/4" | 10 5/8"      | 12 lbs.  | \$5.30 |
| R-6975 | 10 1/2" | 11 "   | 13 3/4"      | 25 lbs.  | 7.20   |
| R-6973 | 10 1/2" | 9 3/4" | 10 5/8"      | 15 lbs.  | 5.30   |
| R-6977 | 10 1/2" | 11 "   | 13 3/4"      | 25 lbs.  | 7.20   |

## Tilting Flour Bin



R-6980

R-6980

(Capacity 60 lbs.)

11 1/2" Wide  
21 " High at Front  
15 1/2" High at Back  
9 " Deep at Bottom  
16 " Deep at Top

R-6980—Tilting Flour Bin made from approved metal and fits doors of lower section which are hinged at bottom. Capacity 60 pounds. Carton packed.

Price.....\$7.70

No. R-6980 Tilting Flour Bin for use in DeLuxe Lower Sections:

F 6018 F-6024 F-6030 F-6036 F-6048 F-6333 F-6342  
F-6021 F-6027 F-6033 F-6042 F-6330 F-6336 F-6348


Lower Section F-6015 requires special bin 10 1/4" wide (other dimensions same as stock bin).

Lower Sections F-6121 to F-6148, inc., require special bin made 4 1/2" shorter (front and back) than stock size bin.

**FREIGHT ALLOWED 150 pounds or more—No crating charges**



## Metal Bread Drawer



R-6985

R-6985—Metal Bread Drawer made from approved metal and fits in 8" high drawer of lower section. The lid slides backward and is perforated. Also used as cake drawer. Carton packed.

Price.....\$3.50

R-6985 10 $\frac{3}{4}$ " Wide 8" High 18 $\frac{3}{8}$ " long

For use in deep drawer of DeLuxe Lower Sections:


F-6127 F-6133 F-6148 F-6330 F-6336 F-6348  
F-6130 F-6136 R-6218 F-6333 F-6342

R-6985—Bread Drawer—7 $\frac{3}{4}$ " Wide

For use in Deep Drawer of DeLuxe Lower Sections F-6121 and F-6124


## CUTTING BOARD

$\frac{3}{4}$ " Thick Birch  
1'-3" wide, 1'-10" deep  
Price \$1.80



R-6875

## METAL SOAP CONTAINER



R-6999

Furnished in sink fronts

R-6724 R-6730 R-6733  
R-6736 R-6742 R-6748

Shown on Page-121

19 $\frac{3}{4}$ " Long 4 $\frac{1}{2}$ " High at Back  
6 $\frac{3}{4}$ " High at Front 5 $\frac{1}{2}$ " Deep front to back

Fastens on back of tilting door. Can be lifted out to clean. Carton pack

Price.....\$2.10

**FREIGHT ALLOWED 150 pounds or more—No crating charges**

## Counter and Sink Tops

Birch Maple W. P. Pine



R-6000

**R-6000**—Flat Counter Top  $1\frac{1}{16}$ " thick, 24" wide up to 14' long in pine, birch or maple (no flange).

|                               |        |
|-------------------------------|--------|
| W. P. Pine per lineal ft..... | \$1.00 |
| Birch per lineal ft.....      | 1.50   |
| Maple per lineal ft.....      | 1.50   |

For porcelain enamel, stainless steel, monel metal, linoleum tops write for prices.



**Permasheen Zephyr Custom Features:** Perma Sheen cabinet sinks and tops can be fabricated in any length in one eighth inch increments, without splashes or with splashes any height from  $1\frac{1}{2}$ ". Due to the extreme flexibility of fabrication they can be furnished in L and U shaped cabinet sinks and tops to fit any kitchen requirement. Window cutouts, electric conduit cutouts, and other special features can be located as required. These cabinet sinks are fabricated to specification to fit any built-in kitchen cabinet, and the depth of the cabinet sinks and tops depends primarily on the depth of the cabinets with which they are installed.

**Drainboards:** Drainboards and splashes are heavy  $\frac{1}{8}$ " battleship linoleum composition bonded by a special process to a 16-gauge steel base. The linoleum composition of the work surfaces is quiet, resilient, and colorful; is not affected by food and fruit acids found in the kitchen. Modern design and expert engineering combined in **PermaSheen Zephyr** produce a linoleum composition cabinet sink of sound construction. **PermaSheen Zephyr** meets the demand for a linoleum cabinet sink with a moderately priced, highly attractive cabinet sink in sound, sanitary, patented construction that makes an installation of **PermaSheen Zephyr** permanently satisfactory.

For porcelain enamel, linoleum with stainless steel edging and porcelain enamel bowl, stainless steel, or monel metal. Write for prices.

Ironing  
Boards  
Breakfast  
Nooks  
Med.-Cabs

Corner-  
Cases  
Marble  
Dowels

## “Metropolitan” Kitchen Cabinets



R-2719



R-2720

### General Specifications

W. P. Pine—Semi-Assembled—Carton Packed.

**Includes**— $1\frac{1}{8}$ " front frames put together;  $1\frac{1}{8}$ " doors put together; drawers machined ready for assembling; two finished ends; top, bottom, and two shelves for top section; bottom, one shelf and  $1\frac{1}{8}$ " counter top for base section; drawer slides, shelf cleats, wall strip, and crown mould (not mitred). No backs or hardware. Not painted.

Top 12" deep.

Bottom 17" deep, 35" high.

Counter top to top section 16".

| Design | Size    |                 | Weight   | Price   |
|--------|---------|-----------------|----------|---------|
| R-2719 | 3-6x8-6 | Glazed Doors    | 150 Lbs. | \$24.39 |
| R-2719 | 4-0x8-6 | Glazed Doors    | 160 Lbs. | 26.07   |
| R-2720 | 3-6x8-6 | Fir Panel Doors | 150 Lbs. | 24.39   |
| R-2720 | 4-0x8-6 | Fir Panel Doors | 160 Lbs. | 26.07   |

HARDWARE—Chrome plated.....\$4.00

**FREIGHT ALLOWED 150 pounds or more—No crating charges**



# “Metropolitan” Kitchen Cabinets



R-2722



R-2723

## General Specifications

W. P. Pine—Semi-Assembled—Carton Packed.

**Includes**— $1\frac{1}{8}$ " front frames put together;  $1\frac{1}{8}$ " doors put together; drawers machined ready for assembling; two finished ends; top, bottom, and two shelves for top section; bottom, one shelf and  $1\frac{1}{8}$ " counter top for base section; drawer slides, shelf cleats, wall strip, and crown mould (not mitred). No backs or hardware. Not painted.

Top 12" deep.

Bottom 17" deep, 35" high.

Counter top to top section 16".

| Design | Size    |                 | Weight   | Price   |
|--------|---------|-----------------|----------|---------|
| R-2722 | 4-6x8-6 | Glazed Doors    | 170 Lbs. | \$29.09 |
| R-2722 | 5-0x8-6 | Glazed Doors    | 180 Lbs. | 30.87   |
| R-2723 | 4-6x8-6 | Fir Panel Doors | 170 Lbs. | 29.09   |
| R-2723 | 5-0x8-6 | Fir Panel Doors | 180 Lbs. | 30.87   |

Hardware—Chrome plated.....\$6.20

**FREIGHT ALLOWED 150 pounds or more—No crating charges**

## Cabinet Ironing Boards

### Recess Type



R-2952

#### R-2952

Wall Opening—1'-2" wide.  
6'-8" high.

Inside Depth—3".

Ironing Board—11" wide; 4'-0" long.  
 $\frac{3}{4}$ " board.

R-2952—Recess Type—  
No Door Hardware... \$7.10  
Carton packed.

### Specifications

#### R-2952 and R-2956

W. P. Pine; set-up; carton packed.

Includes—Recess cabinet set-up,  
with three-ply back, to fit between  
2"x4" studs. Sleeve board and ironing

board attached including hardware. Doors as shown, no shelves,  
no casing; no hardware included for swinging doors. Not painted.

Approximate Shipping Weight—  
35 lbs.

Note—Door hardware and casing  
included at small extra cost.



R-2956

#### R-2956

Wall Opening—1'-2" wide.  
6'-8" high.

Inside Depth—2 $\frac{1}{2}$ "

Ironing Board—  
11" wide; 4'-0" long.

R-2956—Recess Type— $\frac{3}{4}$ " Board  
—No Door Hardware... \$7.00

**FREIGHT ALLOWED 150 pounds or more—No crating charges**

## "On-The-Wall" Ironing Board

Surface Type

R-2960



R-2960 On-The-Wall

Screws on wall directly over plaster. No recess necessary. When closed, supporting panels conceal ironing board.

Material—Clear W. P. Pine.

Size Overall—1'-5½" wide, 5'-10" high.

Projection from Wall—1¾".

Ironing Board—12¼" wide, 4'-4" long, ¾" thick.

Shipped—Set-up complete with six holes drilled in frame so that screws will enter studding 16" on center. All necessary hardware is applied. Six long screws included for attaching to wall. Can be installed at desired height. A high grade ¼" thick wool pad is furnished unless otherwise specified. Not painted or stained.

Packed—One Ironing Board complete in a dust-proof carton.

Approximate Shipping Weight—26 lbs.

R-2960—Surface Type—¼" Wool Pad

—Door Hardware, incl. . . . \$8.50

## Folding Table Unit

Consists of two flush paneled sections joined together with brass nickel-plated flush hinges. Not painted or stained. Can be folded to half size and tucked away in any convenient place.

Packed—One Table Unit in dust-proof carton.

Approximate Shipping Weight—10 lbs.

To be attached to supporting panels of "On-the-Wall" and "In-the-Door" Ironing Boards.

Material—Clear Maple, ¾" thick.

Size—24"x36" when open.

TABLE UNIT (used with  
R-2960) Maple . . . . . \$4.00

Showing Method of  
Attaching Table Unit



FREIGHT ALLOWED 150 pounds or more—No crating charges

Ironing  
Boards  
Breakfast  
Nooks  
Med.-Cabs

Corner  
Cases  
Mantels  
Dowels



## Breakfast Nooks



R-2563

### Specifications for R-2563 and R-2565

Space Required—5'-4" to 5'-8" wide, 4'-6" deep.

Table—2'-2" wide, 4'-0" long, 2'-6" high.


Seats—1'-6" deep, 4'-6" long, 3'-0" high.

Specifications—Furnished Semi K. D. All parts accurately machined for quick assembling. Table top is glued up and housed for ends. Paneled seat backs are put together. Seat ends are housed to receive seats. Exposed seat ends and table ends are ornamented with a shallow, decorative groove. We furnish all angle irons, screws, table braces, etc., required to set up. Not painted.

Wood—W. P. Pine.

Packing—One nook complete in dust-proof carton.

Approximate Shipping Weight—120 lbs.




R-2565

Carton Packed

|                                      |              |
|--------------------------------------|--------------|
| R-2563—3-0 high back—Semi K. D. .... | Pine \$19.37 |
| R-2565—3-0 high back—Semi K. D. .... | 19.88        |

**FREIGHT ALLOWED 150 pounds or more—No crating charges**

Soda Nook



Soda nook made with breakfast nook R-2563 and panel back R-2567. Can also be made with breakfast nook R-2565. No alterations necessary for installation. R-2568 is used in place of R-2567 when paneled end is exposed.

Divider Panel R-2567

R-2567 is a special panel back with stiles rabbetted on both sides to receive and join seats to make a neat soda nook. Can be used with R-2563 or R-2565.

Made of W. P. Pine 1 1/8" thick. Set up, ready to attach.


Size—4'-7" wide x 4'-6" high. Neat bead mould all around edge. Not painted or stained. Can be made of various other woods. Packed in cartons as ordered.

Approximate Shipping Weight—4'-6" high, 15 lbs.



R-2567

End Panel R-2568



R-2568

R-2568 is a special panel back with stiles routed on one side to receive seats of Breakfast Nooks R-2563 or R-2565. Opposite side as illustration shows, to form an exposed end of Soda Nook with panels. Not painted or stained. Packed in cartons as ordered.

Approximate Shipping Weight—4'-6" high, 35 lbs.

|                                             |                |
|---------------------------------------------|----------------|
| R-2567—4-6 high—Set up—One to a carton..... | Pine<br>\$4.53 |
| R-2568—4-6 high—Set up—One to a carton..... | 8.66           |

FREIGHT ALLOWED 150 pounds or more—No crating charges

## Medicine Cabinets



R-3067

### Cabinet R-3067

Material—W. P. Pine.

| Mirror Size | Rough Opening Required |
|-------------|------------------------|
| 12x16"      | 1'- 6"x1'-10"          |
| 14x18"      | 1'- 8"x2'- 0"          |

Inside Depth—3 $\frac{5}{8}$ "; can be used with 2x4" or deeper studs.

Specifications—Set up with door fitted, three adjustable shelves with supports, three-ply panel back. No hardware included. Not painted.

Packing—Each packed in a dust-proof carton.

Approximate Shipping Weight—Open 18 lbs.; glazed, 24 lbs.

| Mirror Size | Glazed<br>Pl. Plate Mirror | Glazed<br>Bev. Plate Mirror |
|-------------|----------------------------|-----------------------------|
| 12x16       | \$6.14                     | \$7.37                      |
| 14x18       | 7.10                       | 8.52                        |

### R-3054

Material—W. P. Pine

| Mirror Size | Rough Opening Required |
|-------------|------------------------|
| 12x18"      | 1'- 6"x2'- 0"          |
| 14x20"      | 1'- 8"x2'- 2"          |
| 16x20"      | 1'-10"x2'- 2"          |

Inside Depth—3 $\frac{5}{8}$ "; can be used with 2x4" or deeper studding.

Specifications—Set up with door fitted. Includes three adjustable shelves with shelf supports and three-ply laminated panel back. No hardware furnished. Not painted or stained.

Packing—Each in a dust-proof carton.

Approximate Shipping Weight—Open, 22 lbs.; glazed, 27 lbs.



R-3054

| Mirror Size | Pine                       |                             |
|-------------|----------------------------|-----------------------------|
|             | Glazed<br>Pl. Plate Mirror | Glazed<br>Bev. Plate Mirror |
| 12x18       | \$6.84                     | \$ 8.18                     |
| 14x20       | 7.85                       | 9.38                        |
| 16x20       | 8.70                       | 10.32                       |

**FREIGHT ALLOWED 150 pounds or more—No crating charges**



# Venetian Medicine Cabinets



R-3044

R-3044  
Fits in Recess

| Mirror Size  | Rough Wall Opening | Price   |
|--------------|--------------------|---------|
| 14 x 22..... | 1-0 1/4 x 1-6 1/2  | \$12.68 |
| 16 x 26..... | 1-2 1/4 x 1-10     | 16.37   |

2 Glass Shelves in 22"  
3 Glass Shelves in 26"  
Approx. Ship. Wt. 37 lbs.

QUALITYBILT Venetian Cabinets are made of W. P. Pine, completely assembled, with laminated panel backs, and adjustable, heavy bulb-edge glass shelves. All wood parts are completely finished with the finest high moisture-proof White Enamel. Polished, rust-resisting hardware attached. Screws for installing also included.

The quality of these Venetian Mirrors and permanency of silvering are the best obtainable. Flower designs are actual cut work by artisans. Edges are beveled or polished.

*Cabinets are Carton Packed.  
Mirrors Crated Separately.*

R-3046  
Fits in Recess

| Mirror Size  | Rough Wall Opening | Price   |
|--------------|--------------------|---------|
| 15 x 26..... | 1-1 1/4 x 1-7      | \$16.37 |
| 16 x 28..... | 1-2 1/4 x 1-8      | 17.46   |


2 Glass Shelves  
Approx. Ship. Wt. 37 lbs.



R-3046

Corner Cases  
Mantels  
Dowels

## Corner Cases



Plan of R-2463

### R-2463

**Size**—2'-8"x7'-1" overall. Inside 1'-0" deep.

**Space Required**—Made to place in open corner but can be set in plastered recess if desired, requiring opening 2'-0"x6'-10".

### Specifications

Shipped Semi K. D. Front and doors assembled. Doors fitted. Top door glazed clear glass with wood stops. Three moulded edge shelves with supports in top, one plain shelf in bottom. No hardware. Not painted.

**Wood**—W. P. Pine.

**Packing**—One complete case in dust proof carton.

**Approximate Shipping Weight**—110 lbs.



R-2463

|        |        | Pine       |         |
|--------|--------|------------|---------|
|        |        | Semi K. D. | Set Up  |
| R-2463 | Glazed | \$32.55    | \$41.13 |

Chrome Plated Hardware Add \$4.00

### R-2452

**Size**—3'-8"x8'-1" overall. Inside depth, 1'-4".

**Space Required**—Made to place in open corner. Can be set in plastered recess if desired, requiring opening 2'-8"x7'-2".

**Specifications**—Shipped Semi-Assembled.

**Includes**—Front and doors put together. Doors fitted. Top door glazed clear glass with wood stops,  $\frac{3}{8}$ " matched and beaded back. Four moulded edge shelves with supports in top, one plain shelf in bottom. No hardware included unless specified. Not painted.

**Wood**—W. P. Pine.

Other woods made to order.

**Packing**—One complete case in dust proof carton.

**Approximate Shipping Weight**—200 lbs.



R-2452

|        |        | W. P. Pine |         | Chrome Plated Hardware Add |
|--------|--------|------------|---------|----------------------------|
|        |        | Semi K. D. | Set Up  |                            |
| R-2452 | Glazed | \$54.20    | \$67.76 | \$4.00                     |

**FREIGHT ALLOWED 150 pounds or more—No crating charges**

## Corner Cases



R-2442

R-2442

Rough Opening, 2'-6"x6'-10".  
Overall Size, 2'-8"x7'-10".  
Inside Depth, 10".

### Specifications

Shipped Semi K.D. Front and doors assembled. Doors fitted. Top doors glazed clear glass with wood stops. Three moulded edge shelves with supports in top, one plain shelf in bottom. No hardware. Not painted.

Wood—W.P. Pine.

Packing—One complete case in dust proof carton.

Approximate Shipping weight—110 lbs.

|        |        | W. P. Pine |
|--------|--------|------------|
|        |        | Set Up     |
| R-2442 | Glazed | \$50.15    |

Chrome Plated Hardware Add \$4.00

R-2446

Rough Opening, 2'-6"x6'-10".  
Overall Size, 2'-8"x7'-8".  
Inside Depth, 11".

Specifications—Shipped Semi-Assembled.

Includes—Front and doors put together. Doors fitted. Panel back. Three moulded edge shelves with supports in top, one plain shelf in bottom. No hardware included unless specified. Not painted.

Wood—Clear W. P. Pine.

Packing—One complete case in dust proof carton.

Approximate Shipping Weight—110 lbs.




R-2446

|        |            | Set Up  | Hardware Add |
|--------|------------|---------|--------------|
| R-2446 | W. P. Pine | \$40.88 | \$2.30       |

**FREIGHT ALLOWED 150 pounds or more—No crating charges**



## Mantels



R-2102

Dimensions—Body, 63" wide, 51" high; shelf 7¼" wide, 72" long. Wood opening, 48" wide, 36½" high.




R-2110

Dimensions—Body, 58" wide, 51" high, 6¼" deep. Wood openings, 43" wide 36½" deep.

Mantel shelves packed in cartons. Shipping weight about 85 lbs


| Design | Wood            | Semi K.D. | Set Up  |
|--------|-----------------|-----------|---------|
| R-2102 | W. P. Pine..... | \$15.69   | \$19.88 |
| R-2110 | W. P. Pine..... |           | 29.51   |

Mantels



R-2135

Dimensions—Shelf, 72" long, 7 1/4" wide. Total height, 51". Wood opening, 48" wide, 36 1/2" high.




R-2137

Dimensions—Shelf, 60" long, 7" wide, 5 1/2" high. Mantel, 52 1/2" wide, 38 1/2" high. Wood opening, 45" wide, 35" high.

| Design          | Wood            | Semi K.D. | Set Up  |
|-----------------|-----------------|-----------|---------|
| R-2135          | W. P. Pine..... |           | \$21.09 |
| R-2137 Complete | W. P. Pine..... | \$16.40   |         |
| Shelf only      | W. P. Pine..... |           | 8.75    |

## Mantels



Mantel—Design R-2136

### Description

WOOD—W. P. Pine

Shelf— $7\frac{1}{4}$ " x 78"

Height Overall— $53\frac{3}{8}$ "

Wood Opg. 50" x  $36\frac{1}{2}$ "

Shipped semi-assembled—two pilasters, each put together with wood pilaster mould attached; breast apron put together with apron mould attached; shelf and shelf-mould shipped loose. Brick mould cut to size but not mitred.

Packed one complete mantel in dust-proof carton.

Approx. Shipping Weight 90 lbs.

| Design | Wood       | Semi K. D. | Set-up  |
|--------|------------|------------|---------|
| R-2136 | W. P. Pine | \$15.51    | \$21.09 |

## Telephone Cabinets

### R-1965

#### Specifications

Made to Fit Between 2"x4" Studding —16" on centers. Removable panel in R-1965 conceals bell box.

Wall Opening—1'-2"x2'-6 $\frac{1}{2}$ ".

Overall Size—1'-5 $\frac{1}{2}$ "x2'-9 $\frac{1}{2}$ ".

Depth of Shelf—7 $\frac{1}{2}$ ".

Wood—W. P. Pine.

How Shipped—Set up complete with curved back. Shelf and return moulding shipped loose. Not painted.

Packing—Each in dust-proof carton.

Each .....\$7.86



R-1965

### R-1970

Wall Opening—1'-2"x2'-10".

Overall Size—1'-5 $\frac{1}{2}$ "x3'-1".

Made to fit between 2"x4" studs 16" on centers.

Shelf—7 $\frac{1}{2}$ " deep.

Made from W. P. Pine, set up with back. Return mould and shelf loose. Removable grille panel in bottom conceals bell box. Not painted. Packed each in a dust-proof carton.

Approximate Shipping Weight—


Pine, 20 lbs.

W. P. Pine

R-1970—Set up.....\$4.80



R-1970





## Hanging China Cases



R-2477

R-2477

Made to hang in corner directly over plaster.

### Size Overall

2'-1 1/2" wide.

5'-0" high.

Bracket—1'-4" high.

Depth Inside—1'-4 5/8".

### Approximate Shipping Weight

W. P. Pine—40 lbs.

Packed one in a dust-proof carton.

|        |        | W. P. Pine |         |
|--------|--------|------------|---------|
| R-2477 | Glazed | Semi K. D. | Set Up  |
|        |        | \$14.75    | \$18.45 |

### Specifications

R-2477 and R-2479

Clear W. P. Pine; Semi-Assembled; Carton Packed.

**Includes**—Doors and sides assembled; glazed clear glass set with wood stops; top; bottom; two moulded edge shelves with supports; backs; moulding and ornaments. No hardware included unless specified. Not painted.

R-2479

Made to hang on wall directly over plaster.

### Size Overall

3'-2" wide.

3'-3" high.

Depth Inside—7".

### Approx. Ship. Weight

W. P. Pine, 75 lbs.

Packed one in a dust-proof carton.



R-2479

|        |        | W. P. Pine |         |
|--------|--------|------------|---------|
| R-2479 | Glazed | Semi K. D. | Set Up  |
|        |        | \$12.68    | \$15.85 |

## Divider Cabinets

Specifications for  
R-2055

**Body Size**—2'-4" wide, 11" deep.  
Height 4'-9" when used with room  
base; 4'-4" high when lugs are cut  
off and base omitted.

**Woods**—W. P. Pine. Can be  
made to order in various other  
woods.

**Construction**—Furnished Semi  
K. D., door, front, sides and back  
put together. Back and ends are  
paneled so that any side may be ex-  
posed to view. Door glazed clear  
glass set with wood stops. Top with  
mould, bottom and three adjustable  
shelves with supports supplied. No  
hardware or room trim included.  
Not painted.

**Packing**—Each cabinet packed  
in dust-proof carton.



R-2055

**Approximate Shipping Weight**—70 lbs.

Chrome Plated Hardware add \$1.00

|                                                      |            |
|------------------------------------------------------|------------|
| R-2055—Semi-K. D.—Glazed.....                        | W. P. Pine |
| R-2055—Set up—Glazed.....                            | \$13.30    |
| Semi-K. D., carton packed. Set up, specially crated. | 16.65      |

## Linen Case

R-3098

Semi-Assembled  
W. P. Pine

**Width**—2'-6"; other sizes made  
to order.

**Height**—6'-10" (overall) lines  
with 6'-8" doors when trimmed.

**Drawer Section**—2'-11" high.

**Depth**—1'-7" Overall.

**Rough Opg. Required**—

2'-6½"x6'-10½"x1'-7¼".

**Includes:**

**Drawers**—Machined ready to  
assemble.

**Upper Section**—11½" front put  
together; 1 pair 11½" paneled doors;  
3 shelves and shelf cleats. No ends  
back, hardware or room trim in-  
cluded unless specified. Not painted.

Each in dust-proof carton.

**Approximate Shipping Weight**  
—97 lbs.



R-3098

|                                                    |         |
|----------------------------------------------------|---------|
| R-3098—2'-6"x6'-10"—No Hardware—Carton Packed..... | \$21.05 |
| Top Section Only—Carton Packed.....                | 8.25    |
| Drawer Section Only—Carton Packed.....             | 13.86   |

DOWEL ASSORTMENT



No. 74—Assortment consists of the following—  
Dowels and Display Holder

|                |         |   |        |       |         |
|----------------|---------|---|--------|-------|---------|
| 25             | 1/4"x3' | @ | \$1.20 | ..... | \$ 0.30 |
| 50             | 3/8"x3' | @ | 2.10   | ..... | 1.05    |
| 100            | 1/2"x3' | @ | 3.60   | ..... | 3.60    |
| 100            | 5/8"x3' | @ | 4.80   | ..... | 4.80    |
| 50             | 3/4"x3' | @ | 6.60   | ..... | 3.30    |
| 25             | 1"x3'   | @ | 9.90   | ..... | 2.48    |
| Your Cost..... |         |   |        |       | \$16.48 |

Weight 118 lbs.

White Birch Dowels  
TURNED TRUE TO SIZE



Sanded smooth dowels for general wood work repairing and construction in chairs, furniture, cabinet, making trellis, ladders, for vines, grill work, etc. Packed 100 pieces in bundle.

|              | Size and Length   | Weight, per 100 pieces | Price, Per 100 pieces |
|--------------|-------------------|------------------------|-----------------------|
| No. 3213     | 3/16 in. x 3 ft.  | 2 lbs.                 | \$ 0.90               |
| No. 3214     | 1/4 in. x 3 ft.   | 4 1/2 lbs.             | 1.20                  |
| No. 3215     | 5/16 in. x 3 ft.  | 7 lbs.                 | 1.50                  |
| No. 3216     | 3/8 in. x 3 ft.   | 9 1/2 lbs.             | 2.10                  |
| No. 3217     | 7/16 in. x 3 ft.  | 13 1/2 lbs.            | 2.70                  |
| No. 3218     | 1/2 in. x 3 ft.   | 18 lbs.                | 3.60                  |
| No. 3218 1/2 | 9/16 in. x 3 ft.  | 24 lbs.                | 4.20                  |
| No. 3219     | 5/8 in. x 3 ft.   | 28 1/2 lbs.            | 4.80                  |
| No. 3220     | 3/4 in. x 3 ft.   | 39 lbs.                | 6.60                  |
| No. 3222     | 1 in. x 3 ft.     | 64 lbs.                | 9.90                  |
| *No. 3225    | 1 1/8 in. x 4 ft. | 118 lbs.               | 19.20                 |

\*Used for Ladder Rungs.

Orders for less than full bundles accepted at full bundle price.

FREIGHT ALLOWED on 100 Lbs. Dowels and Weatherstrip



WHEN IN CHICAGO

VISIT THE HOME OF

**Qualitybilt**  
**WOODWORK**  
REGISTERED



**ROBERTS SASH & DOOR CO.**

920 WEST CULLERTON STREET  
(Formerly 20th St.)

ONE BLOCK WEST OF HALSTED ST.  
TWO BLOCKS NORTH OF CERMAK RD.

CHICAGO, ILL.  
PHONE CANAL 3300

## Sash Extras

|                                                                                   | List   |
|-----------------------------------------------------------------------------------|--------|
| O. G. Lugs for 1 $\frac{3}{8}$ Windows Add per Pair.....                          | \$0.27 |
| O. G. Lugs for 1 $\frac{1}{4}$ Windows Add per Pair.....                          | .36    |
| Rabbetting Bottom Rails, Add per Sash.....                                        | .09    |
| Sash Rabbetted in Pairs, Add per Pair.....                                        | .27    |
| Water Drips Grooved and Attached, Add per Sash.....                               | .45    |
| Half Windows Use One-Half the Window List Open or Glazed and<br>Add per Sash..... | .33    |

## Divided Lights

|                                                         | Open   | Glazed |
|---------------------------------------------------------|--------|--------|
| Vertical Lights 1 $\frac{3}{8}$ , Add per Light.....    | \$0.18 | \$0.18 |
| Rectangular Lights 1 $\frac{3}{8}$ , Add per Light..... | .15    | .15    |

## Florentine Glazing

|                                         |        |
|-----------------------------------------|--------|
| Add to S. S. Price per Square Foot..... | \$0.24 |
|-----------------------------------------|--------|

Special or Odd Sizes. Write for Prices.

## Extras for Re-Working Stock Doors

|                                                                       | Softwood | Hardwood |
|-----------------------------------------------------------------------|----------|----------|
| Rip Bottom or Top Rail to Reduce Height.....                          | \$1.20   | \$1.65   |
| Remove Panels to Make 1 Light with Stops.....                         | 1.50     | 1.95     |
| Lower Top Rail on Sash Doors.....                                     | 2.25     | 3.00     |
| Lower Top Rail or Raise Bottom Rail on 2 Regular Panel<br>Doors.....  | 2.25     | 3.00     |
| Lower Top Rail or Raise Bottom Rail on 2 Vertical Panel<br>Doors..... | 3.00     | 3.90     |
| Lower Top Rail or Raise Bottom Rail on 1 Panel Doors...               | 2.25     | 3.00     |
| Lower Top Rail or Raise Bottom Rail on De Luxe Doors...               | 4.50     | 6.00     |
| Rework to Reduce Width on 2 Regular Panel Doors....                   | 3.00     | 3.90     |
| Rework to Reduce Width on 2 Vertical Panel Doors....                  | 3.00     | 3.90     |
| Rework to Reduce Width on 1 Panel Doors.....                          | 2.25     | 3.00     |
| Rework to Reduce Width on De Luxe Panel Doors.....                    | 4.50     | 6.00     |

## Preparing Door for Flush Mirror (Open, no Mirror included but Glass Stops are included)

|                                                     |        |        |
|-----------------------------------------------------|--------|--------|
| On 2 Regular Panel Doors.....                       | \$3.90 | \$5.10 |
| On 2 Vertical Panel Doors.....                      | 5.55   | 7.20   |
| On 1 Panel Doors.....                               | 1.65   | 2.25   |
| On De Luxe Panel Doors.....                         | 4.20   | 5.55   |
| Planted Mirror Moulding and Stops (Any Type Door).. | 1.80   | 2.25   |

## Divided Lights (including Stops)

|                                             | Softwood          |        |                   |        | Hardwood          |                   |
|---------------------------------------------|-------------------|--------|-------------------|--------|-------------------|-------------------|
|                                             | 1 $\frac{3}{8}$ " |        | 1 $\frac{1}{4}$ " |        | 1 $\frac{3}{8}$ " | 1 $\frac{1}{4}$ " |
|                                             | Open              | Glzd.  | Open              | Glzd.  | Open              | Glzd.             |
| Rectangular Lights....                      | \$0.48            | \$0.63 | \$0.57            | \$0.72 | \$0.69            | \$0.84            |
| Vertical Lights in Part<br>Panel Doors..... | .60               | .81    | .72               | .93    | .87               | 1.08              |
| Vertical Lights in 1<br>Long Light Doors... | .99               | 1.38   | 1.20              | 1.59   | 1.44              | 1.83              |
| Marginal Lights.....                        | .51               | .72    | .60               | .81    | .72               | .93               |



# ROBERTS

## Qualitybilt WOODWORK

REGISTERED

**WINDOWS AND SASH  
INTERIOR DOORS  
EXTERIOR DOORS  
STORE AND MIRROR DOORS  
GARAGE DOORS  
MOULDING •• TRIM  
FRAMES  
CABINET WORK  
PORCH WORK**



**ROBERTS SASH AND DOOR CO.**

908 • 934 • • • WEST CULLERTON ST.  
CHICAGO, ILL. • • • TEL. CANAL 3300